

Compiled by Michael Edwards, PhD, Northeast Telehealth Resource Center, June 2018
Explore the complete NETRC Resource Library at www.NETRC.org/resource-library or contact netrc@mcdph.org for custom bibliographies and resource listings.

TOPIC NAVIGATION TABLE

<p>Chronic disease care</p> <ul style="list-style-type: none"> --guidelines and policy --business/implementation planning --outcome reviews --studies/demonstrations 	<p>Wound care</p>
<p>Heart disease</p> <ul style="list-style-type: none"> --outcome reviews --studies/demonstrations 	<p>Behavioral health</p>
<p>Diabetes</p> <ul style="list-style-type: none"> --outcome reviews --studies/demonstrations 	<p>Other applications</p> <ul style="list-style-type: none"> --self-management --cancer --direct-to-consumer --home dialysis --maternal/neonatal --neurological --palliative/hospice care --rehabilitation --sleep disorders
<p>Lung disease</p> <ul style="list-style-type: none"> --outcome reviews --studies/demonstrations 	<p>Technology</p>

Home-based chronic disease care

--guidelines, and policy discussions

- American Telemedicine Association. State Medicaid Best Practice - State Medicaid best practice - remote patient monitoring and home video visits. ATA State Policy Toolkit, July 2013 [htm](#)
- ATA Home Telehealth Special Interest Group. Home Telehealth Toolkit. American Telemedicine Association, 2013 [htm](#) (requires membership—ask NETRC about copies)
- Broderick A, Lindeman D. Scaling telehealth programs: Lessons from early adopters. The Commonwealth Fund. January 2013 [pdf](#)
- Center for Connected Health Policy. State telehealth laws and Medicaid program policies: a comprehensive scan of the 50 states and District of Columbia. CCHP, Sept. 2017 [pdf](#)
- Center for Connected Health Policy. Telehealth private payer laws: Impact and issues. Milbank Memorial Fund, August 2017 [pdf](#)
- Connecticut Office of Rural Health. Telehealth in Connecticut: Perspectives from home health care providers. State of Connecticut, July 2014 [pdf](#)
- Doty CA. Delivering care anywhere, anytime: Telehealth alters the medical ecosystem. Forrester Consulting and California Healthcare Foundation, 2008 [htm](#)
- EI-Miedany Y. Telehealth and telemedicine: how the digital era is changing standard health care. *Smart Homecare Tech. TeleHealth 4*: 43-51, 2017 [htm](#)
- Fazzi Associates. National study on the future of technology & telehealth in home care. Co-sponsored by National Association for Home Care & Hospice and Philips Home Healthcare Solutions, 2008 [pdf](#)
- Forum on Aging, Disability, and Independence. The future of home health care: workshop summary. National Academies Press, 2015 [htm](#)
- LeadingAge Center for Aging Services Technologies. Telehealth and remote patient monitoring for long-term and post-acute care: A primer and provider selection guide. LeadingAge CAST Report, 2014 [pdf](#)
- Lund PS. Integration of mobile health applications and devices into practice. Report 6 of the Council on Medical Service (I-16), American Medical Association, 2016 [pdf](#)
- Medicare Payment Advisory Commission. Telehealth services and the Medicare program. Chapter 8 in Report to the Congress: Medicare and the Health Care Delivery System. Department of Health and Human Services, June 2016 [pdf](#)

Northwest Regional Telehealth Resource Center. Remote Patient Monitoring: An NRTRC Toolkit. NRTRC [pdf](#)

President's Council of Advisors on Science and Technology. Independence, technology, and connection in older age: Report to the President. PCAST, Executive Office of the President, March 2016 [pdf](#)

Quashie RY, Lerman AF. 50-State Survey of Telemental/Telebehavioral Health. Epstein, Becker & Green, PC, May 2016 [htm](#)

Thomas L, Capistrant G. State telemedicine gaps analysis: Coverage and reimbursement. American Telemedicine Association, February 2017 [htm](#)

Trout KE, Rampa S, Wilson FA, Stimpson JP. Legal mapping analysis of state telehealth reimbursement policies. *Telemed. e-Health* 23(10):805-814, 2017 [PubMed](#)

Verizon. Telehealth monitoring & mobile tech: improving outcomes, reducing admissions. *Fierce Mobile Healthcare*, May 2012 [htm](#) (requires free registration)

Yocom CL Telehealth and remote patient monitoring use in Medicare and selected federal programs. GAO Report to Congressional Committees, U.S. Government Accountability Office, April, 2017 [htm](#)

[RETURN TO TOPICS](#)

--business and implementation planning

ACG Multimedia. Instructions and background on using the telehealth ROI estimator. Advanced Computer Graphics, Inc. [pdf](#)

ATA Business and Finance Special Interest Group. Telehealth project financial projections. ATA, 2006 [xls](#)

ATA Business and Finance Special Interest Group. Telemedicine break-even financial simulation. ATA, 2006 [htm](#)

ATA Business and Finance Special Interest Group. Business 101: Utilizing an ROI model to evaluate telemedicine growth strategies. ATA Webinar, Feb. 2011 [htm](#)

Barker G, Burgiss S, Puskin D, Antoniotti N, et al. Business plan template: A document to assist in the business and strategic planning of telehealth programs. American Telemedicine Association. Business and Finance SIG, 2008 [htm](#); Budgeting template: [htm](#)

Bass Connections Medicaid Reform Program. North Carolina Medicaid reform: A bipartisan path forward. Duke University, April 2017 [pdf](#)

Broderick A. Partners HealthCare: Connecting heart failure patients to providers through remote monitoring. Case Studies in Telehealth Adoption, Commonwealth Fund, 2013 [pdf](#)

Caron MA, Chelico J, Ganguly N, Kvedar J, Rubenstein, A, Sands D. Telehealth rising: practical insights and strategies for success. Healthcare Informatics and Institute for Health Technology Transformation, 2016 [htm](#) (requires free registration)

Center for Technology and Aging. Measuring return on investment of remote patient monitoring: Developing the model. CTA White Paper, 2014 [pdf](#)

Center for Technology and Aging. Determining the ROI from remote patient monitoring: A primer. ROI Brief, Fall 2011 [pdf](#)

Chen S, Cheng A, Mehta K. A review of telemedicine business models. *Telemed. eHealth* 19(4):287-297, 2013 [htm](#)

Chiron Health. Telemedicine revenue calculator. Chiron Health, Inc., [htm](#) (requires a free registration)

Cullen R, Howell B, Martin G. Assessing the return on investment in health IT: An exploration of costs and benefits in relation to the remote monitoring of chronic diseases. *Health Care Inform.Rev. Online* 16(1): 2-7, 2012 [pdf](#)

Deloitte Development LLC.. Virtual health: Can it help your organization create a transformational culture while bending the cost curve? White paper, 2014 [pdf](#)

Ebberwein J. Telehealth ROI: The business case. Presentation at Second Annual Georgia Partnership for Telehealth Summit, December 2015 [pdf](#)

Ernst and Young, LLP. Shaping your telehealth strategy: Leveraging telehealth technologies to lower costs, improve quality outcomes and enhance the patient experience. EY, LLP, 2014 [htm](#)

Fanberg H, Malkary G. RPM: Is it all that it is cracked up to be? Presentation at HIMSS Annual Conference and Exhibition, 2017 [pdf](#)

Foster MA, Berman M, Frazier R. Telehealth business models: An assessment tool for telehealth business opportunities in remote rural communities. Institute of Social and Economic Research, Univ. of Alaska at Anchorage, 2006 [htm](#) Spreadsheet tool: [xls](#)

Frost & Sullivan, Inc. Improving home health care: How mobile technology can boost outcomes, profits, and compliance. White paper, 2015 [pdf](#)

- Griffin KM, Gorman J. Readmissions management through partnerships: physicians–hospitals–post-acute providers. Health Research & Education Trust of New Jersey New Jersey Hospital Association, Health Dimensions Group, 2011 [pdf](#)
- Health Numeric, Inc. Choosing a remote patient monitoring company and estimating return on investment. White paper, 2014 [pdf](#)
- HealthSense, Inc. Remote monitoring: resolving challenges of higher-acuity populations: a case study featuring Christian Care Centers. Webinar slides, June 24, 2014 [pdf](#)
- Herzog R. 10 ways remote patient monitoring saves money. *HIT Consultant*, April 6, 2015 [htm](#)
- Kimble C. Business models for e-health: Evidence from ten case studies. *Global Bus. Org. Excellence* 34(4):18-30, 2015 [htm](#)
- Landers S, Madigan E, Leff B, et al. The future of home health care: a strategic framework for optimizing value. *Home Health Care Manag. Pract.* 28(4):262-278, 2016 [htm](#)
- LeadingAge Center for Aging Services Technologies. Telehealth and remote patient monitoring for long-term and post-acute care: A primer and provider selection guide. LeadingAge CAST Report, 2017 [htm](#)
- Liu SX, Xiang R, Lagor C, Liu N, Sullivan K. Economic modeling of heart failure telehealth programs: when do they become cost saving? *Int. J. Telemed. Appl.* 2016:3289628, 2016 [htm](#)
- Maeng DD, Starr AE, Tomcavage JF, Sciandra J, Salek D, Griffith D. Can telemonitoring reduce hospitalization and cost of care? A health plan's experience in managing patients with heart failure. *Popul. Health Manag.* 17(6):340-344, 2014 [htm](#)
- Medicaid Rates for Home Health Care Working Group. Survey of states providing coverage for in-home telemonitoring services. Connecticut General Assembly, Human Services Committee, November 2015 [pdf](#)
- Milaster C. Your telehealth business plan: Don't leave your clinic without it—Webinar slides. Ingenium Telehealth, Inc., 2015 [pdf](#)
- Mistry H, Garnvwa H, Oppong R. Critical appraisal of published systematic reviews assessing the cost-effectiveness of telemedicine studies. *Telemed. e-Health* 20(7): 609-618, 2014 [htm](#)
- MobileHelp, Inc. The future of home health is here: how home health agencies can bridge the care gap for ACOs and hospital networks. White paper, 2016 [htm](#)
- Osborne TF, Arkwright BT, Reich JJ, Russo, J. A comprehensive overview of home telehealth. In: D. Chau, T. Osborne (eds.), *Application of Technology to the Care of the Older Adult*, Springer Publishing, NY 2017 [htm](#)
- Peretz D, Arnaert A, Ponzoni N. Determining the cost of implementing and operating a remote patient monitoring programme for the elderly with chronic conditions: A systematic review of economic evaluations. *J. Telemed. Telecare* [epub ahead of print] Sept. 2016 :[PubMed](#)
- Pershing Yoakley & Associates, PC Providing and billing Medicare for Chronic Care Management Services (and other fee-for-service population health management services). PYA, 2017 [pdf](#)
- Radhakrishnan K, Xie B, Berkley A, Kim M. Barriers and facilitators for sustainability of tele-homecare programs: a systematic review. *Health Serv. Res.* 51(1):48-75, 2016 [htm](#)
- Radhakrishnan K, Xie B, Jacelon CS. Unsustainable home telehealth: A Texas qualitative study. *Gerontologist*.56(5):830-840, 2016 [pdf](#)
- Reach Health, Inc. 2017 U.S. Telemedicine Industry Benchmark Survey, April 2017 [pdf](#)
- Sarasohn-Kahn J. The connected patient: Charting the vital signs of remote health monitoring. California Healthcare Foundation, Feb. 2011 [pdf](#)
- Sawyer D. 5 ways to optimize your remote patient-monitoring efforts. *Hospitals & Health Networks*, November 12, 2015 [htm](#)
- Segato F, Masella C. Telemedicine services: How to make them last over time. *Health Pol. Technol.* 6(3): 268–278, 2017 [PubMed](#)
- Slotwiner D, Wilkoff B. Cost efficiency and reimbursement of remote monitoring: a US perspective. *Europace* 15 (Suppl 1):i54-i58, 2013 [htm](#)
- Spinsante S. Home telehealth in older patients with heart failure – costs, adherence, and outcomes. *Smart Homecare Technol. TeleHealth* 2:93-104, 2014 [htm](#)
- Stratis Health Systems. Business case: total cost of ownership and return on investment. Health Information Technology Toolkit for Home Health Agencies, Aging Services of Minnesota, 2011 [htm](#) –spreadsheet tool: [xls](#)
- Stratis Health Systems. Health Information Technology Toolkit for Home Health Agencies. Aging Services of Minnesota, 2013 [htm](#)
- Stratis Health Systems. Optimization strategies for telehealth and home monitoring. Aging Services of Minnesota, 2013 [doc](#)
- Stratis Health Systems and Key Health Alliance. Remote patient monitoring. Chapter 6 in: Community Based Care Coordination Toolkit. Aging Services of Minnesota, 2015 [pdf](#)

- National Telehealth Technology Assessment Resource Center. Home telehealth - Deployment and support. TTC, 2011 [htm](#)
- Wade VA, Taylor AD, Kidd MR, Carati C. Transitioning a home telehealth project into a sustainable, large-scale service: a qualitative study. *BMC Health Serv. Res.* 16(1):183, 2016 [htm](#)
- Xin Liu S, Xiang R, Lagor C, Liu N, Sullivan K. Economic modeling of heart failure telehealth programs: when do they become cost saving? *J. Telemed. Applic.* 2016: ID 3289628, 2016 [htm](#)

[RETURN TO TOPICS](#)

--outcomes reviews

- Bashshur RL, Shannon GW, Smith BR. The empirical foundations of telemedicine interventions for chronic disease management. *Telemed. eHealth* 20(9):769-800, 2014 [htm](#)
- Center for Connected Health Policy. Literature review: The Triple Aim and home telehealth for patients with chronic disease. National Telehealth Policy Resource Center, August, 2013 [pdf](#)
- Center for Connected Health Policy. Remote patient monitoring research catalogue and quality assessment. National Telehealth Policy Resource Center, Jan. 2015 [pdf](#)
- de Jong CC, Ros WJ, Schrijvers G. The effects on health behavior and health outcomes of Internet-based asynchronous communication between health providers and patients with a chronic condition: a systematic review. *J. Med. Internet Res.* 16(1):e19, 2014 [htm](#)
- Dinesen B, Nonnecke B, Lindeman D, et al. Personalized telehealth in the future: a global research agenda. *J. Med. Internet Res.* 18(3):e53, 2016 [htm](#)
- Elbert NJ, van Os-Medendorp H, van Renselaar W, et al. Effectiveness and cost-effectiveness of ehealth interventions in somatic diseases: a systematic review of systematic reviews and meta-analyses. *J. Med. Internet Res.* 16(4):e110, 2014 [htm](#)
- Gorst SL, Armitage CJ, Brownsell S, Hawley MS. Home telehealth uptake and continued use among heart failure and chronic obstructive pulmonary disease patients: a systematic review. *Ann. Behav. Med.* 48(3):323-336, 2014 [htm](#)
- Hamine S, Gerth-Guyette E, Faulx D, Green BB, Ginsburg AS. Impact of mHealth chronic disease management on treatment adherence and patient outcomes: a systematic review. *J. Med. Internet Res.* 17(2):e52, 2015 [htm](#)
- Hill RD, et al. Review of Veterans Health Administration telemedicine interventions. *Amer. J. Manag. Care* 16(12 suppl. HIT):e302-310, 2010. [pdf](#)
- Iribarren SJ, Cato K, Falzon L, Stone PW. What is the economic evidence for mHealth? A systematic review of economic evaluations of mHealth solutions. *PLoS One* 12(2):e0170581, 2017 [htm](#)
- Jones A, Hedges-Chou J, Joanna Bates J, et al. Home telehealth for chronic disease management: selected findings of a narrative synthesis. *Telemed. eHealth* 20(4): 346-380, 2014 [htm](#)
- Kitsiou S, Paré G, Jaana M. Systematic reviews and meta-analyses of home telemonitoring interventions for patients with chronic diseases: a critical assessment of their methodological quality. *J. Med. Internet Res.* 15(7):e150, 2013 [htm](#)
- Kvedar JC, Fogel AL, Elenko E, Zohar D. Digital medicine's march on chronic disease. *Nat. Biotechnol.* 34(3):239-246, 2016 [htm](#)
- Paré G, Moqadem K, Pineau G, St-Hilaire C. Clinical effects of home telemonitoring in the context of diabetes, asthma, heart failure and hypertension. *J. Med. Internet Res.* 12(2):e21, 2010 [htm](#)
- Rojas SV, Gagnon M-P. A systematic review of the key indicators for assessing telehomecare cost-effectiveness. *Telemed. eHealth* 14(9): 896–904, 2008 [htm](#)
- Sarasohn-Kahn J. The connected patient: Charting the vital signs of remote health monitoring. California Healthcare Foundation, Feb. 2011 [htm](#)
- Stachura ME, Khasanshina EV. Telehomecare and remote monitoring: An outcomes review. Advanced Medical Technology Association, 2007 [pdf](#)
- Totten AM, Womack DM, Eden KB, et al. Telehealth: Mapping the evidence for patient outcomes from systematic reviews. Agency for Healthcare Research and Quality Technical Brief No. 26.; June 2016 [htm](#)
- Whitehead L, Seaton P. The effectiveness of self-management mobile phone and tablet apps in long-term condition management: a systematic review. *J. Med. Internet Res.* 18(5):e97, 2016 [htm](#)
- Wootton R. Twenty years of telemedicine in chronic disease management – an evidence synthesis. *J. Telemed Telecare.* 18(4): 211–220, 2012. [htm](#)

[RETURN TO TOPICS](#)

--research and demonstrations

- American Hospital Association. Telehomecare monitoring services: Eastern Maine Healthcare Systems, VNA Home Health Hospice. AHA Members in Action Case Study, April 2018 [pdf](#)
- Bardsley M, Steventon A, Doll H. Impact of telehealth on general practice contacts: findings from the Whole Systems Demonstrator cluster randomised trial. *BMC Health Serv Res.* 13:395, 2013 [htm](#)
- Boling PA, Chandekar RV, Hungate B, et al. Improving outcomes and lowering costs by applying advanced models of in-home care. *Cleveland Clin. J. Med.* 80 (Suppl 1):eS7-14, 2013 [htm](#)
- Bond CS. Telehealth as a tool for independent self-management by people living with long term conditions. Pp. 1-6 in: AJ Maeder M Maurice, RE Scott, *Global Telehealth 2014*. Studies in Health Technology Informatics Volume 206, IOS Press, 2014 [htm](#)
- Bower P, Cartwright M et al. A comprehensive evaluation of the impact of telemonitoring in patients with long-term conditions and social care needs: protocol for the Whole Systems Demonstrator cluster randomised trial. *BMC Health Serv. Res.* 11: 184, 2011. [htm](#)
- Bowles KH, Hanlon AL, Glick HA, Naylor MD, et al. Clinical effectiveness, access to, and satisfaction with care using a telehomecare substitution intervention: a randomized controlled trial. *Int. J. Telemed. Appl.* 2011: 540138, 2011. [htm](#)
- Bowles KH, Holland DE, Horowitz DA. A comparison of in-person home care, home care with telephone contact and home care with telemonitoring for disease management. *J Telemed Telecare* 15(7):344-350, 2009. [htm](#)
- Cartwright M, Hirani SP, Rixon L, et al. Effect of telehealth on quality of life and psychological outcomes over 12 months (Whole Systems Demonstrator telehealth questionnaire study): nested study of patient reported outcomes in a pragmatic, cluster randomised controlled trial. *Brit. Med. J.* 346:f653, 2013 [htm](#)
- Castillo DJ, Myers JB, Mocko J, Beck EH. Mobile integrated healthcare: preliminary experience and impact analysis with a Medicare Advantage population. *J. Health Econ. Outcomes Res.* 4(2):172-187, 2016 [pdf](#)
- Celler B, Varnfield M, Nepal S, Sparks R, Li J, Jayasena R. Impact of at-home telemonitoring on health services expenditure and hospital admissions in patients with chronic conditions: before and after control intervention analysis. *JMIR Med. Inform.* 5(3):e29, 2017 [htm](#)
- Chen HF, Kalish MC, Pagan JA. Telehealth and hospitalizations for Medicare home healthcare patients. *Amer. J. Manag. Care.* 17(6 Spec No.):e224-230, 2011 [htm](#)
- Clarke M, Fursse J, Connolly N, Sharma U, Jones R. Evaluation of the National Health Service (NHS) Direct Pilot Telehealth Program: Cost-effectiveness analysis. *Telemed. e-Health* [epub ahead of print], July 2017 [PubMed](#)
- Darkins A, Kendall S, Edmonson E, Young M, Stessel P. Reduced cost and mortality using home telehealth to promote self-management of complex chronic conditions: a retrospective matched cohort study of 4,999 veteran patients. *Telemed. eHealth* 21(1):70-76, 2015 [PubMed](#)
- Darkins A, Ryan P, Kobb R, Foster L, Edmonson E, Wakefield B, Lancaster AE. Care Coordination/Home Telehealth: the systematic implementation of health informatics, home telehealth, and disease management to support the care of veteran patients with chronic conditions. *Telemed. eHealth* 14(10):1118-1126, 2008 [htm](#)
- Darkins A. Changing the location of care: management of patients with chronic conditions in Veterans Health Administration using care coordination/home telehealth. *J. Rehabil. Res. Dev.* 43(4):vii-xii, 2006 [htm](#)
- Davis C, Bender M, Smith T, Broad J. Feasibility and acute care utilization outcomes of a post-acute transitional telemonitoring program for underserved chronic disease patients. *Telemed, eHealth* 21(9):705-713, 2015 [htm](#)
- Edwards L, Thomas C, Gregory A, et al. Are people with chronic diseases interested in using telehealth? A cross-sectional postal survey. *J. Med. Internet Res.* 16(5): e123, 2014 [htm](#)
- Fazzi Associates. National Chronic Disease Expert Design Project. National Association for Home Care & Hospice and Philips Home Healthcare Solutions, 2009 [pdf](#)
- Fazzi Associates. National state of the industry report for home health and hospice, 2013-2014. Delta Health Technologies and HealthWyse, 2014 [htm](#)
- Finkelstein SM, Speedie SM, Potthoff S. Home telehealth improves clinical outcomes at lower cost for home healthcare. *Telemed. eHealth* 12(2):128-136, 2006 [htm](#)
- Gabrielian S, Yuan A, Andersen RM, et al. Chronic disease management for recently homeless veterans: a clinical practice improvement program to apply home telehealth technology to a vulnerable population. *Med Care* 51(3 Suppl 1):S44-51, 2013 [htm](#)
- Giger JT, Pope ND, Vogt HB, et al. Remote patient monitoring acceptance trends among older adults residing in a frontier state. *Computers Hum. Behav.* 44:174-182, 2015 [pdf](#)
- Grady J. Telehealth: A case study in disruptive innovation. *Amer. J. Nurs.* 114 (4): 38, 2014 [htm](#)

- Hackensack Alliance Accountable Care Organization. Use case study: remote patient monitoring for chronic disease. mHIMSS Case Study, 2014 [htm](#)
- Henderson C, Knapp M, Fernández JL, et al. Cost effectiveness of telehealth for patients with long term conditions (Whole Systems Demonstrator telehealth questionnaire study): nested economic evaluation in a pragmatic, cluster randomised controlled trial. *Brit. Med. J.* 346:f1035, 2013 [htm](#)
- Intel, Inc. Making remote patient monitoring simple and cost effective. Solution Brief, 2017 [pdf](#)
- Jia H, Chuang HC, Wu SS, Wang X, Chumbler NR. Long-term effect of home telehealth services on preventable hospitalization use. *J. Rehabil. Res. Dev.* 46(5):557-566, 2009 [htm](#)
- Johnston B, Wheeler L, Deuser J, Sousa KH. Outcomes of the Kaiser Permanente tele-home health research project. *Arch. Fam. Med.* 9(1):40-45, 2000 [htm](#)
- Juretic M, Hill R, Hicken B, Luptak M, Rupper R, Bair B. Predictors of attrition in older users of a home-based monitoring and health information delivery system. *Telemed. eHealth* 18(9):709-712, 2012 [htm](#)
- Matthew-Maich N, Harris L, Ploeg J, et al. Designing, implementing, and evaluating mobile health technologies for managing chronic conditions in older adults: a scoping review *JMIR Mhealth Uhealth* 4(2):e29, 2016 [htm](#)
- May CR, Finch TL, et al. Integrating telecare for chronic disease management in the community: What needs to be done? *BMC Health Serv. Res.* 11: 131, 2011 [htm](#)
- McKnight, S. Telehealth: applications for complex care. *Online J. Nurs. Informatics* 16 (3), Oct, 2012 [htm](#)
- Sharma U, Clarke M. Nurses' and community support workers' experience of telehealth: a longitudinal case study. *BMC Health Serv. Res.* 14: 164, 2014 [htm](#)
- Takahashi PY, Hanson GJ, Pecina JL, et al. A randomized controlled trial of telemonitoring in older adults with multiple chronic conditions: the Tele-ERA study. *BMC Health Serv Res.* 10:255, 2010 [htm](#)
- Taylor A, Morris G, Pech J, Rechter S, Carati C, Kidd MR. Home telehealth video conferencing: perceptions and performance. *JMIR Mhealth Uhealth.* 3(3):e90, 2015 [htm](#)
- Thomason TR, Hawkins SY, Perkins KE, Hamilton E, Nelson B. Home telehealth and hospital readmissions: a retrospective OASIS-C data analysis. *Home Healthcare Now* 33(1):20-26, 2015 [PubMed](#)
- Wade R, Cartwright C, Shaw K. Factors relating to home telehealth acceptance and usage compliance. *Risk Manag. Healthcare Policy* 5: 25–33, 2012 [htm](#)
- Wade R, Shaw K, Cartwright C. Factors affecting provision of successful monitoring in home telehealth. *Gerontology* 58(4):371-377, 2012 [htm](#)
- Wakefield BJ, Scherubel M, Ray A, Holman JE. Nursing interventions in a telemonitoring program. *Telemed. eHealth* 19(3):160-165, 2013 [htm](#)
- Weinstein RS, Lopez AM, Joseph BA, Erps KA, Holcomb M, Barker GP, Krupinski EA. Telemedicine, telehealth, and mobile health applications that work: opportunities and barriers. *Amer. J. Med.* 127(3):183-187, 2014 [htm](#)

[RETURN TO TOPICS](#)

Remote monitoring and heart disease

--reviews

- AbuDagga A, Resnick HE, Alwan M. Impact of blood pressure telemonitoring on hypertension outcomes: a literature review. *Telemed. e-Health* 16(7):830-838, 2010. [htm](#)
- Agboola S, Jethwani K, Khateeb K, Moore S, Kvedar J. Heart failure remote monitoring: evidence from the retrospective evaluation of a real-world remote monitoring program. *J. Med. Internet Res.* 17(4):e101, 2015 [htm](#)
- Ansary A, Azuma A, Komatireddy R, Barrett PM. The connected health of cardiovascular medicine: current status and future directions. *QJM* 106 (11): 979-982, 2013 [htm](#)
- Bashi N, Karunanithi M, Fatehi F, Ding H, Walters D. Remote monitoring of patients with heart failure: an overview of systematic reviews. *J. Med. Internet Res.* 19(1):e18, 2017 [htm](#)
- Cajita MI, Gleason KT, Han HR. A systematic review of mHealth-based heart failure interventions. *J Cardiovasc. Nurs.* 31(3):E10-22, 2016 [htm](#)
- Canadian Agency for Drugs and Technologies in Health. Telehealth for patients with heart failure: a review of the clinical effectiveness, cost-effectiveness and guidelines. CADTH Rapid Response Reports, Dec. 2015 [htm](#)
- Canadian Agency for Drugs and Technologies in Health. Telehealth for patients with hypertension, coronary artery disease or implantable cardiac devices: a review of the clinical effectiveness, cost-effectiveness and guidelines. CADTH Rapid Response Reports, Jan. 2016 [htm](#)

- Canadian Agency for Drugs and Technologies in Health. Telehealth for the assessment and follow-up of patients requiring cardiac care: a review of the clinical effectiveness, cost-effectiveness, and guidelines. CADTH Rapid Response Reports, June 2015 [htm](#)
- Charness N, Fox M, Papadopoulos A, Crump C. Metrics for assessing the reliability of a telemedicine remote monitoring system. *Telemed. eHealth* 19(6):487-492, 2013 [htm](#)
- Cleland JG, Lewinter C, Goode KM. Telemonitoring for heart failure: the only feasible option for good universal care? *Eur. J. Heart Failure* 11(3):227-228, 2009 [htm](#)
- Conway A, Inglis SC, Clark RA. Effective technologies for noninvasive remote monitoring in heart failure. *Telemed. e-Health* 20(6): 531-538, 2014 [htm](#)
- de Waure C, Cadeddu C, Rosaria Gualano M, Ricciardi W. Telemedicine for the reduction of myocardial infarction mortality: a systematic review and a meta-analysis of published studies. *Telemed. eHealth* 18(5): 323-328, 2012 [htm](#)
- Frederix I, Vanhees L, Dendale P, Goetschalckx K. A review of telerehabilitation for cardiac patients. *J. Telemed. Telecare* 21(1):45-53, 2015 [htm](#)
- Giamouzis G, Mastrogriannis D, et al. Telemonitoring in Chronic Heart Failure: A systematic review *Cardiol. Res. Pract.* 2012: 410820, 2012. [htm](#)
- Gorst SL, Armitage CJ, Brownsell S, Hawley MS. Home telehealth uptake and continued use among heart failure and chronic obstructive pulmonary disease patients: a systematic review. *Ann. Behav. Med.* 48(3):323-336, 2014 [htm](#).
- Greenhalgh T, A'Court C, Shaw S. Understanding heart failure; explaining telehealth - a hermeneutic systematic review. *BMC Cardiovasc. Disord.* 17(1):156, 2017 [htm](#)
- Hameed AS, Sauermann S, Schreier G. The impact of adherence on costs and effectiveness of telemedical patient management in heart failure: a systematic review. *Stud. Health Technol. Inform.* 198:250, 2014 [htm](#)
- Hasan A, Paul V. Telemonitoring in chronic heart failure. *Eur. Heart J.* 32(12):1457-1464, 2011. [htm](#)
- Inglis SC, Clark RA, McAlister FA, Stewart S, Cleland JG. Which components of heart failure programmes are effective? A systematic review and meta-analysis of the outcomes of structured telephone support or telemonitoring as the primary component of chronic heart failure management in 8323 patients: Abridged Cochrane Review. *Eur. J. Heart Fail.* 13(9):1028-1040, 2011. [htm](#)
- Kitsiou S, Paré G, Jaana M. Effects of home telemonitoring interventions on patients with chronic heart failure: An overview of systematic reviews. *J. Med. Internet Res.* 17(3):e63, 2015 [htm](#)
- Klersy C, De Silvestri A, Gabutti G, et al. Economic impact of remote patient monitoring: an integrated economic model derived from a meta-analysis of randomized controlled trials in heart failure. *Eur. J. Heart Fail.* 13(4):450-459, 2011. [htm](#)
- Konstam MA. Home monitoring should be the central element in an effective program of heart failure disease management. *Circulation* 125(6):820-827, 2012 [htm](#)
- Kotb A, Cameron C, Hsieh S, Wells G. Comparative effectiveness of different forms of telemedicine for individuals with heart failure (HF): A systematic review and network meta-analysis. *PLoS One* 10(2):e0118681, 2015 [htm](#)
- Kruse CS, Soma M, Pulluri D, Nemali NT, Brooks M. The effectiveness of telemedicine in the management of chronic heart disease - a systematic review. *JRSM Open* 8(3):2054270416681747, 2017 [htm](#)
- López-Villegas A, Catalán-Matamoros D, Martín-Saborido C, Villegas-Tripiana I, Robles-Musso E. A systematic review of economic evaluations of pacemaker telemonitoring systems. *Rev. Esp. Cardiol.* 69(2):125-133, 2016 [htm](#)
- Maric B, Kaan A, Ignaszewski A, Lear SA. A systematic review of telemonitoring technologies in heart failure. *Eur. J. Heart Fail.* 11(5):506-517, 2009 [htm](#)
- Martirosyan M, Caliskan K, Theuns DAMJ, Szili-Torok T. Remote monitoring of heart failure: benefits for therapeutic decision making. *Expert Rev. Cardiovasc. Ther.* 15(7):503-515, 2017 [htm](#)
- McKoy J, Fitzner K, Margetts M, et al. Are telehealth technologies for hypertension care and self-management effective or simply risky and costly? *Popul. Health Manag.* 18(3):192-202, 2015 [htm](#)
- Nakamura N, Koga T, Iseki H. A meta-analysis of remote patient monitoring for chronic heart failure patients. *J. Telemed. Telecare* 20: 11-17, 2014 [htm](#)
- Ontario Telehealth Network. Evidence review: Telehomecare for heart failure patients – Executive summary. OTN Network, 2012 [htm](#)
- Pandor A, Thokala P, Gomersall T, et al. Home telemonitoring or structured telephone support programmes after recent discharge in patients with heart failure: systematic review and economic evaluation. *Health Technol. Assess.* 17(32):1-207, 2013 [htm](#)
- Paré G, Moqadem K, Pineau G, St-Hilaire C. Clinical effects of home telemonitoring in the context of diabetes, asthma, heart failure and hypertension. *J. Med. Internet Res.* 12(2):e21, 2010 [htm](#)

- Parthiban N, Esterman A, Mahajan R, et al. Remote monitoring of implantable cardioverter-defibrillators: a systematic review and meta-analysis of clinical outcomes. *J. Amer. Coll. Cardiol.* 65(24):2591-2600, 2015 [pdf](#)
- Purcell R, McInnes S, Halcomb EJ. Telemonitoring can assist in managing cardiovascular disease in primary care: a systematic review of systematic reviews. *BMC Fam. Pract.* 15: 43, 2014 [htm](#)
- Sivakumaran D, Earle KA. Telemonitoring: use in the management of hypertension. *Vasc. Health Risk Manag.* 10:217-224, 2014 [htm](#)
- Zullig LL, Melnyk SD, Goldstein K, Shaw RJ, Bosworth HB. The role of home blood pressure telemonitoring in managing hypertensive populations. *Curr. Hypertens. Rep.* 15(4):346-355, 2013 [htm](#)

[RETURN TO TOPICS](#)

--research and demonstration studies

- AHRQ. Web-facilitated home monitoring and ongoing pharmacist support improve blood pressure control in hypertensive patients. *AHRQ Health Care Innovation Profile*, 2010 [htm](#)
- Andreatta C, McKibbin A. A comparison of telehomecare delivery models for congestive heart failure in three Canadian jurisdictions. Working paper #52, McMaster eBusiness Research Center, 2015 [pdf](#)
- Asche SE, O'Connor PJ, Dehmer SP, et al. Patient characteristics associated with greater blood pressure control in a randomized trial of home blood pressure telemonitoring and pharmacist management. *J. Amer. Soc. Hypertens.* 10(11):873-880, 2016 [htm](#)
- Bartlett YK, Haywood A, Bentley CL, et al. The SMART personalised self-management system for congestive heart failure: results of a realist evaluation. *BMC Med Inform Decis Mak.* 14(1): 109, 2014 [htm](#)
- Bernocchi P, Scalvini S, Bertacchini F, Rivadossi F, Muiasan ML. Home based telemedicine intervention for patients with uncontrolled hypertension: - a real life - non-randomized study. *BMC Med. Inform. Decis. Making* 14: 52, 2014 [htm](#)
- Chaudhry SI, Matterna JA, et al. Telemonitoring in patients with heart failure. *New Engl. J. Med.* 363(24):2301-2309, 2010 [htm](#)
- Chaudhry SI, Matterna JA, Krumholz HM. Telemonitoring in patients with heart failure. Response to comments on: Chaudhry et al , 2010. *New Engl. J. Med.* 364 (11): 1078-1080, 2011 [htm](#)
- Dario C, Delise P, Gubian L, Saccavini C, Brandolino G, Mancin S. Large controlled observational study on remote monitoring of pacemakers and implantable cardiac defibrillators: a clinical, economic, and organizational evaluation. *Interact. J. Med. Res.*5(1):e4, 2016 [htm](#)
- DeBlois D, Millefoglie M. Telehealth: Enhancing collaboration, improving care coordination. *Nursing Management* 46(6):10-12, 2015 [htm](#)
- Dendale P, De Keulenaer G, et al. Effect of a telemonitoring-facilitated collaboration between general practitioner and heart failure clinic on mortality and rehospitalization rates in severe heart failure. *Eur. J. Heart Fail.* 14(3):333-340, 2012. [htm](#)
- Ding H, Jayasena R, Maiorana A, Dowling A, Chen SH, Karunanithi M, Layland J, Edwards I. Innovative telemonitoring enhanced care programme for chronic heart failure (ITEC-CHF) to improve guideline compliance and collaborative care: protocol of a multicentre randomised controlled trial. *BMJ Open.* 7(10):e017550, 2017 [htm](#)
- Dixon P, Hollinghurst S, Edwards L, et al. Cost-effectiveness of telehealth for patients with raised cardiovascular disease risk: evidence from the Healthlines randomised controlled trial. *BMJ Open.* 6(8):e012352, 2016 [htm](#)
- Evans J, Papadopoulos A, Silvers CT, et al. Remote health monitoring for older adults and those with heart failure: adherence and system usability. *Telemed. e-Health* 22(6):480-488, 2016 [htm](#)
- Gellis ZD, Kenaley B, McGinty J, et al. Outcomes of a telehealth intervention for homebound older adults with heart or chronic respiratory failure: a randomized controlled trial. *Gerontologist* 52(4):541-552, 2012 [htm](#)
- Gorny AW, Liew SJ, Tan CS, Müller-Riemenschneider F. Fitbit Charge HR wireless heart rate monitor: validation study conducted under free-living conditions. *JMIR Mhealth Uhealth* 5(10):e157, 2017 [htm](#)
- Guédon-Moreau L, Lacroix D, Sadoul N, et al. Costs of remote monitoring vs. ambulatory follow-ups of implanted cardioverter defibrillators in the randomized ECOST study. *Europace* 16(8):1181-1188, 2014 [htm](#)
- Hale TM, Jethwani K, Kandola MS, Saldana F, Kvedar JC. A remote medication monitoring system for chronic heart failure patients to reduce readmissions: a two-arm randomized pilot study. *J. Med. Internet Res.* 18(4):e91, 2016 [htm](#)
- Herold R, Hoffmann W, van den Berg N. Telemedical monitoring of patients with chronic heart failure has a positive effect on total health costs. *BMC Health Serv. Res.* 18: 271, 2018 [pdf](#)

- Karhula T, Vuorinen A-L, Rääpysjärvi K, et al. Telemonitoring and mobile phone-based health coaching among Finnish diabetic and heart disease patients: randomized controlled trial. *J. Med. Internet Res.* 17(6):e153, 2015 [htm](#)
- Keeping-Burke L, Purden M, Frasure-Smith N, et al. Bridging the transition from hospital to home: effects of the VITAL telehealth program on recovery for CABG surgery patients and their caregivers. *Res. Nurs. Health* 36(6):540-553, 2013 [htm](#)
- Kim JY, Wineinger NE, Steinhubl SR. The influence of wireless self-monitoring program on the relationship between patient activation and health behaviors, medication adherence, and blood pressure levels in hypertensive patients: a substudy of a randomized controlled trial. *J. Med. Internet Res.* 18(6):e116, 2016 [htm](#)
- Koehler F, Winkler S, et al. Impact of remote telemedical management on mortality and hospitalizations in ambulatory patients with chronic heart failure: The telemedical interventional monitoring in heart failure study. *Circulation* 123(17):1873-1880, 2011. [htm](#)
- Kulshreshtha A, Kvedar JC, Goyal A, Halpern EF, Watson AJ. Use of remote monitoring to improve outcomes in patients with heart failure: A pilot trial. *Int. J. Telemed. Appl.* 2010, 2010: [htm](#)
- Layton AM, Whitworth J, Peacock J, et al. Feasibility and acceptability of utilizing a smartphone based application to monitor outpatient discharge instruction compliance in cardiac disease patients around discharge from hospitalization. *Int. J. Telemed. Appl.* 2014: 415868, 2014 [htm](#)
- Lee H, Park JB, Choi SW, et al. Impact of a telehealth program with voice recognition technology in patients with chronic heart failure: feasibility study. *JMIR Mhealth Uhealth* 5(10):e127, 2017 [htm](#)
- Liu SX, Xiang R, Lagor C, Liu N, Sullivan K. Economic modeling of heart failure telehealth programs: when do they become cost saving? *Int. J. Telemed. Appl.* 2016:3289628, 2016 [htm](#)
- Margolis KL, Asche SE, Bergdall AR, et al. Effects of home blood pressure telemonitoring and pharmacist management on blood pressure control: a cluster randomized clinical trial. *JAMA* 310(1):46-56, 2013 [htm](#)
- Martín-Lesende I, et al. Assessment of a primary care-based telemonitoring intervention for home care patients with heart failure and chronic lung disease. The TELBIL study. *BMC Health Serv Res.* 11:56, 2011 [htm](#)
- Martín-Lesende I, Orruño E, Bilbao A, et al. Impact of telemonitoring home care patients with heart failure or chronic lung disease from primary care on healthcare resource use (the TELBIL study randomised controlled trial). *BMC Health Serv. Res.* 13:118, 2013 [htm](#)
- Müller A, Goette A, Perings C, et al. Potential role of telemedical service centers in managing remote monitoring data transmitted daily by cardiac implantable electronic devices: results of the early detection of cardiovascular events in device patients with heart failure. *Telemed. e-Health* 19(6): 460-466, 2013 [htm](#)
- Nägele H, Lipoldová J, Oswald H, et al. Home monitoring of implantable cardioverter-defibrillators: interpretation reliability of the second-generation "IEGM Online" system. *Europace*, Jan 6, 2015 [Epub ahead of print] [htm](#)
- O'Connor M, Asdornwised U, Dempsey ML, et al. Using telehealth to reduce all-cause 30-day hospital readmissions among heart failure patients receiving skilled home health services. *Appl. Clin. Inform.* 7(2):238-247, 2016 [htm](#)
- Odeh B, Kayyali R, Nabhani-Gebara S, Philip N, Robinson P, Wallace CR. Evaluation of a telehealth service for COPD and HF patients: Clinical outcome and patients' perceptions. *J. Telemed. Telecare* 21(5):292-297, 2015 [htm](#)
- Ong MK, Romano PS, Edgington S, et al. Effectiveness of remote patient monitoring after discharge of hospitalized patients with heart failure: the Better Effectiveness After Transition -- Heart Failure (BEAT-HF) randomized clinical trial. *JAMA Intern. Med.* 176(3):310-318, 2016 [htm](#)
- Pekmezaris R, Mitzner I, Pecinka KR, et al. The impact of remote patient monitoring (telehealth) upon Medicare beneficiaries with heart failure. *Telemed. eHealth* 18(2):101-108, 2012 [PubMed](#)
- Pekmezaris R, Schwartz RM, Taylor TN, et al. A qualitative analysis to optimize a telemonitoring intervention for heart failure patients from disparity communities. *BMC Med. Inform. Decision Making* 16(1):75, 2016 [htm](#)
- Piette JD, Striplin D, Marinec N, et al. A mobile health intervention supporting heart failure patients and their informal caregivers: a randomized comparative effectiveness trial. *J. Med. Internet Res.* 17(6):e142, 2015 [htm](#)
- Radhakrishnan K, Jacelon CS, Bigelow C, Roche J, Marquard J, Bowles KH. Use of a homecare electronic health record to find associations between patient characteristics and re-hospitalizations in patients with heart failure using telehealth. *J. Telemed. Telecare* 19(2):107-112, 2013 [htm](#)
- Radhakrishnan K, Jacelon CS, Bigelow C, Roche JP, Marquard JL, Bowles KH. Association of comorbidities with home care service utilization of patients with heart failure while receiving telehealth. *J. Cardiovasc. Nurs.* 28(3):216-227, 2013 [htm](#)

- Riley WT, Keberlein P, Sorenson G, et al. Program evaluation of remote heart failure monitoring: healthcare utilization analysis in a rural regional medical center. *Telemed. e-Health* 20 (13): [epub ahead of print], 2015 [htm](#)
- Salisbury C, O'Cathain A, Thomas C, et al. Telehealth for patients at high risk of cardiovascular disease: pragmatic randomised controlled trial. *Brit. Med. J* 353:i2647, 2016 [htm](#)
- Scherr D, Kastner P, Kollmann A, Hallas A, Auer J, Krappinger H, Schuchlenz H, Stark G, Grander W, Jakl G, Schreier G, Fruhwald FM; MOBITELE Investigators. Effect of home-based telemonitoring using mobile phone technology on the outcome of heart failure patients after an episode of acute decompensation: randomized controlled trial. *J. Med. Internet Res.* 11(3):e34, 2009. [htm](#)
- Seto E, Leonard KJ, Cafazzo JA, Barnsley J, Masino C, Ross HJ. Mobile phone-based telemonitoring for heart failure management: a randomized controlled trial. *J. Med. Internet Res.* 14(1):e31, 2012 [htm](#).
- Seto E, Leonard KJ, Masino C, Cafazzo JA, Barnsley J, Ross HJ. Attitudes of heart failure patients and health care providers towards mobile phone-based remote monitoring. *J. Med. Internet Res.* 12(4): e55, 2010. [htm](#)
- Suh MK, Chen CA, Woodbridge J, Tu MK, Kim JI, Nahapetian A, Evangelista LS, Sarrafzadeh M. A remote patient monitoring system for congestive heart failure. *J. Med. Syst.* 35(5):1165-1179, 2011 [htm](#)
- Thokala P, Baalbaki H, Brennan A, et al. Telemonitoring after discharge from hospital with heart failure: cost-effectiveness modelling of alternative service designs. *BMJ Open* 3(9): e003250, 2013 [htm](#)
- Wade MJ, Desai AS, et al. Telemonitoring with case management for seniors with heart failure. *Amer. J. Manag. Care.* 17(3):e71-9, 2011 [htm](#)
- Wakefield BJ, Bylund CL, Holman JE. Nurse and patient communication profiles in a home-based telehealth intervention for heart failure management. *Pat. Educ. Counseling* 71 (2): 285–292, 2008 [pdf](#)
- Wakefield BJ, Ward MM, Holman JE. Evaluation of home telehealth following hospitalization for heart failure: a randomized trial. *Telemed. eHealth* 14(8):753-761, 2008 [htm](#)
- Zai AH, Ronquillo JG, Nieves R, Chueh HC, Kvedar JC, Jethwani K. Assessing hospital readmission risk factors in heart failure patients enrolled in a telemonitoring program. *Int. J. Telemed. Appl.* 2013:305819, 2013 [htm](#)

[RETURN TO TOPICS](#)

Home-based diabetes care

--reviews

- Ajjan RA. How can we realize the clinical benefits of continuous glucose monitoring? *Diabetes Technol. Ther.* 19(S2):S27-S36, 2017 [htm](#)
- Arambepola C, Ricci-Cabello I, Manikavasagam P, et al. The impact of automated brief messages promoting lifestyle changes delivered via mobile devices to people with type 2 diabetes: A systematic literature review and meta-analysis of controlled trials. *J. Med. Internet Res.* 18(4):e86, 2016 [htm](#)
- Arnhold M, Quade M, Wilhelm Kirch W. Mobile applications for diabetics: a systematic review and expert-based usability evaluation considering the special requirements of diabetes patients age 50 years or older. *J. Med. Internet Res.* 16(4): e104, 2014 [htm](#)
- Bashshur RL, Shannon GW, Smith BR, Woodward MA. The empirical evidence for the telemedicine intervention in diabetes management. *Telemed. eHealth* 21(5):321-354, 2015 [pdf](#)
- Bonoto BC, de Araújo VE, Godói IP, et al. Efficacy of mobile apps to support the care of patients with diabetes mellitus: a systematic review and meta-analysis of randomized controlled trials. *JMIR Mhealth Uhealth.* 5(3):e4, 2017 [htm](#)
- Canadian Agency for Drugs and Technologies in Health. Tele-medicine for patients with diabetes: clinical and cost-effectiveness. CADTH Rapid Response Reports, August 2014 [htm](#)
- Cotter AP, Durant N, Agne AA, Cherrington AL. Internet interventions to support lifestyle modification for diabetes management: a systematic review of the evidence. *J. Diabetes Complications* 28(2):243-251, 2014 [htm](#)
- Faruque LI, Wiebe N, Ehteshami-Afshar A, et al. Effect of telemedicine on glycated hemoglobin in diabetes: a systematic review and meta-analysis of randomized trials. *Canadian Med. Assoc. J.* [epub ahead of print] October, 2016 [htm](#)
- Goyal S, Cafazzo JA. Mobile phone health apps for diabetes management: Current evidence and future developments. *QJM* 106 (12):1067-1069, 2013 [htm](#)
- Greenwood DA, Young HM, Quinn CC. Telehealth remote monitoring systematic review: structured self-monitoring of blood glucose and impact on A1C. *J. Diabetes Sci. Technol.* 8(2):378-389, 2014 [htm](#)

- Klonoff DC. Improved outcomes from diabetes monitoring: the benefits of better adherence, therapy adjustments, patient education, and telemedicine support. *J. Diabetes Sci. Technol.* 6(3): 486-490, 2012 [pdf](#)
- Lanzola G, Losiouk E, Del Favero S, et al. Remote blood glucose monitoring in mHealth scenarios: A review. *Sensors* 16(12): E1983, 2016 [htm](#)
- Marcolino MS, Maia JX, Alkmim MB, Boersma E, Ribeiro AL. Telemedicine application in the care of diabetes patients: systematic review and meta-analysis. *PLoS One* 8(11):e79246, 2013 [htm](#)
- Paré G, Moqadem K, Pineau G, St-Hilaire C. Clinical effects of home telemonitoring in the context of diabetes, asthma, heart failure and hypertension. *J. Med. Internet Res.* 12(2):e21, 2010 [htm](#)
- Perez-Ferre N, Calle-Pascual AL. Overview of telemedicine applications in the follow-up of the diabetic patient. Chapter 5 in: G. Grasczew , T.A. Roelofs,, (eds.), *Advances in Telemedicine: Applications in Various Medical Disciplines and Geographical Regions*, Intech, 2011 [htm](#)
- Shah VN, Garg SK. Managing diabetes in the digital age. *Clin. Diab. Endocrin.* 1:16, 2015 [htm](#)
- Shulman RM, O'Gorman CS, Palmert MR. The impact of telemedicine interventions involving routine transmission of blood glucose data with clinician feedback on metabolic control in youth with type 1 diabetes: a systematic review and meta-analysis. *Int. J. Pediatr. Endocrinol.* 2010: 536957, 2010 [htm](#)
- Walker CL, Kopp M, Binford RM, Bowers CJ. Home telehealth interventions for older adults with diabetes. *Home Healthcare Now* 35(4):202-210, 2017 [PubMed](#)

[RETURN TO TOPICS](#)

--research and demonstrations

- Agboola S, Havasy R, Myint-U K, Kvedar J, Jethwani K. The impact of using mobile-enabled devices on patient engagement in remote monitoring programs. *J. Diabetes Sci Technol.* 7(3):623-629, 2013 [htm](#)
- Aikens JE, Rosland AM, Piette JD. Improvements in illness self-management and psychological distress associated with telemonitoring support for adults with diabetes. *Prim. Care Diabetes* 9(2):127-134, 2015 [htm](#)
- Baron J, Hirani S, Newman S. A mobile telehealth intervention for adults with insulin-requiring diabetes: early results of a mixed-methods randomized controlled trial. *JMIR Res. Protoc.* 4(1):e27, 2015 [htm](#)
- Chen L, Chuang LM, Chang CH, et al. Evaluating self-management behaviors of diabetic patients in a telehealthcare program: longitudinal study over 18 months. *J. Med. Internet Res.* 15(12):e266, 2013 [htm](#)
- Chow N, Shearer D, Aydin Plaa J, Pottinger B, Pawlowska M, White A, Tildesley HD. Blood glucose self-monitoring and internet diabetes management on A1C outcomes in patients with type 2 diabetes. *BMJ Open Diabetes Res. Care* 4(1):e000134, 2016 [htm](#)
- Desveaux L, Agarwal P, Shaw J, et al. A randomized wait-list control trial to evaluate the impact of a mobile application to improve self-management of individuals with Type 2 diabetes: a study protocol. *BMC Med. Inform. Decision Making* 16(1):144, 2016 [htm](#)
- Eng DS, Lee JM. The promise and peril of mobile health applications for diabetes and endocrinology. *Pediatr. Diabetes* 14(4):231-238, 2013 [htm](#)
- Goh G, Tan NC, Malhotra R, et al. Short-term trajectories of use of a caloric-monitoring mobile phone app among patients with type 2 diabetes mellitus in a primary care setting. *J Med Internet Res.* 17(2): e33, 2015 [htm](#)
- Griffith ML, Siminerio L, Payne T, Krall J. A shared decision-making approach to telemedicine: engaging rural patients in glycemic management. *J. Clin. Med.* 5(11): E103, 2016 [htm](#)
- Hale K, Capra S, Bauer J. A framework to assist health professionals in recommending high-quality apps for supporting chronic disease self-management: illustrative assessment of type 2 diabetes apps. *JMIR Mhealth Uhealth* 3(3):e87, 2015 [htm](#)
- Harris MA, Freeman KA, Duke DC. Seeing is believing: using Skype to improve diabetes outcomes in youth. *Diabetes Care* 38(8):1427-1434, 2015 [pdf](#)
- Hirst JE, Mackillop L, Loerup L, et al. Acceptability and user satisfaction of a smartphone-based, interactive blood glucose management system in women with gestational diabetes mellitus. *J. Diabetes Sci. Technol.* 9(1):111-115, 2015 [htm](#)
- Ho K, Newton L, Boothe A, Novak-Lauscher H. Mobile digital access to a web-enhanced network (mDAWN): assessing the feasibility of mobile health tools for self-management of type-2 diabetes. *AMIA Annual Symp. Proc.* 2015:621-629, 2015 [htm](#)
- Kaiserman K, Buckingham BA, Prakasam G, et al. Acceptability and utility of the MySentry remote glucose monitoring system. *J. Diabetes Sci. Technol.* 7(2): 356-361, 2013 [htm](#)

- Karhula T, Vuorinen A-L, Rääpysjärvi K, et al. Telemonitoring and mobile phone-based health coaching among Finnish diabetic and heart disease patients: randomized controlled trial. *J. Med. Internet Res.* 17(6):e153, 2015 [htm](#)
- Klobucar TF, Hibbs R, Jans P, Adams MR. Evaluating the effectiveness of an aggressive case management and home telehealth monitoring program for long-term control of A1C. *Prof. Case Manag.* 17(2):51-58, 2012 [htm](#)
- Koopman RJ, Wakefield BJ, Johanning JL, et al. Implementing home blood glucose and blood pressure telemonitoring in primary care practices for patients with diabetes: lessons learned. *Telemed. eHealth* 20(3):253-260, 2014 [htm](#)
- Martín-Lesende I, Orruño E, Bilbao A, et al. Impact of telemonitoring home care patients with heart failure or chronic lung disease from primary care on healthcare resource use (the TELBIL study randomised controlled trial). *BMC Health Serv. Res.* 13:118, 2013 [htm](#)
- Moreno L, Dale SB, Chen AY, Magee CA. Costs to Medicare of the Informatics for Diabetes Education and Telemedicine (IDEATel) home telemedicine demonstration: findings from an independent evaluation. *Diabetes Care* 32(7):1202-1204, 2009 [htm](#)
- Nocella JM, Dickson VV, Cleland CM, Melkus GD. Structure, process, and outcomes of care in a telemonitoring program for patients with type 2 diabetes. *Patient Related Outcome Meas.* 7:19-28, 2016 [htm](#)
- Nundy S, Dick JJ, Chou CH, Nocon RS, Chin MH, Peek ME. Mobile phone diabetes project led to improved glycemic control and net savings for Chicago plan participants. *Health Affairs* 33(2):265-272, 2014 [htm](#)
- Nundy S, Mishra A, Hogan P, Lee SM, Solomon MC, Peek ME. How do mobile phone diabetes programs drive behavior change? Evidence from a mixed methods observational cohort study. *Diabetes Educ.* 40(6):806-819, 2014 [htm](#)
- Palmas W, Shea S, Starren J, et al. Medicare payments, healthcare service use, and telemedicine implementation costs in a randomized trial comparing telemedicine case management with usual care in medically underserved participants with diabetes mellitus (IDEATel). *J. Amer. Med. Inform. Assoc.* 17(2): 196–202, 2010 [htm](#)
- Park S, Burford S, Hanlen, L, et al. An integrated mHealth model for type 2 diabetes patients using mobile tablet devices. *J. Mob. Tech. Med.* 5(2):24–32, 2016 [htm](#)
- Peng W, Yuan S, Holtz BE. Exploring the challenges and opportunities of health mobile apps for individuals with type 2 diabetes living in rural communities. *Telemed. eHealth* 22(9):1-6, 2016 [htm](#)
- Polsky S, Garcetti R. CGM, pregnancy, and remote monitoring. *Diabetes Technol. Ther.* 19(S3):S49-S59, 2017 [htm](#)
- Quinn CC, Shardell MD, Terrin ML, et al. Mobile diabetes intervention for glycemic control in 45- to 64-year-old persons with type 2 diabetes. *J. Appl. Gerontol.* 35(2):227-243, 2016 [htm](#)
- Ramirez V, Johnson E, Gonzalez C, Ramirez V, Rubino B, Rossetti G. Assessing the use of mobile health technology by patients: an observational study in primary care clinics. *JMIR Mhealth Uhealth.* 4(2):e41, 2016 [htm](#)
- Rasmussen BS, Jensen LK, Froekjaer J, Kidholm K, Kensing F, Yderstraede KB. A qualitative study of the key factors in implementing telemedical monitoring of diabetic foot ulcer patients. *Int. J. Med. Inform.* 84(10):799-807, 2015 [htm](#)
- Rigla M, Hernando ME, Gómez EJ, et al. A telemedicine system that includes a personal assistant improves glycemic control in pump-treated patients with type 1 diabetes. *J. Diabetes Sci. Technol.* 1(4):505-510, 2007 [htm](#)
- Rigla M. Smart telemedicine support for continuous glucose monitoring: the embryo of a future global agent for diabetes care. *J. Diabetes Sci. Technol.* 1;5(1):63-67, 2011 [htm](#)
- Sama PR, Eapen ZJ, Weinfurt KP, Shah BR, Schulman KA. An evaluation of mobile health application tools. *JMIR Mhealth Uhealth* 2(2):e19, 2014 [htm](#)
- Scheibe M, Reichelt J, Bellmann M, Kirch W. Acceptance factors of mobile apps for diabetes by patients aged 50 or older: a qualitative study. *Med 2 0 4(1):e1*, 2015 [htm](#)
- Shea S, Kothari D, Teresi JA, et al. Social impact analysis of the effects of a telemedicine intervention to improve diabetes outcomes in an ethnically diverse, medically underserved population: findings from the IDEATel Study. *Amer. J. Public Health* 103(10):1888-1894, 2013 [htm](#)
- Shea S, Weinstock RS, Teresi JA, et al. A randomized trial comparing telemedicine case management with usual care in older, ethnically diverse, medically underserved patients with diabetes mellitus: 5 year results of the IDEATel study. *J. Amer. Med. Inform. Assoc.* 16(4):446-456, 2009 [htm](#)
- Stamp KD, Allen NA, Leher S, Zagarins SE, Welch G. Telehealth program for Medicaid patients with type 2 diabetes. *J. Managed Care Med.* 15:3-10, 2012 [htm](#)

- Stone RA, Rao RH, Sevick MA, et al. Active care management supported by home telemonitoring in veterans with type 2 diabetes: the DiaTel randomized controlled trial. *Diabetes Care* 33(3):478-484, 2010 [htm](#)
- Stone RA, Sevick MA, Rao RH, et al. The Diabetes Telemonitoring Study Extension: an exploratory randomized comparison of alternative interventions to maintain glycemic control after withdrawal of diabetes home telemonitoring. *J. Amer. Med. Inform. Assoc.* 19(6):973-9, 2012 [htm](#)
- Trief PM, Morin PC, Izquierdo R, et al. Depression and glycemic control in elderly ethnically diverse patients with diabetes: the IDEATel project. *Diabetes Care* 29(4):830-835, 2006 [htm](#)
- Trief PM, Teresi JA, Izquierdo R, et al. Psychosocial outcomes of telemedicine case management for elderly patients with diabetes: the randomized IDEATel trial. *Diabetes Care* 30(5):1266-1268, 2007 [htm](#)
- Wakefield BJ, Koopman RJ, Keplinger LE, et al. Effect of home telemonitoring on glycemic and blood pressure control in primary care clinic patients with diabetes. *Telemed. eHealth* 20(3):199-205, 2014 [htm](#)
- Warren R, Carlisle K, Mihala G, Scuffham PA. Effects of telemonitoring on glycaemic control and healthcare costs in type 2 diabetes: A randomised controlled trial. *J Telemed. Telecare* [epub ahead of print], January 2017 [htm](#)
- Weinstock RS, Teresi JA, Goland R, et al. Glycemic control and health disparities in older ethnically diverse underserved adults with diabetes: five-year results from the Informatics for Diabetes Education and Telemedicine (IDEATel) study. *Diabetes Care* 34(2):274-279, 2011 [htm](#)
- West SP, Laguna C, Trief PM, Izquierdo R, Weinstock RS. Goal setting using telemedicine in rural underserved older adults with diabetes: experiences from the Informatics for Diabetes Education and Telemedicine Project. *Telemed. e-Health* 16(4):405-416, 2010 [htm](#)

[RETURN TO TOPICS](#)

Home-based care for lung disease

--reviews

- Al Rajeh AM, Hurst JR. Monitoring of physiological parameters to predict exacerbations of chronic obstructive pulmonary disease (COPD): A systematic review. *J. Clin. Med.* 5(12): E108, 2016 [htm](#)
- Alwashmi M, Hawboldt J, Davis E, et al. The effect of smartphone interventions on patients with chronic obstructive pulmonary disease exacerbations: a systematic review and meta-analysis. *JMIR Mhealth Uhealth.* 4(3):e105, 2016. [htm](#)
- Ambrosino N, Vagheggini G, Mazzoleni S, Vitacca M. Telemedicine in chronic obstructive pulmonary disease. *Breathe* 12(4):350-356, 2016 [htm](#)
- Cox NS, Alison JA, Rasekaba T, Holland AE. Telehealth in cystic fibrosis: a systematic review. *J. Telemed. Telecare* 18(2):72-78, 2012 [htm](#)
- Gorst SL, Armitage CJ, Brownsell S, Hawley MS. Home telehealth uptake and continued use among heart failure and chronic obstructive pulmonary disease patients: a systematic review. *Ann. Behav. Med.* 48(3):323-336, 2014 [htm](#).
- Jaana M, Paré G, Sicotte C. Home telemonitoring for respiratory conditions: a systematic review. *Amer. J. Manag. Care* 15(5):313-320, 2009 [htm](#)
- Lilholt PH, Witt Udsen F, Ehlers L, Hejlesen OK. Telehealthcare for patients suffering from chronic obstructive pulmonary disease: effects on health-related quality of life: results from the Danish 'TeleCare North' cluster-randomised trial. *BMJ Open* 7(5):e014587, 2017 [htm](#)
- Lundell S, Holmner Å, Rehn B, Nyberg A, Wadell K. Telehealthcare in COPD: A systematic review and meta-analysis on physical outcomes and dyspnea. *Respir. Med.* 109(1):11-26, 2015 [htm](#)
- McKinstry B. The use of remote monitoring technologies in managing chronic obstructive pulmonary disease. *QJM* 106(10):883-885, 2013. [htm](#)
- McLean S, Chandler D, et al. Telehealthcare for asthma: a Cochrane review. *Can. Med. Assoc. J.* 183(11): E733–E742, 2011 [htm](#)
- Pedone C, Lelli D. Systematic review of telemonitoring in COPD: an update. *Pneumonol. Alergologia Polska* 83(6):476-484, 2015 [htm](#)
- Yohannes AM. Telehealthcare management for patients with chronic obstructive pulmonary disease. *Expert Rev. Respir. Med.* 6(3):239-242, 2012. [htm](#)
- Witt Udsen F, Lilholt PH, Hejlesen O, Ehlers L. Cost-effectiveness of telehealthcare to patients with chronic obstructive pulmonary disease: results from the Danish 'TeleCare North' cluster-randomised trial. *BMJ Open* 7(5):e014616, 2017 [htm](#)
- Witt Udsen F, Lilholt PH, Hejlesen OK, Ehlers LH. Subgroup analysis of telehealthcare for patients with chronic obstructive pulmonary disease: the cluster-randomized Danish Telecare North Trial. *Clinicoecon. Outcomes Res.* 9:391-401, 2017 [htm](#)

[RETURN TO TOPICS](#)**--research and demonstrations**

- Burkow TM, Vognild LK, Johnsen E, et al. Comprehensive pulmonary rehabilitation in home-based online groups: a mixed method pilot study in COPD. *BMC Res. Notes* 8(1):766, 2015 [htm](#)
- Burton C, Pinnock H, McKinstry B. Changes in telemonitored physiological variables and symptoms prior to exacerbations of chronic obstructive pulmonary disease. *J. Telemed. Telecare* 21(1): 29-36, 2015 [htm](#)
- Chan DS, Callahan CW, Hatch-Pigott VB, Lawless A, Proffitt HL, Manning NE, Schweikert M, Malone FJ. Internet-based home monitoring and education of children with asthma is comparable to ideal office-based care: results of a 1-year asthma in-home monitoring trial. *Pediatrics* 119(3):569-578, 2007 [htm](#)
- Chen YJ, Narsavage GL, Frick KD, Petite TM. Home-telemonitoring lung cancer intervention in Appalachia: A pilot study. *Int. J. Chronic Dis. Ther.* 2(2):21-30, 2016 [htm](#)
- Esteban C, Moraza J, Iriberrri M, et al. Outcomes of a telemonitoring-based program (telePOC) in frequently hospitalized COPD patients. *Int. J. Chron. Obstruct. Pulmon. Dis.* 11:2919-2930, 2016 [htm](#)
- Fairbrother P, Pinnock H, Hanley J, et al. Continuity, but at what cost? The impact of telemonitoring COPD on continuities of care: a qualitative study. *Prim., Care Respir. J.* 21(3):322-328, 2012 [htm](#)
- Franek J. Home telehealth for patients with chronic obstructive pulmonary disease (COPD): an evidence-based analysis. *Ontario Health Technol. Assess. Series* 12(11):1-58, 2012 [htm](#)
- Gellis ZD, Kenaley B, McGinty J, et al. Outcomes of a telehealth intervention for homebound older adults with heart or chronic respiratory failure: a randomized controlled trial. *Gerontologist* 52(4):541-552, 2012 [htm](#)
- Gorst SL, Coates E, Armitage CJ. "It's sort of a lifeline": Chronic obstructive pulmonary disease patients' experiences of home telehealth. *Health Psychol.* 35(1):60-68, 2016 [htm](#)
- Gustafson D, Wise M, Bhattacharya A, et al. The effects of combining Web-based eHealth with telephone nurse case management for pediatric asthma control: a randomized controlled trial. *J. Med. Internet Res.* 14(4):e101, 2012 [htm](#)
- Hardinge M, Rutter H, Velardo C, et al. Using a mobile health application to support self-management in chronic obstructive pulmonary disease: a six-month cohort study. *BMC Med. Inform. Decision Making* 15:46, 2015 [htm](#)
- Hoas H, Andreassen HK, Lien LA, Hjalmarsen A, Zanaboni P. Adherence and factors affecting satisfaction in long-term telerehabilitation for patients with chronic obstructive pulmonary disease: a mixed methods study. *BMC Med. Inform. Decis. Making* 16:26, 2016 [htm](#)
- Holland A. Telehealth reduces hospital admission rates in patients with COPD. *J. Physiother.* 59(2):129, 2013. [htm](#)
- Jakobsen AS, Laursen LC, Østergaard B, et al. Hospital-admitted COPD patients treated at home using telemedicine technology in The Virtual Hospital Trial: methods of a randomized effectiveness trial. *Trials* 14:280, 2013 [htm](#)
- Jensen MH, Cichosz SL, Hejlesen OK, et al. Clinical impact of home telemonitoring on patients with chronic obstructive pulmonary disease. *Telemed. eHealth* 18(9):674-678, 2012 [htm](#)
- Kargiannakis M, Fitzsimmons DA, Bentley CL, Mountain GA. Does telehealth monitoring identify exacerbations of chronic obstructive pulmonary disease and reduce hospitalisations? An analysis of system data. *JMIR Med. Inform.* 5(1):e8, 2017 [htm](#)
- Marquis N, Larivée P, Dubois MF, Tousignant M. Are improvements maintained after in-home pulmonary telerehabilitation for patients with chronic obstructive pulmonary disease? *Int. J. Telerehabil.* 6(2):21-30, 2015 [htm](#)
- Marquis N, Larivée P, Saey D, Dubois MF, Tousignant M. In-home pulmonary telerehabilitation for patients with chronic obstructive pulmonary disease: a pre-experimental study on effectiveness, satisfaction, and adherence. *Telemed. eHealth* 21(11):870-879, 2015 [htm](#)
- Martín-Lesende I, et al. Assessment of a primary care-based telemonitoring intervention for home care patients with heart failure and chronic lung disease. The TELBIL study. *BMC Health Serv Res.* 11:56, 2011 [htm](#)
- Martín-Lesende I, Orruño E, Bilbao A, et al. Impact of telemonitoring home care patients with heart failure or chronic lung disease from primary care on healthcare resource use (the TELBIL study randomised controlled trial). *BMC Health Serv. Res.* 13:118, 2013 [htm](#)
- Odeh B, Kayyali R, Nabhani-Gebara S, Philip N, Robinson P, Wallace CR. Evaluation of a Telehealth Service for COPD and HF patients: Clinical outcome and patients' perceptions. *J. Telemed. Telecare* 21(5):292-297, 2015 [htm](#)

- Pedone C, Chiurco D, Scarlata S, Incalzi RA. Efficacy of multiparametric telemonitoring on respiratory outcomes in elderly people with COPD: a randomized controlled trial. *BMC Health Serv. Res.* 13:82, 2013 [htm](#)
- Pinnock H, Hanley J, McCloughan L, et al. Effectiveness of telemonitoring integrated into existing clinical services on hospital admission for exacerbation of chronic obstructive pulmonary disease: researcher blind, multicentre, randomised controlled trial. *Brit. Med. J.* 347:f6070, 2013. [htm](#)
- Rixon L, Hirani SP, Cartwright M, et al. A RCT of telehealth for COPD patient's quality of life: the Whole System Demonstrator evaluation. *Clin. Respir. J.* [epub ahead of print] August 2015 [htm](#)
- Stickland M, Jourdain T, Wong EY, et al. Using telehealth technology to deliver pulmonary rehabilitation in chronic obstructive pulmonary disease patients. *Can. Respir. J.* 18(4):216-220, 2011 [htm](#)
- Sund ZM, Powell T, Greenwood R, Jarad NA. Remote daily real-time monitoring in patients with COPD --a feasibility study using a novel device. *Respir. Med.* 103(9):1320-1328, 2009 [htm](#)
- Svarre Jakobsen A, Laursen LC, Østergaard B, et al. Hospital-admitted COPD patients treated at home using telemedicine technology in The Virtual Hospital Trial: methods of a randomized effectiveness trial *Trials* 14: 280, 2013 [htm](#)
- Tabak M, Brusse-Keizer M, van der Valk P, Hermens H, Vollenbroek-Hutten M. A telehealth program for self-management of COPD exacerbations and promotion of an active lifestyle: a pilot randomized controlled trial. *Int. J. Chron. Obstruct. Pulmon. Dis.* 9:935-944, 2014 [htm](#)
- Tura A, Santini P, Longo D, Quareni L. A telemedicine instrument for home monitoring of patients with chronic respiratory diseases. *Ann. Ist Super Sanita* 43(1):101-9, 2007 [pdf](#)
- Ure J, Pinnock H, Hanley J, et al. Piloting tele-monitoring in COPD: a mixed methods exploration of issues in design and implementation. *Prim. Care Respir. J.* 21(1):57-64, 2012 [htm](#)
- Williams V, Price J, Hardinge M, Tarassenko L, Farmer A. Using a mobile health application to support self-management in COPD: a qualitative study. *Brit. J. Gen. Pract.* 64(624):e392-400, 2014 [htm](#)

[RETURN TO TOPICS](#)

Home-based wound care

- Armstrong KA, Semple JL, Coyte PC. Replacing ambulatory surgical follow-up visits with mobile app home monitoring: modeling cost-effective scenarios. *J. Med. Internet Res.* 16(9): e213, 2014 - [Htm](#)
- Atiyeh B, Dibo SA, Janom HH. Telemedicine and burns: an overview. *Ann. Burns Fire Disasters* 27(2): 87–93, 2014 [Htm](#)
- Barrett M, Larson A, Carville K, Ellis I. Challenges faced in implementation of a telehealth enabled chronic wound care system. *Rural and Remote Health* 9: 1154, 2009 [Htm](#)
- Binder B, Hofmann-Wellenhof R, Salmhofer W, Okcu A, Kerl H, Soyer HP. Teledermatological monitoring of leg ulcers in cooperation with home care nurses. *Arch. Dermatol.* 143(12):1511-1514, 2007 - [Htm](#)
- Bragg DD, Edis H, Clark S, et al. Development of a telehealth monitoring service after colorectal surgery: A feasibility study. *World J Gastrointest Surg.* 9(9):193-199, 2017 [htm](#)
- Braun RP, Vecchiotti JL, Thomas L, et al. Telemedical wound care using a new generation of mobile telephones: a feasibility study. *Arch. Dermatol.* 141(2):254-258, 2005 [Htm](#) (requires free registration).
- Canadian Agency for Drugs and Technologies in Health. Personal wireless device use for wound care consultation: a review of safety, clinical benefits and guidelines. *CADTH Rapid Response Reports*, May, 2014 [Htm](#)
- Canadian Agency for Drugs and Technologies in Health. Telemedicine consultations for patients in long term care: a review of clinical effectiveness, cost-effectiveness, and guidelines. *CADTH Rapid Response Reports*, Oct. 2015 [Htm](#)
- Cleeland CS, Wang XS, Shi Q, et al. Automated symptom alerts reduce postoperative symptom severity after cancer surgery: a randomized controlled clinical trial. *J. Clin. Oncol.* 29(8):994-1000, 2011 [htm](#)
- Clemensen J, Larsen SB, Kirkevold M, Ejksjaer N. Treatment of diabetic foot ulcers in the home: video consultations as an alternative to outpatient hospital care. *Int. J. Telemed. Appl.: 2008:* 132890, 2008 [htm](#)
- Dobke MK, Bhavsar D, Gosman A, De Neve J, De Neve B. Pilot trial of telemedicine as a decision aid for patients with chronic wounds. *Telemed. eHealth* 14(3):245-249, 2008 [PubMed](#)
- Dobke MK, Bhavsar D, Herrera F. Do telemedicine wound care specialist consults meet the needs of the referring physician? A survey of primary care providers. *Int. J. Telemed. Appl.* 2011:321376, 2011 [htm](#)
- Faett BL, Brienza DM, Geyer MJ, Hoffman LA. Teaching self-management skills in persons with chronic lower limb swelling and limited mobility: evidence for usability of telerehabilitation. *Int. J. Telerehab.* 5(1): 17-25, 2013 [htm](#)

- Faett BL, Geyer MJ, Hoffman LA, Brienza DM. Design and development of a telerehabilitation self-management program for persons with chronic lower limb swelling and mobility limitations: preliminary evidence. *Nurs. Res. Pract.* 2012;608059, 2012 [htm](#)
- Gagnon M-P, Breton E, Courcy F, et al. The influence of a wound care teleassistance service on nursing practice: a case study in Quebec. *Telemed. e-Health* 20(6):593-600, 2014 [htm](#)
- Gray LC, Armfield NR, Smith AC. Telemedicine for wound care: current practice and future potential. *Wound Pract. Res.* 18(4):158-163, 2010 [htm](#)
- Gunter R, Fernandes-Taylor S, Mahnke A, et al. Evaluating patient usability of an image-based mobile health platform for postoperative wound monitoring. *JMIR Mhealth Uhealth* 4(3):e113, 2016 - [htm](#)
- Gunter RL, Chouinard S, Fernandes-Taylor S, et al. Current use of telemedicine for post-discharge surgical care: a systematic review. *J. Amer. Coll. Surg.* 222(5):915-927, 2016 [PubMed](#)
- Hasselberg M, Beer N, Blom A, Wallis LA, Laflamme L. Image-based medical expert teleconsultation in acute care of injuries. a systematic review of effects on information accuracy, diagnostic validity, clinical outcome, and user satisfaction. *PLoS One* 9(6): e98539, 2014 [htm](#)
- Hayashida K, Fujioka M, Senju C. Teledermatology may play a role in reducing severity of pressure ulcers in both rural and urban settings. *Wounds* 26(4):89-94, 2014 [htm](#)
- Jones SM, Milroy C., Pickford MA. Telemedicine in acute plastic surgical trauma and burns. *Ann. Royal Coll. Surg. Engl.* 86(4): 239–242, 2004 [htm](#)
- Keeping-Burke L, Purden M, Frasure-Smith N, et al. Bridging the transition from hospital to home: effects of the VITAL telehealth program on recovery for CABG surgery patients and their caregivers. *Res. Nurs. Health* 36(6):540-553, 2013 [htm](#)
- Keeping-Burke L, Purden M, Frasure-Smith N, et al. Bridging the transition from hospital to home: effects of the VITAL telehealth program on recovery for CABG surgery patients and their caregivers. *Res. Nurs. Health* 36(6):540-553, 2013 - [htm](#)
- Kolltveit BC, Gjengedal E, Graue M, Iversen MM, Thorne S, Kirkevold M. Telemedicine in diabetes foot care delivery: health care professionals' experience. *BMC Health Serv. Res.* 16:134, 2016 [htm](#)
- Lewis ER, Thomas CA, Wilson ML, Mbarika VWA. Telemedicine in acute-phase injury management: a review of practice and advancements. *Telemed. eHealth* 18(6): 434–445, 2012 [htm](#)
- Netten JJV, Clark D, Lazzarini PA, Janda M, Reed LF. The validity and reliability of remote diabetic foot ulcer assessment using mobile phone images. *Sci. Rep.* 7(1):9480, 2017 [htm](#)
- Nocella JM, Dickson VV, Cleland CM, Melkus GD. Structure, process, and outcomes of care in a telemonitoring program for patients with type 2 diabetes. *Patient Related Outcome Meas.* 7:19-28, 2016 [htm](#)
- Nordheim LV, Haavind MT, Iversen MM. Effect of telemedicine follow-up care of leg and foot ulcers: a systematic review. *BMC Health Serv. Res.* 14:565, 2014 [htm](#)
- Parvizi D, Giretzlehner M, Dirnberger J, et al. The use of telemedicine in burn care: development of a mobile system for TBSA documentation and remote assessment. *Ann. Burns Fire Disasters* 27(2): 94–100, 2014 [htm](#)
- Rasmussen BS, Froekjaer J, Bjerregaard MR, et al. A randomized controlled trial comparing telemedical and standard outpatient monitoring of diabetic foot ulcers. *Diabetes Care* 38(9):1723-1729, 2015 [htm](#)
- Rasmussen BS, Jensen LK, Froekjaer J, et al. A qualitative study of the key factors in implementing telemedical monitoring of diabetic foot ulcer patients. *Int. J. Med. Inform.* 84(10):799-807, 2015 [htm](#)
- Ratliff CR, Forch W. Telehealth for wound management in long-term care. *Ostomy Wound Manage* 51(9):40-45, 2005 [htm](#)
- Rees RS, Bashshur N. The effects of TeleWound management on use of service and financial outcomes. *Telemed. eHealth* 13(6):663-674, 2007 [htm](#)
- Sanger P, Hartzler A, Lober WB, Evans HL, Pratt W. Design considerations for post-acute care mHealth: Patient perspectives. *AMIA Ann. Symp. Proc.* 2014:1920-1929, 2014 [htm](#)
- Santamaria N, Kapp S. TeleWound care – providing remote wound assessment and treatment in the home care setting: current status and future directions. *Smart Homecare Tech. TeleHealth* 1:35-41, 2013 [htm](#)
- Smith MW, Hill ML, Hopkins KL, Kiratli BJ, Cronkite RC. A modeled analysis of telehealth methods for treating pressure ulcers after spinal cord injury. *Int. J. Telemed. Appl.* 2012:729492, 2012 [htm](#)
- Smith-Strøm H, Iversen MM, Graue M, Skeie S, Kirkevold M. An integrated wound-care pathway, supported by telemedicine, and competent wound management-Essential in follow-up care of adults with diabetic foot ulcers. *Int J Med Inform.* 94:59-66, 2016 [PubMed](#)
- Sood A, Granick MS, Trial C, et al. The role of telemedicine in wound care: a review and analysis of a database of 5,795 patients from a mobile wound-healing center in Languedoc-Roussillon, France. *Plast. Reconstr. Surg.* 138(3 Suppl):248S-56S, 2016 [PubMed](#)

- Stern A, Mitsakakis N, Paulden M, et al. Pressure ulcer multidisciplinary teams via telemedicine: a pragmatic cluster randomized stepped wedge trial in long term care. *BMC Health Serv. Res.* 14:83, 2014 [htm](#)
- Wallis LA, Fleming J, Hasselberg M, Laflamme L, Lundin J. A smartphone app and cloud-based consultation system for burn injury emergency care. *PLoS One* 11(2): e0147253, 2016 [htm](#)
- Wilson LS, Maeder AJ. Recent directions in telemedicine: review of trends in research and practice. *Healthcare Inform. Res.* 21(4):213-222, 2015 - [htm](#)
- Zarchi K, Haugaard VB, Dufour DN, Jemec GB. Expert advice provided through telemedicine improves healing of chronic wounds: prospective cluster controlled study. *J. Invest. Dermatol.* 135(3):895-900, 2015 [htm](#) (requires free registration)

[RETURN TO TOPICS](#)

Home-based behavioral health care

- Acierno R, Knapp R, Tuerk P, et al. A non-inferiority trial of prolonged exposure for posttraumatic stress disorder: In person versus home-based telehealth. *Behav. Res. Ther.* 89:57-65, 2017 [PubMed](#)
- Ben-Zeev D, Scherer EA, Gottlieb JD, et al. mHealth for schizophrenia: Patient engagement with a mobile phone intervention following hospital discharge. *JMIR Ment. Health.* 3(3):e34, 2016 [htm](#)
- Choi NG, Hegel MT, Marti N, Marinucci ML, Sirrianni L, Bruce ML. Telehealth problem-solving therapy for depressed low-income homebound older adults. *Amer. J. Geriatr. Psychiatry* 22(3):263-271, 2014 [htm](#)
- Choi NG, Marti CN, Bruce ML, Hegel MT, Wilson NL, Kunik ME. Six-month postintervention depression and disability outcomes of in-home telehealth problem-solving therapy for depressed, low-income homebound older adults. *Depress. Anxiety* 31(8):653-661, 2014 [htm](#)
- Christensen DR, Landes RD, Jackson L, Marsch LA, Mancino MJ, Chopra MP, Bickel WK. Adding an Internet-delivered treatment to an efficacious treatment package for opioid dependence. *J. Consult. Clin. Psychol.* 82(6):964-972, 2014 [htm](#)
- Comer JS, Furr JM, Kerns CE, et al. Internet-delivered, family-based treatment for early-onset OCD: A pilot randomized trial. *J. Consult. Clin. Psychol.* 85(2): 178–186, 2017 [htm](#)
- Crum KI, Comer JS. Using synchronous videoconferencing to deliver family-based mental healthcare. *J. Child Adolesc. Psychopharmacol.* 26(3):229-234, 2016 [htm](#)
- Durland L, Interian A, Pretzer-Aboff I, Dobkin RD. Effect of telehealth-to-home interventions on quality of life for individuals with depressive and anxiety disorders. *Smart Homecare Technol. Telehealth* 2: 105-119, 2014 [htm](#)
- Ford JH 2nd, Alagoz E, Dinauer S, Johnson KA, Pe-Romashko K, Gustafson DH. Successful organizational strategies to sustain use of A-CHESS: a mobile intervention for individuals with alcohol use disorders. *J. Med. Internet Res.* 17(8):e201, 2015 [htm](#)
- Gainsbury S, Blaszczynski A. A systematic review of Internet-based therapy for the treatment of addictions. *Clin. Psychol. Rev.* 31(3):490-498, 2011 [PubMed](#)
- Genz A, Kirk G, Piggott D, Mehta SH, Linas BS, Westergaard RP. Uptake and acceptability of information and communication technology in a community-based cohort of people who inject drugs: implications for mobile health interventions. *JMIR Mhealth Uhealth* 3(2):e70, 2015 [pdf](#)
- Gustafson DH, McTavish FM, Chih MY, Atwood AK, Johnson RA, Boyle MG, et al. A smartphone application to support recovery from alcoholism: a randomized clinical trial. *JAMA Psychiatry* 71(5):566–572, 2014 [htm](#)
- Haug S, Schaub MP, Venzin V, Meyer C, John U, Gmel G. A pre-post study on the appropriateness and effectiveness of a Web- and text messaging-based intervention to reduce problem drinking in emerging adults. *J. Med. Internet Res.* 15(9):e196, 2013 [htm](#)
- Hungerbuehler I, Valiengo L, Loch AA, Rössler W, Gattaz WF. Home-based psychiatric outpatient care through videoconferencing for depression: a randomized controlled follow-up trial. *JMIR Ment. Health* 3(3):e36, 2016 [htm](#)
- Johnson K, Isham A, Shah DV, Gustafson DH. Potential roles for new communication technologies in treatment of addiction. *Curr Psychiatry Rep.* 13(5):390-397, 2011 [htm](#)
- Keoleian V, Polcin D, Galloway GP. Text messaging for addiction: a review. *J. Psychoactive Drugs* 47(2):158-176, 2015 [htm](#)
- Lindgren S, Wacker D, Suess A, et al. Telehealth and autism: treating challenging behavior at lower cost. *Pediatrics* 137 (Suppl 2):S167-175, 2016 [htm](#)
- Marsch LA, Dallery J. Advances in the psychosocial treatment of addiction: the role of technology in the delivery of evidence-based psychosocial treatment. *Psychiatr. Clin. North Amer.* 35(2):481-493, 2012 [htm](#)

- Nevedal DC, Wang C, Oberleitner L, Schwartz S, Williams AM. Effects of an individually tailored Web-based chronic pain management program on pain severity, psychological health, and functioning. *J. Med. Internet Res.* 15(9):e201, 2013 [htm](#)
- Pratt SI, Naslund JA, Wolfe RS, Santos M, Bartels SJ. Automated telehealth for managing psychiatric instability in people with serious mental illness. *J. Ment. Health* 24(5):261-265, 2015 [htm](#)
- Rose GL, Skelly JM, Badger GJ, Naylor MR, Helzer JE. Interactive voice response for relapse prevention following cognitive-behavioral therapy for alcohol use disorders: a pilot study. *Psychol. Serv.* 9(2):174-184, 2012 [htm](#)
- Seyffert M, Lagisetty P, Landgraf J, et al. Internet-delivered cognitive behavioral therapy to treat insomnia: a systematic review and meta-analysis. *PLoS One* 11(2):e0149139, 2016 [htm](#)
- Sheeran T, Rabinowitz T, Lotterman J, et al. Feasibility and impact of telemonitor-based depression care management for geriatric homecare patients. *Telemed. eHealth* 17(8): 620–626, 2011 [htm](#)
- Smith GC, Egbert N, Dellman-Jenkins M, Nanna K, Palmieri PA. Reducing depression in stroke survivors and their informal caregivers: a randomized clinical trial of a Web-based intervention. *Rehabil. Psychol.* 57(3):196-206, 2012 [htm](#)
- Strachan M, Gros DF, Yuen E, Ruggiero KJ, Foa EB, Acierno R. Home-based telehealth to deliver evidence-based psychotherapy in veterans with PTSD. *Contemp. Clin. Trials* 33(2):402-409, 2012 [htm](#)
- Substance Abuse and Mental Health Services Administration. Using technology-based therapeutic tools in behavioral health services. Treatment Improvement Protocol Series #60. SAMHSA, 2015 [htm](#)
- Yuen EK, Gros DF, Price M, Zeigler S, Tuerk PW, Foa EB, Acierno R. Randomized controlled trial of home-based telehealth versus in-person prolonged exposure for combat-related PTSD in veterans: preliminary results. *J. Clin. Psychol.* 71(6):500-512, 2015 [htm](#)

[RETURN TO TOPICS](#)

Other home-based applications for ambulatory patients

--chronic disease self-management and health coaching

- Armoiry X, Sturt J, Phelps EE, et al. Digital clinical communication for families and caregivers of children or young people with short- or long-term conditions: rapid review. *J. Med. Internet Res.* 20(1):e5, 2018 [htm](#)
- Backonja U, Kneale L, Demiris G, Thompson HJ. Senior tech: the next generation: health informatics solutions for older adults living in the community. *J. Gerontol. Nurs.* 42(1):2-3, 2016 [pdf](#)
- Bendixen RM, Fairman AD, Karavolis M, Sullivan C, Parmanto B. A user-centered approach: understanding client and caregiver needs and preferences in the development of mHealth apps for self-management. *JMIR mHealth uHealth* 5(9):e141, 2017 [htm](#)
- Bergström AL, Hanson E. An integrative review of information and communication technology based support interventions for carers of home dwelling older people. *Technol. Disabil.* 29(1-2): 1–14, 2017 [htm](#)
- Berrouiguet S, Baca-García E, Brandt S, Walter M, Courtet P. Fundamentals for future mobile-health (mhealth): a systematic review of mobile phone and web-based text messaging in mental health. *J. Med. Internet Res* 18(6):e135, 2016 [htm](#)
- Blackman KC, Zoellner J, Berrey LM, et al. Assessing the internal and external validity of mobile health physical activity promotion interventions: a systematic literature review using the RE-AIM framework. *J. Med. Internet Res.* 15(10):e224, 2013 [htm](#)
- Carey EP, Frank JW, Kerns RD, Ho PM, Kirsh SR. Implementation of telementoring for pain management in Veterans Health Administration: Spatial analysis. *J. Rehabil. Res. Dev.* 53(1):147–156, 2016 [htm](#)
- Davis AM, Gallagher K, Taylor M, Canter K, Gillette MD, Wambach K, Nelson EL. An in-home intervention to improve nutrition, physical activity, and knowledge among low-income teen mothers and their children: results from a pilot study. *J. Dev. Behav. Pediatr.* 34(8):609-615, 2013 [htm](#)
- Davis MM, Freeman M, Kaye J, Vuckovic N, Buckley DI. A systematic review of clinician and staff views on the acceptability of incorporating remote monitoring technology into primary care. *Telemed. eHealth* 20(5):428-438, 2014 [htm](#)
- Gardner MR, Jenkins SM, O'Neil DA, Wood DL, Spurrier BR, Pruthi S. Perceptions of video-based appointments from the patient's home: A patient survey. *Telemed. eHealth* 21(4): 281-285, 2015 [htm](#)
- Guo Y, Albright D. The effectiveness of telehealth on self-management for older adults with a chronic condition: A comprehensive narrative review of the literature. *J. Telemed. Telecare* [epub ahead of print], Jan. 2017 [htm](#)

- Hamine S, Gerth-Guyette E, Faulx D, Green BB, Ginsburg AS. Impact of mHealth chronic disease management on treatment adherence and patient outcomes: a systematic review. *J. Med. Internet Res.* 17(2):e52, 2015 [htm](#)
- Hanlon H, Daines L, Campbell C, et al. Telehealth interventions to support self-management of long-term conditions: a systematic metareview of diabetes, heart failure, asthma, chronic obstructive pulmonary disease, and cancer. *J. Med. Internet Res* 19(5):e172, 2017 [htm](#)
- Hommel KA, Hente E, Herzer M, Ingerski LM, Denson LA. Telehealth behavioral treatment for medication nonadherence: a pilot and feasibility study. *Eur. J. Gastroenterol. Hepatol.* 25(4):469-473, 2013 [htm](#)
- Huh J, Le T, Reeder B, Thompson HJ, Demiris G. Perspectives on wellness self-monitoring tools for older adults. *Int. J. Med. Inform.* 82(11):1092-1103, 2013 [htm](#)
- Krukowski RA, DiLillo V, Ingle K, Harvey JR, West DS. Design and methods of a synchronous online motivational interviewing intervention for weight management. *JMIR Res. Protoc.* 5(2):e69, 2016 [htm](#)
- Kurti AN, Davis DR, Redner R, et al. A review of the literature on remote monitoring technology in incentive-based interventions for health-related behavior change. *Transl. Issues Psychol. Sci.* 2(2):128-152, 2016 [htm](#)
- Leth S, Hansen J, Nielsen OW, Dinesen B. Evaluation of commercial self-monitoring devices for clinical purposes: results from the future patient trial, phase I. *Sensors* 17(1): E211, 2017 [PubMed](#)
- Lieberman G, Naylor MR. Interactive voice response technology for symptom monitoring and as an adjunct to the treatment of chronic pain. *Transl. Behav. Med.* 2(1):93-101, 2012 [htm](#)
- Lustig TA, Olson S. Fostering independence, participation, and healthy aging through technology: Workshop summary. Institute of Medicine (IOM) and the National Research Council, 2013 [htm](#)
- Mandl KD. Connected apps in healthcare 2017: A look at trends and provider attitudes in a growing market. KLAS Enterprises, LLC, December 2016 [pdf](#)
- Matthew-Maich N, Harris L, Ploeg J, et al. Designing, implementing, and evaluating mobile health technologies for managing chronic conditions in older adults: a scoping review *JMIR Mhealth Uhealth* 4(2):e29, 2016 [htm](#)
- McKoy J, Fitzner K, Margetts M, et al. Are telehealth technologies for hypertension care and self-management effective or simply risky and costly? *Popul. Health Manag.* 18(3):192-202, 2015 [htm](#)
- Mobile Integrated Healthcare Practice Collaborative. Principles for establishing a mobile integrated healthcare practice. Medtronic Philanthropy, 2014 [pdf](#)
- MobileHelp, Inc. The future of home health is here: How home health agencies can bridge the care gap for ACOs and hospital networks. MobileHelp White Paper, January 2016 [htm](#)
- Mosa AS, Yoo I, Sheets L. A systematic review of healthcare applications for smartphones. *BMC Med. Inform. Decis. Making* 12:67, 2012 [htm](#)
- Noah B, Keller MS, Mosadeghi S, et al. Impact of remote patient monitoring on clinical outcomes: an updated meta-analysis of randomized controlled trials. *NPJ Digital Medicine* 1:2, 2017 [pdf](#)
- Ostrovsky A. Community-based health coaches and care coordinators reduce readmissions using information technology to identify and support at-risk Medicare patients after discharge. *AHRQ Health Care Innovations Exchange Service Delivery Innovation Profile*, 2014 [htm](#)
- Patel S, Arya M. The BUS framework: A comprehensive tool in creating an mHealth app utilizing behavior change theories, user-centered design, and social marketing. *J. Mob. Tech. Med.* 6(1):39-45, 2017 [htm](#)
- Piette JD, Rosland AM, Marinec NS, et al. Engagement with automated patient monitoring and self-management support calls: experience with a thousand chronically ill patients. *Med Care* 51(3):216-223, 2013 [htm](#)
- Pludwinski S, Ahmad F, Wayne N, Ritvo P. Participant experiences in a smartphone-based health coaching intervention for type 2 diabetes: A qualitative inquiry. *J. Telemed. Telecare* 22(3):172-178, 2016 [htm](#)
- Powell RE, Henstenburg JM, Cooper G, Hollander JE, Rising KL. Patient perceptions of telehealth primary care video visits. *Annals Fam. Med.* 15(3):225-229, 2017 [htm](#)
- Przybyla SM, Eliseo-Arras RK, Krawiec G, Gower E, Dermen K. Feasibility and acceptability of a smartphone app for daily reports of substance use and antiretroviral therapy adherence among HIV-infected adults. *AIDS Res. Treat.* 2016:9510172, 2016 [htm](#)
- Reynoldson C, Stones C, Allsop M, Gardner P, Bennett MI, Closs SJ, Jones R, Knapp P. Assessing the quality and usability of smartphone apps for pain self-management. *Pain Med.* 15(6):898-909, 2014 [htm](#)
- Richardson JE, Reid MC. The promises and pitfalls of leveraging mobile health technology for pain care. *Pain Med.* 14(11):1621-1626, 2013 [htm](#)
- Salesforce Research. Connected Patient Report. mHealth Intelligence White Paper, March 2017 [pdf](#)
- Schnall R, Bakken S, Rojas M, Travers J, Carballo-Dieguez A. mHealth Technology as a persuasive tool for treatment, care and management of persons living with HIV. *AIDS Behav.* 19 (Suppl 2):81-89, 2015 [htm](#)

- Shah MN, McDermott R, Gillespie SM, Philbrick EB, Nelson D. Potential of telemedicine to provide acute medical care for adults in senior living communities. *Acad. Emerg. Med.* 20(2):162-168, 2013 [htm](#)
- Sharma U, Clarke M. Nurses' and community support workers' experience of telehealth: a longitudinal case study. *BMC Health Serv. Res.* 14: 164, 2014 [htm](#)
- Smith CE, Spaulding R, Piamjariyakul U, et al. mHealth clinic appointment PC tablet: Implementation, challenges and solutions. *J. Mob. Tech. Med.* 5(1):44-50, 2015 [htm](#)
- Steinhubl SR, Muse ED, Topol EJ. The emerging field of mobile health. *Sci. Transl. Med.* 7(283):283rv3, 2015 [htm](#)
- Stinson JN, Lalloo C, Harris L, et al. iCanCope with Pain™: User-centred design of a web- and mobile-based self-management program for youth with chronic pain based on identified health care needs. *Pain Res. Manag.* 19(5):257-265, 2014 [htm](#)
- Swartwout E, Deyo P, El-Zein A. Effectiveness of technology use for engaging community dwelling adults with chronic disease in self-care behavior management in health care: a systematic review protocol. *JBI Database System Rev. Implement. Rep.* 14(5):87-95, 2016 [htm](#)
- Taylor A, Morris G, Pech J, Rechter S, Carati C, Kidd MR. Home telehealth video conferencing: perceptions and performance. *JMIR Mhealth Uhealth.* 3(3):e90, 2015 [htm](#)
- Telehealth Directory. Federally Qualified Health Center's Remote Patient Monitoring Tool Kit, 2017 [pdf](#)
- Vassilev I, Rowsell A, Pope C, et al. Assessing the implementability of telehealth interventions for self-management support: a realist review. *Implement. Sci.* 10(1):59, 2015 [htm](#)
- Wayne N, Ritvo P. Smartphone-enabled health coach intervention for people with diabetes from a modest socioeconomic strata community: single-arm longitudinal feasibility study. *J. Med. Internet Res.* 16(6):e149, 2014 [htm](#)
- West DS, Harvey JR, Krukowski RA, et al. Do individual, online motivational interviewing chat sessions enhance weight loss in a group-based, online weight control program? *Obesity* 24(11):2334-2340, 2016 [htm](#)
- Whitehead L, Seaton P. The effectiveness of self-management mobile phone and tablet apps in long-term condition management: a systematic review. *J. Med. Internet Res.* 18(5):e97, 2016 [htm](#)
- Zhang K, Liu WL, Locatis C, Ackerman M. Mobile videoconferencing apps for telemedicine. *Telemed. e-Health* 22(1): 56-62, 2016 [htm](#)

[RETURN TO TOPICS](#)

--cancer care

- Armstrong KA, Semple JL, Coyte PC. Replacing ambulatory surgical follow-up visits with mobile app home monitoring: Modeling cost-effective scenarios. *J. Med. Internet Res.* 16(9):e213, 2014 [htm](#)
- Bragg DD, Edis H, Clark S, et al. Development of a telehealth monitoring service after colorectal surgery: A feasibility study. *World J Gastrointest Surg.* 9(9):193-199, 2017 [htm](#)
- Chen YJ, Narsavage GL, Frick KD, Petite TM. Home-telemonitoring lung cancer intervention in Appalachia: A pilot study. *Int. J. Chronic Dis. Ther.* 2(2):21-30, 2016 [htm](#)
- Chumbler NR, Kobb R, Harris L, et al. Healthcare utilization among veterans undergoing chemotherapy: the impact of a cancer care coordination/home-telehealth program. *J. Ambul. Care Manage* 30(4):308-317, 2007 [pdf](#)
- Cleeland CS, Wang XS, Shi Q, et al. Automated symptom alerts reduce postoperative symptom severity after cancer surgery: a randomized controlled clinical trial. *J. Clin. Oncol.* 29(8):994-1000, 2011 [htm](#)
- Collins A, Burns CL, Ward EC, et al. Home-based telehealth service for swallowing and nutrition management following head and neck cancer treatment. *J. Telemed. Telecare* 23 (10): 866-872, 2017 [Abstract](#)
- Johansen MA, Berntsen GK, Schuster T, Henriksen E, Horsch A. Electronic symptom reporting between patient and provider for improved health care service quality: a systematic review of randomized controlled trials. Part 2: Methodological quality and effects. *J. Med. Internet Res.* 14(5):e126, 2012 [htm](#)
- Johansen MA, Henriksen E, Horsch A, Schuster T, Berntsen GK. Electronic symptom reporting between patient and provider for improved health care service quality: a systematic review of randomized controlled trials. Part 1: State of the art. *J. Med. Internet Res.* 14(5):e118, 2012 [htm](#)
- Kearney N, McCann L, Norrie J, et al. Evaluation of a mobile phone-based, advanced symptom management system (ASyMS) in the management of chemotherapy-related toxicity. *Support. Care Cancer* 17(4):437-444, 2009 [PubMed](#)
- Laila M, Rialle V, Nicolas L, Duguay C, Franco A. Videophones for the delivery of home healthcare in oncology. *Stud. Health Technol. Inform.* 136:39-44, 2008. [PubMed](#)

- Maguire R, Miller M, Sage M, et al. Results of a UK based pilot study of a mobile phone based advanced symptom management system (ASyMS) in the remote monitoring of chemotherapy related toxicity. *Clinical Effectiveness Nursing* 9(3-4):202-210, 2005 [Abstract](#)
- Maguire R, Ream E, Richardson A, , et al. Development of a novel remote patient monitoring system: the advanced symptom management system for radiotherapy to improve the symptom experience of patients with lung cancer receiving radiotherapy. *Cancer Nurs.* 38(2):E37-E47, 2005 [PubMed](#)
- Mobasheri MH, Johnston M, Syed UM, King D, Darzi A. The uses of smartphones and tablet devices in surgery: A systematic review of the literature. *Surgery* 158(5):1352-1371, 2015 [PubMed](#)
- Mooney KH, Beck SL, Wong B, et al. Automated home monitoring and management of patient-reported symptoms during chemotherapy: results of the symptom care at home RCT. *Cancer Med.* 6(3): 537–546, 2017 [htm](#)
- Petitte TM, Narsavage GL, Chen YJ, Coole C, Forth T, Frick KD. Feasibility study: home telemonitoring for patients with lung cancer in a mountainous rural area. *Oncol. Nurs. Forum* 41(2):153-161, 2014 [htm](#)
- Piette JD, Rosland AM, Marinec NS, et al. Engagement with automated patient monitoring and self-management support calls: experience with a thousand chronically ill patients. *Med Care* 51(3):216-223, 2013 [htm](#)
- Tran C, Dicker AP, Jim HSL. The emerging role of mobile health in oncology. *Targeted Oncology*, July 3, 2017 [htm](#)
- van den Brink JL, et al. Impact on quality of life of a telemedicine system supporting head and neck cancer patients: a controlled trial during the postoperative period at home. *J. Amer. Med. Inform. Assoc.* 14(2):198–205, 2007 [htm](#)
- Weaver A, Young AM, Rowntree J, et al. Application of mobile phone technology for managing chemotherapy-associated side-effects. *Annals Oncol.* 18(11):1887-1892, 2007 [htm](#)
- Wesley KM, Fizur PJ. A review of mobile applications to help adolescent and young adult cancer patients. *Adolesc. Health Med. Ther.* 6:141-148, 2015 [htm](#)
- Yount SE, Rothrock N, Bass M, et al. A randomized trial of weekly symptom telemonitoring in advanced lung cancer. *J. Pain Symp. Man.* 47 (6): 973–989, 2013 [htm](#)

[RETURN TO TOPICS](#)

--direct-to-consumer services

- American Telemedicine Association. Practice guidelines for live, on demand primary and urgent care. ATA, Dec. 18, 2014 [htm](#)
- Gardner MR, Jenkins SM, O'Neil DA, et al. Perceptions of video-based appointments from the patient's home: a patient survey. *Telemed. e-Health* 21(4):281-285, 2014 [htm](#)
- Mehrotra A, Paone S, Martich GD, Albert SM, Shevchik GJ. Characteristics of patients who seek care via eVisits instead of office visits. *Telemed. e-Health* 19(7):515-519, 2013 [htm](#)
- Pathipati AS, Ko JM. Implementation and evaluation of Stanford Health Care direct-care teledermatology program. *SAGE Open Med.* 4:2050312116659089, 2016 [htm](#)
- Roth D, Zekovic-Roth S, Yasutake M, Richardson M. Telehealth @ Home: A guidebook for people who will receive home-based telehealth services. Mind & Body Works, Inc., 2016 [pdf](#)
- Uscher-Pines L, Mehrotra A. Analysis of Teladoc use seems to indicate expanded access to care for patients without prior connection to a provider. *Health Affairs* 33(2):258-264, 2014 [pdf](#)
- Uscher-Pines L, Mulcahy A, Cowling D, et al. Access and quality of care in direct-to-consumer telemedicine. *Telemed. eHealth* 22(4):282-277, 2016 [PubMed](#)
- Uscher-Pines L, Mulcahy A, Cowling D, et al. Antibiotic prescribing for acute respiratory infections in direct-to-consumer telemedicine visits. *JAMA Intern. Med.* 175(7):1234-1235, 2015 [htm](#)

--home dialysis

- Krishna VN, Managadi K, Smith M, Wallace E. Telehealth in the delivery of home dialysis care: catching up with technology. *Adv. Chronic Kidney Dis.* 24(1):12-16, 2017 [htm](#)
- Liu N, Kim J, Jung Y, Arisy A, et al. Remote monitoring systems for chronic patients on home hemodialysis: field test of a copresence-enhanced design. *JMIR Hum. Factors* 4(3):e21, 2017 [htm](#)
- McBain H, Shipley M, Newman S. The impact of self-monitoring in chronic illness on healthcare utilisation: a systematic review of reviews. *BMC Health Serv. Res.* 15:565, 2015 [htm](#)
- Minatodani DE, Berman SJ. Home telehealth in high-risk dialysis patients: a 3-year study. *Telemed. eHealth* 19(7):520-522, 2013. [PubMed](#)
- Ming WK, Mackillop LH, Farmer AJ, et al. Telemedicine technologies for diabetes in pregnancy: a systematic review and meta-analysis. *J. Med. Internet Res.* 18(11):e290, 2016 [htm](#)

Rygh E, Arild E, Johnsen E, Rumpsfeld M. Choosing to live with home dialysis-patients' experiences and potential for telemedicine support: a qualitative study. *BMC Nephrol.* 13:13, 2012. [htm](#)
Wallace EL, Rosner MH, Alscher MD, et al. Remote patient management for home dialysis patients. *Kidney Int. Rep.* 2(6):1009-1017, 2017 [htm](#)

--maternal and neonatal care

García-Sáez G, Rigla M, Martínez-Sarriegui I, et al. Patient-oriented computerized clinical guidelines for mobile decision support in gestational diabetes. *J. Diabetes Sci. Technol.* 8(2):238-246, 2014 [htm](#)
Gund A, Sjöqvist BA, Wigert H, et al. A randomized controlled study about the use of eHealth in the home health care of premature infants. *BMC Med. Inform. Decis. Making* 13:22, 2013 [htm](#)
Garne Holm K, Brødsgaard A, Zachariassen G, Smith AC, Clemensen J. Participatory design methods for the development of a clinical telehealth service for neonatal homecare. *SAGE Open Med.* 21;5:2050312117731252, 2017 [htm](#)
Homko CJ, Santamore WP, Whiteman V, et al. Use of an internet-based telemedicine system to manage underserved women with gestational diabetes mellitus. *Diabetes Technol. Ther.* 9(3):297-306, 2007 [htm](#)
Kohn J. Telemedicine for reproductive health. Planned Parenthood Federation of America, PCOR & Reproductive Health Summit, 2015 [pdf](#)
Lanssens D, Vandenberg T, Smeets CJ, et al. Prenatal remote monitoring of women with gestational hypertensive diseases: cost analysis. *J. Med. Internet Res* 20(3):e102, 2018 [htm](#)
Mackillop L, Loerup L, Bartlett K, et al. Development of a real-time smartphone solution for the management of women with or at high risk of gestational diabetes. *J. Diabetes Sci. Technol.* 8(6):1105-1114, 2014 [htm](#)
McMillan B, Abdelgalil R, Madhuvrata P, Easton K, Mitchell C. Reducing the risk of type 2 diabetes mellitus in primary care after gestational diabetes: a role for mobile technology to improve current care. *Brit. J. Gen. Pract.* 66(653):631-632, 2016 [htm](#)
Moy FM, Ray A, Buckley BS. Techniques of monitoring blood glucose during pregnancy for women with pre-existing diabetes. *Cochrane Database Syst. Rev.* 4:CD009613, 2014 [pdf](#)
Pérez-Ferre N, Galindo M, Fernández MD, et al. The outcomes of gestational diabetes mellitus after a telecare approach are not inferior to traditional outpatient clinic visits. *Int. J. Endocrinol.* 2010:386941, 2010 [htm](#)
Rajan S, Leonard N, Fletcher R. Ambulatory autonomic activity monitoring among at-risk adolescent mothers. *J. Mobile Technol Med.* 1(3):25-31, 2012 [htm](#)
Rasekaba TM, Lim K, Blackberry I, Gray K, Furler J. Telemedicine for gestational diabetes mellitus (TeleGDM): A mixed-method study protocol of effects of a web-based GDM support system on health service utilization, maternal and fetal outcomes, costs, and user experience. *JMIR Res. Protoc.* 5(3):e163, 2016 [pdf](#)

[RETURN TO TOPICS](#)

--neurological condition monitoring

Abbate S, Avvenuti M, Light J. Usability study of a wireless monitoring system among Alzheimer's disease elderly population. *Int. J. Telemed. Appl.* 2014: 617495, 2014 [htm](#)
Alexander GL, Wakefield BJ, Rantz M, et al. Passive sensor technology interface to assess elder activity in independent living. *Nurs Res.* 60(5):318-325, 2011 [htm](#)
Arora S, Venkataraman V, Zhan A, Donohue S, Biglan KM, Dorsey ER, Little MA. Detecting and monitoring the symptoms of Parkinson's disease using smartphones: A pilot study. *Parkinsonism Related Disorders* 21(6):650-653, 2015 [pdf](#)
Beck CA, Beran DB, Biglan KM, et al. National randomized controlled trial of virtual house calls for Parkinson disease. *Neurology* 89(11):1152-1161, 2017 [htm](#)
Cancela J, Pastorino M, Tzallas AT, et al. Wearability assessment of a wearable system for Parkinson's disease remote monitoring based on a body area network of sensors. *Sensors* 14(9): 17235–17255, 2014 [htm](#)
Dorsey ER, Achey MA, Beck CA, et al. National randomized controlled trial of virtual house calls for people with Parkinson's disease: interest and barriers. *Telemed. e-Health* 22(7):590-598, 2016 [htm](#)
Dorsey ER, Venkataraman V, Grana MJ, et al. Randomized controlled clinical trial of "virtual house calls" for Parkinson disease. *JAMA Neurol.* 70(5):565-570, 2013 [htm](#)
Dorsey ER, Vlaanderen FP, Engelen LJ, et al. Moving Parkinson care to the home. *Movement Disord.* 31(9):1258-1562, 2016 [pdf](#)

- Elliott TR, Brossart D, Berry JW, Fine PR. Problem-solving training via videoconferencing for family caregivers of persons with spinal cord injuries: a randomized controlled trial. *Behav. Res. Ther.* 46(11):1220-1229, 2008 [htm](#)
- Godinho C, Domingos J, Cunha G, et al. A systematic review of the characteristics and validity of monitoring technologies to assess Parkinson's disease. *J. Neuroeng. Rehabil.* 13(1):24, 2016 [htm](#)
- Jhaveri MM, Benjamin-Garner R, Rianon N, et al. Telemedicine-guided education on secondary stroke and fall prevention following inpatient rehabilitation for Texas patients with stroke and their caregivers: a feasibility pilot study. *BMJ Open* 7(9):e017340, 2017 [htm](#)
- Langan J, Delave K, Phillips L, Pangilinan P, Brown SH. Home-based telerehabilitation shows improved upper limb function in adults with chronic stroke: a pilot study. *J. Rehabil. Med.* 45(2):217-220, 2013 [htm](#)
- Larizza MF, Zukerman I, Bohnert F, et al. In-home monitoring of older adults with vision impairment: exploring patients', caregivers' and professionals' views. *J. Amer. Med. Inform. Assoc.* 21(1):56-63, 2014 [htm](#)
- Pan D, Dhall R, Lieberman A, Petitti DB. A mobile cloud-based Parkinson's disease assessment system for home-based monitoring. *JMIR Mhealth Uhealth* 3(1):e29, 2015 [htm](#)
- Rovini E, Maremmani C, Cavallo F. How wearable sensors can support Parkinson's disease diagnosis and treatment: a systematic review. *Front. Neurosci.* 11:555, 2017 [htm](#)
- Williams K, Arthur A, Niedens M, Moushey L, Hutfles L. In-home monitoring support for dementia caregivers: a feasibility study. *Clin. Nurs. Res.* 22(2):139-150, 2013 [htm](#)

--palliative and hospice care

- Bradford N, Armfield NR, Young J, Smith AC. The case for home based telehealth in pediatric palliative care: a systematic review. *BMC Palliat. Care* 12:4, 2013 [htm](#)
- Bradford NK, Armfield NR, Young J, Herbert A, Mott C, Smith AC. Principles of a paediatric palliative care consultation can be achieved with home telemedicine. *J. Telemed. Telecare* 20(7):360-364, 2014 [pdf](#)
- Bradford NK, Armfield NR, Young J, Smith AC. Paediatric palliative care by video consultation at home: a cost minimisation analysis. *BMC Health Serv. Res.* 14: 328, 2014 [htm](#)
- Bradford NK, Young J, Armfield NR, Herbert A, Smith AC. Home telehealth and paediatric palliative care: clinician perceptions of what is stopping us? *BMC Palliat. Care* 13: 29, 2014 [htm](#)
- Chi NC, Demiris G. A systematic review of telehealth tools and interventions to support family caregivers. *J. Telemed. Telecare* 21(1):37-44, 2015 [htm](#)
- Morgan DD, Swetenham K, To THM, Currow DC, Tieman JJ. Telemonitoring via self-report and video review in community palliative care: a case report. *Healthcare* 5(3): 51, 2017 [htm](#)
- Oliver DP, Demiris G, Wittenberg-Lyles E, Washington K, Day T, Novak H. A systematic review of the evidence base for telehospice. *Telemed. eHealth* 18(1):38-47, 2012 [htm](#)
- Rogante M, Giacomozzi C, Grigioni M, Kairy D. Telemedicine in palliative care: a review of systematic reviews. *Ann. Ist. Super. Sanita* 52(3):434-442, 2016 [pdf](#)
- Stern A, Valaitis R, Weir R, Jadad AR. Use of home telehealth in palliative cancer care: a case study. *J. Telemed. Telecare* 18(5):297-300, 2012 [htm](#)
- Takahashi PY, Hanson GJ, Thorsteinsdottir B, et al. The impact of telemonitoring upon hospice referral in the community: a randomized controlled trial. *Clin. Interv. Aging* 7: 445-451, 2012 [htm](#)
- Tieman JJ, Morgan DD, Swetenham K, To TH, Currow DC. Designing clinically valuable telehealth resources: processes to develop a community-based palliative care prototype. *JMIR Res. Protoc.* 3(3):e41, 2014 [htm](#)
- Tieman JJ, Swetenham K, Morgan DD, To TH, Currow DC. Using telehealth to support end of life care in the community: a feasibility study. *BMC Palliat Care* 15(1):94, 2016 [htm](#)

[RETURN TO TOPICS](#)

--rehabilitation

- Bendixen RM, Levy CE, Olive ES, Kobb RF, Mann WC. Cost effectiveness of a telerehabilitation program to support chronically ill and disabled elders in their homes. *Telemed. eHealth* 15(1):31-38, 2009 [htm](#)
- Breeden LE. Occupational therapy home safety intervention via telehealth. *Int. J. Telerehabil.* 8(1):29-40, 2016 [htm](#)
- Deutsch JE, Maida I, Dickstein R. Patient-centered integrated motor imagery delivered in the home with telerehabilitation to improve walking after stroke. *Phys. Ther.* 92(8):1065-1077, 2012 [htm](#)
- Dicianno BE, Parmanto B, Fairman AD, et al. Perspectives on the evolution of mobile (mHealth) technologies and application to rehabilitation. *Phys. Ther.* 95(3):397-405, 2015 [htm](#)
- Faett BL, Brienza DM, Geyer MJ, Hoffman LA. Teaching self-management skills in persons with chronic lower limb swelling and limited mobility: evidence for usability of telerehabilitation. *Int. J. Telerehabil.* 5(1): 17-25, 2013 [htm](#)

- Faett BL, Geyer MJ, Hoffman LA, Brienza DM. Design and development of a telerehabilitation self-management program for persons with chronic lower limb swelling and mobility limitations: preliminary evidence. *Nurs. Res. Pract.* 2012;608059, 2012 [htm](#)
- Forducey PG, Glueckauf RL, Bergquist TF, Maheu MM, Yutsis M. Telehealth for persons with severe functional disabilities and their caregivers: facilitating self-care management in the home setting. *Psychol. Serv.* 9(2):144-162, 2012 [htm](#)
- Golomb MR, McDonald BC, Warden SJ, et al. In-home virtual reality videogame telerehabilitation in adolescents with hemiplegic cerebral palsy. *Arch. Phys. Med. Rehabil.* 91(1):1-8, 2010 [PubMed](#)
- Hoenig H, Sanford JA, Butterfield T, et al. Development of a teletext technology protocol for in-home rehabilitation. *J. Rehabil. Res. Dev.* 43(2):287-298, 2006 [htm](#)
- Hoffman SW, Shesko K, Harrison CR. Enhanced neurorehabilitation techniques in the DVBIC Assisted Living Pilot Project. *NeuroRehabilitation.*26(3):257-269, 2010 [PubMed](#)
- Kairy D, Tousignant M, Leclerc N, Côté AM, Levasseur M, Researchers TT. The patient's perspective of in-home telerehabilitation physiotherapy services following total knee arthroplasty. *Int. J. Environ. Res. Public Health* 10(9):3998-4011, 2013 [htm](#)
- Langan J, Delave K, Phillips L, Pangilinan P, Brown SH. Home-based telerehabilitation shows improved upper limb function in adults with chronic stroke: a pilot study. *J. Rehabil. Med.* 45(2):217-220, 2013 [htm](#)
- Levy CE, Silverman E, Jia H, Geiss M, Omura D. Effects of physical therapy delivery via home video telerehabilitation on functional and health-related quality of life outcomes. *J. Rehabil. Res. Dev.* 52(3):361-370, 2015 [htm](#)
- Macoir J, Martel Sauvageau V, Boissy P, Tousignant M, Tousignant M. In-home synchronous telespeech therapy to improve functional communication in chronic poststroke aphasia: results from a quasi-experimental study. *Telemed. eHealth* 23(8):630-639, 2017 [PubMed](#)
- Miller TW, Elliott B, Long K, Mazenac C, Moder M. Telehealth home health applications for adults with developmental disabilities. *Telemed. eHealth* 12(2):137-145, 2006.[PubMed](#)
- Moffet H, Tousignant M, Nadeau S, et al. Patient satisfaction with in-home telerehabilitation after total knee arthroplasty: results from a randomized controlled trial. *Telemed. eHealth* 2016 [PubMed](#)
- Nissen RM. Delivering occupational therapy services through telehealth to older adults: current considerations. *SIS Quart. Pract. Connections* 1(4): 20–22, 2016 [htm](#)
- Nix J, Comans T. Home quick – occupational therapy home visits using mHealth, to facilitate discharge from acute admission back to the community. *Int. J. Telerehabil.* 9(1): 47–54, 2017
- Parmanto B, Saptono A, Murthi R, Safos C, Lathan CE. Secure telemonitoring system for delivering telerehabilitation therapy to enhance children's communication function to home. *Telemed. eHealth* 14(9):905-911, 2008 [PubMed](#)
- Tousignant M, Moffet H, Nadeau S, et al. Cost analysis of in-home telerehabilitation for post-knee arthroplasty. *J. Med. Internet Res.* 17(3):e83, 2015 [htm](#)
- Van Straaten MG, Cloud BA, Morrow MM, Ludewig PM, Zhao KD. Effectiveness of home exercise on pain, function, and strength of manual wheelchair users with spinal cord injury: a high-dose shoulder program with telerehabilitation. *Arch. Phys. Med. Rehab.* 95(10): 1810–1817, 2014 [htm](#)
- Zhang MW, Yeo LL, Ho RC. Harnessing smartphone technologies for stroke care, rehabilitation and beyond. *BMJ Innovations* 1:145-150, 2015 [htm](#)

[RETURN TO TOPICS](#)

--sleep disorders

- Fox N, Hirsch-Allen AJ, Goodfellow E, et al. The impact of a telemedicine monitoring system on positive airway pressure adherence in patients with obstructive sleep apnea: a randomized controlled trial. *Sleep* 35(4):477-481, 2012 [htm](#)
- Hwang D. Monitoring progress and adherence with positive airway pressure therapy for obstructive sleep apnea: the roles of telemedicine and mobile health applications. *Sleep Med. Clin.* 11(2):161-171, 2016 [PubMed](#)
- Lux L, Boehlecke B, Lohr KN. Effectiveness of portable monitoring devices for diagnosing obstructive sleep apnea: update of a systematic review. Agency for Healthcare Research and Quality Technology Assessments, 2015 [htm](#)
- Rosen IM, Kirsch DB, Chervin RD, et al. Clinical use of a home sleep apnea test: An American Academy of Sleep Medicine position statement. *J. Clin. Sleep Med.* 13(10):1205-1207, 2017 [htm](#)
- Singh J, Badr MS, Diebert W, et al. American Academy of Sleep Medicine (AASM) position paper for the use of telemedicine for the diagnosis and treatment of sleep disorders. *J. Clin. Sleep Med.* 11(10):1187-1198, 2015 [htm](#)

- Verbraecken J. Telemedicine applications in sleep disordered breathing: Thinking out of the box. *Sleep Med. Clin.* 11(4):445-459, 2016 [htm](#)
- Villanueva JA, Suarez MC, Garmendia O, et al. The role of telemedicine and mobile health in the monitoring of sleep-breathing disorders: improving patient outcomes. *Smart Homecare Tech. TeleHealth* 4: 1-11, 2017 [htm](#)
- Watson NF. Expanding patient access to quality sleep health care through telemedicine. *J. Clin. Sleep Med.* 12(2):155-156, 2016 [htm](#)

[RETURN TO TOPICS](#)

Home telehealth technology

- Agnisarman S, Narasimha S, Chalil Madathil K, et al. Toward a more usable home-based video telemedicine system: a heuristic evaluation of the clinician user interfaces of home-based video telemedicine systems. *JMIR Hum. Factors* 4(2):e11, 2017 [htm](#)
- AHRQ. Remote cardiac monitoring--Technology assessment. Agency for Healthcare Research and Quality, 2008 [pdf](#)
- Borad A. 6 factors to consider for remote patient monitoring system tech feasibility. eInfochips, Sept. 11, 2015 [htm](#)
- Center for Technology and Aging. Position paper: Technologies for remote patient monitoring in older adults. CTA 2010 [htm](#)
- Coughlin SS. Mobile technology for self-monitoring of blood glucose among patients with type 2 diabetes mellitus. *mHealth* 3: 47, 2017 [htm](#)
- de Miguel-Bilbao S, Garcia J, Marcos MD, Ramos V. Short range technologies for ambient assisted living systems in telemedicine: new healthcare environments. Chapt. 8 in R. Madhavan, S. Khalid (eds.), *Telemedicine*. InTech, 2013 [htm](#)
- Elgazzar K, Aboelfotoh M, Martin P, Hassanein HS. Ubiquitous health monitoring using mobile web services. *Procedia Comp. Sci.* 10: 332-339, 2012 [pdf](#)
- Ericsson ConsumerLab. From healthcare to homecare: The critical role of 5G in healthcare transformation. Ericsson Consumer and Industry Insight Report, June, 2017 [pdf](#)
- Espay AJ, Bonato P, Nahab FB, et al. Technology in Parkinson's disease: Challenges and opportunities. *Movement Disorders* 31(9):1272-1282, 2016 [htm](#)
- Haak T, Hanaire H, Ajjan R, et al. Use of flash glucose-sensing technology for 12 months as a replacement for blood glucose monitoring in insulin-treated type 2 diabetes. *Diabetes Ther.* 8(3):573-586, 2017 [htm](#)
- Hassanalieragh M, Page A, Soyata T, et al. Health monitoring and management using Internet-of-Things (IoT) sensing with cloud-based processing: opportunities and challenges. Conference paper, IEEE International Conference on Services Computing, 2015 [pdf](#)
- Khan JY, Yuce MR, Bulger G, Harding B. Wireless Body Area Network (WBAN) design techniques and performance evaluation. *J. Med. Syst.* 36(3):1441-1457, 2012 [pdf](#)
- LeadingAge Center for Aging Services Technologies. CAST telehealth and RPM selection tool. Leading Age, 2017 [htm](#); Selection matrix: [xls](#)
- LeadingAge Center for Aging Services Technologies. Telehealth and remote patient monitoring for long-term and post-acute care: A primer and provider selection guide. LeadingAge CAST Report, 2017 [htm](#)
- Majumder S, Mondal T, Deen MJ. Wearable sensors for remote health monitoring. *Sensors* 17(1): E130, 2017 [htm](#)
- Mangi MA, Rehman H, Rafique M, Illovsky M. Ambulatory heart failure monitoring: a systemic review. *Cureus* 9(4): e1174, 2017 [htm](#)
- Masterson Creber RM, Hickey KT, Maurer MS. Gerontechnologies for older patients with heart failure: what is the role of smartphones, tablets, and remote monitoring devices in improving symptom monitoring and self-care management? *Curr. Cardiovasc. Risk Rep.* 10(10): 30, 2016 [htm](#)
- Narasimha S, Agnisarman S, Madathil KC, et al. An investigation of the usability issues of home-based video telemedicine systems with geriatric patients. *Proceedings of the Human Factors and Ergonomics Society* 60(1): 1804-1808, 2016 [pdf](#)
- National Telehealth Technology Assessment Resource Center. Home telehealth toolkit. TTAC, 2011 [htm](#)
- Nicksch AL, Davidson SJ. Remote Patient Monitoring (RPM) - Security and other adoption barriers. HIMSS mHealth Community, December, 2014 [pdf](#)
- Parmanto B, Saptono A, Pramana G, et al. VISYTER: versatile and integrated system for telerehabilitation. *Telemed. eHealth* 16(9):939-944, 2010 [pdf](#)

- Pawar P, Jones V, van Beijnum BJ, Hermens H. A framework for the comparison of mobile patient monitoring systems. *J. Biomed, Inform.* 45(3):544-556, 2012 [pdf](#)
- Pierleoni P, Pernini L, Belli A, Palma L. An Android-based heart monitoring system for the elderly and for patients with heart disease. *Int. J. Telemed. Appl.* 2014: 625156, 2014 [htm](#)
- Suh M, Chen C, Woodbridge J, et al. A remote patient monitoring system for congestive heart failure. *J. Med. Syst.* 35(5): 1165–1179, 2011 [htm](#)
- Triantafyllidis AK, Koutkias VG, Chouvarda I, et al. Framework of sensor-based monitoring for pervasive patient care. *Healthcare Technol. Lett.* 3(3):153-158, 2016 [htm](#)
- Vegesna A, Tran M, Angelaccio M, Arcona S. Remote patient monitoring via non-invasive digital technologies: A systematic review. *Telemed. e-Health* 23(1): 3-17, 2017 [htm](#)
- Vermeulen J, Neyens JCL, Spreeuwenberg MD, et al. User-centered development and testing of a monitoring system that provides feedback regarding physical functioning to elderly people. *Patient Prefer Adherence* 7: 843-854, 2013 [htm](#)
- Yerukhimovich A, Balebako R, Boustead AE, et al. Can smartphones and privacy coexist? Assessing technologies and regulations protecting personal data on Android and iOS devices. RAND Research Report, October 2016 [htm](#)
- Zhao F, Li M, Tsien JZ. The emerging wearable solutions in mHealth. Chapt. 1 in: W. Bonney (ed.), *Mobile Health Technologies - Theories and Applications*. In Tech, 2016 [htm](#)
- Zimetbaum P, Goldman A. Ambulatory arrhythmia monitoring: Choosing the right device. *Circulation* 122:1629-1636, 2010 [htm](#)

[RETURN TO TOPICS](#)

This webliography was made possible by grant number G22RH30352 from the Office for the Advancement of Telehealth, Health Resources and Services Administration, DHHS