

Compiled by Michael Edwards, PhD, Northeast Telehealth Resource Center, June 2019
Explore the complete NETRC Resource Library at <http://netrc.org/resource-library>

Topic Table (*hit Control-Select to navigate*)

Needs	Patient monitoring during treatment
Screening/ monitoring	Follow-up medical care
Pathology	Palliative care/Support/Pain management
Dermatology	Hospice
Genetics	Behavioral health & psychiatry
Oncology	Online support groups
Tumor board/Multidisciplinary teams	

NEED FOR TELEHEALTH SOLUTIONS

- Agency for Healthcare Research and Quality. National Healthcare Quality and Disparities Report: Chartbook on Rural Health Care. August 2015 (AHRQ Pub. No. 15-0007-9-EF) [htm](#)
- Andreason M, Zhang C, Onitilo AA, Engel J, Ledesma WM, Ridolfi K, Kim K, Charlson JC, Wisinski KB, Tevaarwerk AJ. Treatment differences between urban and rural women with hormone receptor-positive early-stage breast cancer based on 21-gene assay recurrence score result. *J. Community Support Oncol.* 2015; 13(5):195-201 [htm](#)
- Baade PD, Dasgupta P, Aitken JF, Turrell G. Distance to the closest radiotherapy facility and survival after a diagnosis of rectal cancer in Queensland. *Med. J. Australia.* 2011; 195(6):350-354. [htm](#)
- Bettencourt BA, Schlegel RJ, Talley AE, Molix LA. The breast cancer experience of rural women: a literature review. *Psychooncology.* 2007;16:875–887. [PubMed](#)
- Boscoe FP, Johnson CJ, Sherman RL, Stinchcomb DG, Lin G, Henry KA. The relationship between area poverty rate and site-specific cancer incidence in the United States. *Cancer* 2014;120(14):2191-2198. [htm](#)
- Butow PN, Phillips F, Schweder J, White K, Underhill C, Goldstein D; Clinical Oncological Society of Australia. Psychosocial well-being and supportive care needs of cancer patients living in urban and rural/regional areas: a systematic review. *Support. Care Cancer.* 2012 Jan;20(1):1-22. [PubMed](#)
- Byers TE, Wolf HJ, Bauer KR, et al. The impact of socioeconomic status on survival after cancer in the United States : findings from the National Program of Cancer Registries Patterns of Care Study. *Cancer Causes Control.* 2009;20:417-435. [htm](#)

- Celaya MO, Berke EM, Onega TL, Gui J, Riddle BL, Cherala SS, Rees JR. Breast cancer stage at diagnosis and geographic access to mammography screening (New Hampshire, 1998-2004). *Rural Remote Health*. 2010;10(2):1361. [htm](#)
- Charlton M, Schlichting J, Chioreso C, Ward M, Vikas P. Challenges of rural cancer care in the United States. *Oncology* 2015; 29(9), 213346. [Link](#)
- Clegg LX, Reichman ME, Miller BA, et al. Impact of socioeconomic status on cancer incidence at diagnosis: selected findings from the surveillance, epidemiology and end results: National Longitudinal Mortality Study. *Cancer Causes Control*. 2009;20(4):417-435. [htm](#)
- Datta NR, Heuser M, Samiei M, Shah R, Lutters G, Bodis S. Teleradiotherapy network: Applications and feasibility for providing cost-effective comprehensive radiotherapy care in low- and middle-income group countries for cancer patients. *Telemed. eHealth* 2015; 21(7):523-532. [htm](#)
- Doescher MP, Jackson JE. Trends in cervical and breast cancer screening practices among women in rural and urban areas of the United States. *J. Public Health Man.Pract.* 2009; 15(3):200–209. [PubMed](#)
- Enewold L, Horner MJ, Shriver CD, Zhu K. Socioeconomic disparities in colorectal cancer mortality in the United States, 1990-2007. *J. Community Health*. 2014;39(4):760-766. [PubMed](#)
- Faggiano F, Partanen T, Kogevinas M, Boffetta P. Socioeconomic differences in cancer incidence and mortality. *IARC Sci. Publ.* 1997;(138):65-176. [PubMed](#)
- Fan L, Mohile S, Zhang N, Fiscella K, Noyes K. Self-reported cancer screening among elderly Medicare beneficiaries: a rural-urban comparison. *J. Rural Health*. 2012; 28(3):312–319.
- Frye TP, Sadowski DJ, Zahnd WE, et al. Impact of county rurality and urologist density on urological cancer mortality in Illinois. *J. Urol.* 193(5):1608-1613, 2015 [PubMed](#)
- Gage-Bouchard EA, Rodriguez EM, Saad-Harfouche FG, Miller A, Erwin DO. Factors influencing patient pathways for receipt of cancer care at an NCI-designated comprehensive cancer center. *PLoS One*. 2014;9(10):e110649. [htm](#)
- Geyer S. Social inequalities in the incidence and case fatality of cancers of the lung, the stomach, the bowels, and the breast. *Cancer Causes Control*. 2008; 19(9):965-974. [PubMed](#)
- Gruca TS, Nam I, Tracy R. Trends in medical oncology outreach clinics in rural areas. *J. Oncol. Pract.* 2014; 10(5):e313-320. [htm](#)
- Hao Y, Landrine H, Jemal A, Ward KC, Bayakly AR, Young JL, Jr., et al. Race, neighbourhood characteristics and disparities in chemotherapy for colorectal cancer. *J. Epidem. Comm. Health* 2011; 65(3): 211-217. [PubMed](#)
- Henry KA, Sherman RL, McDonald K, et al. Associations of census-tract poverty with subsite-specific colorectal cancer incidence rates and stage of disease at diagnosis in the United States. *J. Cancer Epidemiol.* 2014;2014:823484. [htm](#)
- Hines R, Markossian T, Johnson A, Dong F, Bayakly R. Geographic residency status and census tract socioeconomic status as determinants of colorectal cancer outcomes. *Amer. J. Public Health*. 2014; 104(3):e63-71. [PubMed](#)
- Hines RB, Markossian TW. Differences in late-stage diagnosis, treatment, and colorectal cancer-related death between rural and urban African Americans and whites in Georgia. *J. Rural Health*. 2012; 28(3):296-305. [PubMed](#)
- James WL. All rural places are not created equal: revisiting the rural mortality penalty in the United States. *Amer. J. Public Health*. 2014 Nov;104(11):2122-2129. [PubMed](#)

- Kato I, Booza J, Quarshie WO, Schwartz K. Persistent socioeconomic inequalities in cancer survival in the United States: 1973-2007 surveillance, epidemiology and end results (SEER) data for breast cancer and non-Hodgkin's lymphoma. *J Registry Manag.* 2012;39(4):158-166. [PubMed](#)
- Kogevinas M, Porta M. Socioeconomic differences in cancer survival: a review of the evidence. *IARC Sci. Publ.* 1997;(138):177-206. [PubMed](#)
- Markossian TW, Hines RB, Bayakly R. Geographic and racial disparities in breast cancer-related outcomes in Georgia. *Health Serv. Res.* 2014; 49(2):481-501. [htm](#)
- Markossian TW, Hines RB. Disparities in late stage diagnosis, treatment, and breast cancer-related death by race, age, and rural residence among women in Georgia. *Women Health.* 2012; 52(4):317-335. [PubMed](#)
- Meilleur A, Subramanian SV, Plascak JJ, Fisher JL, Paskett ED, Lamont EB. Rural residence and cancer outcomes in the United States: issues and challenges. *Cancer Epidemiol. Biomarkers Prev.* 2013; 22(10):1657-1667. [htm](#)
- Meit M, Knudson A, Yu AT, Tanenbaum E, Ormson E, TenBroeck S, Bayne A, Popat S, NORC Walsh Center for Rural Health Analysis. The 2014 Update of the Rural-Urban Chartbook. North Dakota and NORC Rural Health Reform Policy Research Center, Oct. 2014 [htm](#)
- National Center for Health Statistics. Health, United States, 2014, with special feature on adults aged 55–64. Centers for Disease Control and Prevention, Hyattsville, MD. 2014. [htm](#)
- Obertova Z, Brown C, Holmes M, Lawrenson R. Prostate cancer incidence and mortality in rural men--a systematic review of the literature. *Rural Remote Health.* 2012;12(2):2039. [htm](#)
- Onega T, Cook A, Kirilin B, Shi X, Alford-Teaster J, Tuzzio L, Buist DS. The influence of travel time on breast cancer characteristics, receipt of primary therapy, and surveillance mammography. *Breast Cancer Res. Treat.* 2011; 129(1):269-275. [htm](#)
- Onega T, Duell EJ, Shi X, Wang D, Demidenko E, Goodman D. Geographic access to cancer care in the U.S. *Cancer.* 2008; 112(4):909-918. [htm](#)
- Sankaranarayanan JI, Qiu F, Watanabe-Galloway S. A registry study of the association of patient's residence and age with colorectal cancer survival. *Expert Rev. Pharmacoecon. Outcomes Res.* 2014; 14(2):301-13. [PubMed](#)
- Shugarman LR, Sorbero ME, Tian H, Jain AK, Ashwood JS. An exploration of urban and rural differences in lung cancer survival among Medicare beneficiaries. *Amer. J. Public Health.* 2008; 98(7): 1280–1287. [htm](#)
- Singh GK, Siahpush M, Williams SD. Changing urbanization patterns in US lung cancer mortality, 1950–2007. *J. Community Health.* 2012; 37(2): 412–420. [htm](#)
- Singh GK, Siahpush M. Widening rural-urban disparities in all-cause mortality and mortality from major causes of death in the USA, 1969-2009. *J. Urban Health.* 2014; 91(2):272-92. [htm](#)
- Singh GK, Williams SD, Siahpush M, Mulhollen A. Socioeconomic, rural–urban, and racial inequalities in US cancer mortality: part I—All cancers and lung cancer and Part II—Colorectal, prostate, breast, and cervical cancers. *J Cancer Epidemiol.* 2011; 107497: 1–27. [htm](#)
- Singh GK. Rural-urban trends and patterns in cervical cancer mortality, incidence, stage, and survival in the United States, 1950-2008. *J. Community Health.* 2012; 37(1): 217–23. [PubMed](#)
- Singh R, Goebel LJ. Rural disparities in cancer care: a review of its implications and possible interventions. *West Virginia Med. J.* 2016; 112(3):76-82. [pdf](#)

Wilkinson D, Cameron K. Cancer and cancer risk in South Australia: what evidence for a rural-urban health differential? *Aust. J. Rural Health.* 2004;12:61–66.

[RETURN TO TOPIC TABLE](#)

TELEHEALTH LITERATURE

Screening/ monitoring

- Brouwers MC, De Vito C, Bahirathan L, Carol A, Carroll JC, Cotterchio M, Dobbins M, Lent B, Levitt C, Lewis N, McGregor SE, Paszat L, Rand C, Wathen N. What implementation interventions increase cancer screening rates? a systematic review. *Implement. Sci.* 2011 ; 6:111. [htm](#)
- Chan ECY, Vernon SW: Implementing an intervention to promote colon cancer screening through e-mail over the internet. *Medical Care* 2008, 46(Suppl 1):117-122. [PubMed](#)
- Chaudhry R, Scheitel SM, McMurtry EK, Leutink DJ, Cabanela RL, Naessens JM, Rahman AS, Davis LA, Stroebel RJ. Web-based proactive system to improve breast cancer screening: a randomized controlled trial. *Arch. Intern. Med.* 2007; 167(6):606-11. [PubMed](#)
- Choudhry A, Hong J, Chong K, Jiang B, Hartman R, Chu E, Nelson K, Wei ML, Nguyen T. Patients' preferences for biopsy result notification in an era of electronic messaging methods. *JAMA Dermatol.* 2015; 151(5):513-521. [htm](#)
- Dorrian C, Ferguson J, Ah-See K, Barr C, Lalla K, van der Pol M, McKenzie L, Wootton R. Head and neck cancer assessment by flexible endoscopy and telemedicine. *J. Telemed Telecare* 2009;15(3):118-121. [PubMed](#)
- Ferris DG, Macfee MS, Miller JA, Litaker MS, Crawley D, Watson D. The efficacy of telecolposcopy compared with traditional colposcopy. *Obstet. Gynecol.* 2002 Feb;99(2):248-254. [PubMed](#)
- Giunti G, Giunta DH, Guisado-Fernandez E, Bender JL, Fernandez-Luque L. A biopsy of breast cancer mobile applications: state of the practice review. *Int. J. Med. Inform.* 2018; 110:1-9. [htm](#)
- Hitt WC, Low G, Bird TM, Ott R. Telemedical cervical cancer screening to bridge Medicaid service care gap for rural women. *Telemed. eHealth.* 2013; 19(5):403-408, 2013 [htm](#)
- Hitt WC, Low GM, Lynch CE, Gauss CH, Magann EF, Lowery CL, Eswaran H. Application of a telecolposcopy program in rural settings. *Telemed. eHealth* 2016; 22(10):816-820. [PubMed](#)
- Hougen HY, Lobo JM, Corey T, et al. Optimizing and validating the technical infrastructure of a novel tele-cystoscopy system. *J. Telemed. Telecare* 22(7):397-404, 2016 [htm](#)
- Kinney AY, Boonyasiriwat W, Walters ST, et al. Telehealth personalized cancer risk communication to motivate colonoscopy in relatives of patients with colorectal cancer: the family CARE Randomized controlled trial. *J. Clin. Oncol.* 2014 Mar 1;32(7):654-62. [htm](#)
- McNamara M, Arnold C, Sarma K, Aberle D, Garon E, Bui AA. Patient portal preferences: perspectives on imaging information. *J. Assoc. Inf. Sci. Technol.* 2015; 66(8):1606-1615. [htm](#)
- Scherr CL, Feuston JL, Nixon DM, Cohen SA. A two-phase approach to developing SNAP: an iPhone application to support appointment scheduling and management for women with a BRCA mutation. *J. Genet. Couns.* 2018; 27(2):439-445. [PubMed](#)

- Sequist TD, Zaslavsky AM, Colditz GA, Ayanian JZ. Electronic patient messages to promote colorectal cancer screening: a randomized controlled trial. *Arch. Intern. Med.* 2011; 171(7):636–641. [htm](#)
- Tokosi TO, Fortuin J, Douglas TS. The impact of mHealth interventions on breast cancer awareness and screening: systematic review protocol. *JMIR Res. Protoc.* 2017; 6(12):e246. [htm](#)
- van der Pol M, McKenzie L. Costs and benefits of tele-endoscopy clinics in a remote location. *J. Telemed. Telecare* 2010;16(2):89-94. [PubMed](#)

[RETURN TO TOPIC TABLE](#)

Pathology

- Alami H, Fortin JP, Gagnon MP, Pollender H, Têtu B, Tanguay F. The challenges of a complex and innovative telehealth project: a qualitative evaluation of the Eastern Quebec Telepathology Network. *Int. J. Health Policy Manag.* 2017; 7(5):421-432. [htm](#)
- Bashshur RL, Krupinski EA, Weinstein RS, et al. The empirical foundations of telepathology: evidence of feasibility and intermediate effects. *Telemed. e-Health* 2017; 23(3): 155-191. [htm](#)
- Canadian Agency for Drugs and Technologies in Health. Telepathology: A review of the clinical effectiveness, cost-effectiveness, and guidelines. Health Technology Assessment, 2010 [pdf](#)
- Evans AJ, Krupinski EA, Weinstein RS, Pantanowitz L. 2014 American Telemedicine Association clinical guidelines for telepathology: Another important step in support of increased adoption of telepathology for patient care. *J. Pathol. Inform.* 2015; 6:13. [htm](#)
- Farahani N, Pantanowitz L. Overview of telepathology. *Surg. Pathol. Clin.* 2015 Jun;8(2):223-331. [PubMed](#)
- Fontelo P, Liu F, Yagi Y. Evaluation of a smartphone for telepathology: Lessons learned. *J Pathol Inform.* 2015;6:35. [htm](#)
- Hartman DJ, Parwani AV, Cable B, Cucoranu IC, McHugh JS, Kolowitz BJ, Yousem SA, Palat V, Reden AV, Sloka S, Lauro GR, Ahmed I, Pantanowitz L. Pocket pathologist: A mobile application for rapid diagnostic surgical pathology consultation. *J. Pathol. Inform.* 2014; 5:10. [htm](#)
- Holten-Rossing H, Larsen LG, Toft BG, Loya A, Vainer B. Consultation on urological specimens from referred cancer patients using real-time digital microscopy: Optimizing the workflow. *J. Pathol. Inform.* 2016; 7:11. [htm](#)
- Krupinski EA Human factors and human-computer considerations in teleradiology and telepathology. *Healthcare* 2014; 2(1):94-114. [htm](#)
- López AM, Graham AR, Barker GP, Richter LC, Krupinski EA, Lian F, Grasso LL, Miller A, Kreykes LN, Henderson JT, Bhattacharyya AK, Weinstein RS. Virtual slide telepathology enables an innovative telehealth rapid breast care clinic. *Hum. Pathol.* 2009;40(8):1082-1091. [PubMed](#)
- Meyer J, Paré G. Telepathology impacts and implementation challenges: A scoping review. *Arch. Pathol. Lab. Med.* 2015; 139(12):1550-1557. [htm](#)
- Møllersen K, Kirchesch H, Zortea M, Schopf TR, Hindberg K, Godtliebsen F. Computer-aided decision support for melanoma detection applied on melanocytic and nonmelanocytic skin

lesions: a comparison of two systems based on automatic analysis of dermoscopic images. *Biomed. Res. Int.* 2015; 2015:579282. [htm](#)

Pantanowitz L, Dickinson K, Evans AJ, Hassell LA, Henricks WH, Lennerz JK, Lowe A, Parwani AV, Riben M, Smith CD, Tuthill JM, Weinstein RS, Wilbur DC, Krupinski EA, Bernard J. American Telemedicine Association clinical guidelines for telepathology. *J. Pathol. Inform.* 2014;5:39 [htm](#) ATA: [htm](#)

Pare G, Meyer J, Trudel MC, Tetu B. Impacts of a large decentralized telepathology network in Canada. *Telemed. eHealth* 2015; Aug. [epub ahead of print] [PubMed pdf](#)

Têtu B, Perron E, Louahia S, Paré G, Trudel M-C, Meyer J. The Eastern Québec Telepathology Network: a three-year experience of clinical diagnostic services. *Diagn. Pathol.* 2014; 9(Suppl 1): S1. [htm](#)

Weinstein RS, Graham AR, Lian F, Braunhut BL, Barker GR, Krupinski EA, Bhattacharyya AK. Reconciliation of diverse telepathology system designs. Historic issues and implications for emerging markets and new applications. *APMIS* 2012;120(4):256-275. [PubMed](#)

[RETURN TO TOPIC TABLE](#)

Dermatology

American Academy of Dermatology Association. Teledermatology Toolkit. AAD, 2016 [htm](#)

Armstrong AW, Kwong MW, Chase EP, Ledo L, Nesbitt TS, Shewry SL. Teledermatology operational considerations, challenges, and benefits: The referring providers' perspective. *Telemed. e-Health* 2012; 18(8): 580-584. [htm](#)

Armstrong AW, Kwong MW, Ledo L, Nesbitt TS, Shewry SL. Practice models and challenges in teledermatology: a study of collective experiences from teledermatologists. *PLoS One* 2011; 6(12): e28687. [htm](#)

Armstrong AW, Wu J, Kovarik CL, Goldyne ME, Oh DH, McKoy KC, Shippy AM, Pak HS. State of teledermatology programs in the United States. *J. Amer. Acad. Dermatol.* 2012; 67(5):939-944. [PubMed](#)

Bashshur RL, Shannon GW, Tejasvi T, Kvedar JC, Gates M. The empirical foundations of teledermatology: A review of the research evidence. *Telemed. eHealth* 2015; 21(12):953-979. [htm](#)

Börve A, Dahlén Gyllencreutz J, Terstappen K, Johansson Backman E, Aldenbratt A, Danielsson M, Gillstedt M, Sandberg C, Paoli J. Smartphone teledermoscopy referrals: a novel process for improved triage of skin cancer patients. *Acta Derm. Venereol.* 2015; 95(2):186-190. [htm](#)

Brandt R, Hensley D. Teledermatology: The use of ubiquitous technology to redefine traditional medical instruction, collaboration, and consultation. *J. Clin. Aesthet Dermatol.* 2012; 5(11): 35–37. [htm](#)

Bruce AF, Mallow JA, Theeke LA. The use of teledermoscopy in the accurate identification of cancerous skin lesions in the adult population: a systematic review. *J. Telemed. Telecare* 2018; 24(2):75-83. [PubMed](#)

Campagna M, Naka F, Lu J. Teledermatology: An updated overview of clinical applications and reimbursement policies. *Int. J. Women's Dermatol.* 2017; 3(3):176-179. [htm](#)

Choi J, Cho Y, Woo H. mHealth approaches in managing skin cancer: systematic review of evidence-based research using integrative mapping. *JMIR mHealth uHealth* 2018; 6(8):e164. [htm](#)

- Coates SJ, Kvedar J, Granstein RD. Tele dermatology: from historical perspective to emerging techniques of the modern era: part II: Emerging technologies in tele dermatology, limitations and future directions. *J. Amer. Acad. Dermatol.* 2015;72(4):577-586. [PubMed](#)
- Da Silva DM, Roth RR, Simpson CL. Tele dermatology leading to an important diagnosis in an underserved clinic. *Dermatol Online J.* 2018; 24(4):8. [htm](#)
- Datta SK, Warshaw EM, Edison KE, et al. Cost and utility analysis of a store-and-forward tele dermatology referral system: a randomized clinical trial. *JAMA Dermatol.* 2015; 151(12):1323-1329. [htm](#)
- Finnane A, Dallest K, Janda M, Soyer HP. Tele dermatology for the diagnosis and management of skin cancer: a systematic review. *JAMA Dermatol.* [epub ahead of print] December 2016 [PubMed](#)
- Fogel AL, Sarin KY. A survey of direct-to-consumer tele dermatology services available to US patients: Explosive growth, opportunities and controversy. *J. Telemed. Telecare* 2017; 23(1):19-25. [htm](#)
- Gendreau JL, Gemelas J, Wang M, et al. Unimaged melanomas in store-and-forward tele dermatology. *Telemed. eHealth* 2017; 23(6): 517-520. [htm](#)
- Janda M, Horsham C, Koh U, et al. Evaluating healthcare practitioners' views on store-and-forward tele dermoscopy services for the diagnosis of skin cancer. *Digit. Health.* 2019; 6:2055207619828225. [htm](#)
- Kochmann M, Locatis C. Direct to consumer mobile tele dermatology apps: an exploratory study. *Telemed. eHealth* 2016; 22(8):689-693. [htm](#)
- Kroemer S, Frühauf J, Campbell TM, Massone C, Schwantzer G, Soyer HP, Hofmann-Wellenhof R. Mobile tele dermatology for skin tumour screening: diagnostic accuracy of clinical and dermoscopic image tele-evaluation using cellular phones. *Brit. J. Dermatol.* 2011; 164(5):973-979. [PubMed](#)
- Lamel SA, Haldeman KM, Ely H, Kovarik CL, Pak H, Armstrong AW. Application of mobile tele dermatology for skin cancer screening. *J. Amer. Acad. Dermatol.* 2012; 67(4):576-81. [PubMed](#)
- Lewis H, Becevic M, Myers D, et al. Dermatology ECHO - an innovative solution to address limited access to dermatology expertise. *Rural Remote Health* 2018; 18(1):4415. [htm](#)
- Marchell R, Locatis C, Burgess G, Maisiak R, Liu WL, Ackerman M. Patient and provider satisfaction with tele dermatology. *Telemed. eHealth* 2017; 23(8):684-690. [htm](#)
- Markun S, Scherz N, Rosemann T, Tandjung R, Braun RP. Mobile tele dermatology for skin cancer screening: A diagnostic accuracy study. *Medicine* 2017; 96:10. [htm](#)
- Marwaha S, Fevrier HB, Alexeeff SE, et al. Comparative effectiveness study of face-to-face and tele dermatology workflows for diagnosing skin cancer. *J. Amer. Acad. Dermatol.* 2019 [epub ahead of print]. [PubMed](#)
- McKoy K, Antoniotti NM, Armstrong A, et al. Practice Guidelines for Tele dermatology. *Telemed. eHealth* 2016; 22(12):981-990. [pdf](#)
- Nelson CA, Takeshita J, Wanat KA, et al. Impact of store-and-forward (SAF) tele dermatology on outpatient dermatologic care: A prospective study in an underserved urban primary care setting. *J. Amer. Acad. Dermatol.* 2016; 74(3):484-490. [htm](#)
- Pathipati A, Armstrong A. Tele dermatology: Outcomes and economic considerations. Chapt. 17 in: *Telemedicine Techniques and Applications*, G. Grasczew, S. Rakowsky, (eds.), Intech, 2011 [htm](#)

- Rat C, Hild S, Rault Sérandour J, et al. Use of smartphones for early detection of melanoma: systematic review. *J. Med. Internet Res.* 2018; 20(4):e135. [pdf](#)
- Resneck JS Jr, Abrouk M, Steuer M, et al. Choice, transparency, coordination, and quality among direct-to-consumer telemedicine websites and apps treating skin disease. *JAMA Dermatol.* 2016; 152(7):768-775. [htm](#)
- Snoswell C, Finnane A, Janda M, Soyer HP, Whitty JA. Cost-effectiveness of store-and-forward teledermatology: a systematic review. *JAMA Dermatol.* 2016; 152(6):702-708. [PubMed](#)
- Uscher-Pines L, Malsberger R, Burgette L, Mulcahy A, Mehrotra A. Effect of teledermatology on access to dermatology care among Medicaid enrollees. *JAMA Dermatol.* 2016; 152(8):905-912, 2016 [htm](#)
- Wang M, Gendreau JL, Gemelas J, et al. Diagnosis and management of malignant melanoma in store-and-forward teledermatology. *Teled. eHealth* 2017; 23(11): 877–880. [htm](#)
- Warshaw EM, Gravely AA, Nelson DB. Reliability of store and forward teledermatology for skin neoplasms. *J. Amer. Acad. Dermatol.* 2015;72(3):426-435. [PubMed](#)
- Warshaw EM, Hillman YJ, Greer NL, Hagel EM, MacDonald R, Rutks IR, Wilt TJ. Teledermatology for diagnosis and management of skin conditions: a systematic review. *J. Amer. Acad. Dermatol.* 2011; 64(4):759-772. [pdf](#)
- Warshaw EM, Lederle FA, Grill JP, et al. Accuracy of teledermatology for pigmented neoplasms. *J. Amer. Acad. Dermatol.* 2009; 61(5):753-765. [PubMed](#)
- Warshaw EM, Lederle FA, Grill JP, et al. Accuracy of teledermatology for nonpigmented neoplasms. *J. Amer. Acad. Dermatol.* 2009; 60:579-588. [PubMed](#)
- Whited JD. Summary of the status of teledermatology research. Teledermatology Special Interest Group, American Telemedicine Association, 2016 [pdf](#)
- Witkowski AM, Łudzik J, Arginelli F, et al. Improving diagnostic sensitivity of combined dermoscopy and reflectance confocal microscopy imaging through double reader concordance evaluation in telemedicine settings: A retrospective study of 1000 equivocal cases. *PLoS One* 2017; 12(11):e0187748. [htm](#)
- Zink A, Kolbinger A, Leibl M, et al. The value of teledermatology using a mobile app compared to conventional dermatology. *Eur. J. Dermatol.* 2017 ;27(4):429-431. [pdf](#)

[RETURN TO TOPIC TABLE](#)

Telegenetics

- Bradbury A, Patrick-Miller L, Harris D, et al. Utilizing remote real-time videoconferencing to expand access to cancer genetic services in community practices: a multicenter feasibility study. *J. Med. Internet Res.* 2016; 18(2):e23. [htm](#)
- Brown J, Athens A, Tait DL, et al. A comprehensive program enabling effective delivery of regional genetic counseling. *Int. J Gynecol. Cancer* 2018; 28(5):996-1002. [PubMed](#)
- Buchanan AH, Datta SK, Skinner CS, et al. Randomized trial of telegenetics vs. in-person cancer genetic counseling: cost, patient satisfaction and attendance. *J. Genet. Couns.* 2015; 24(6):961-970. [htm](#)
- Buchanan AH, Rahm AK, Williams JL. Alternate service delivery models in cancer genetic counseling: a mini-review. *Frontiers Oncol.* 2016; 6:120. [htm](#)
- Coelho JJ, Arnold A, Nayler J, Tischkowitz M, MacKay J. An assessment of the efficacy of cancer genetic counselling using real-time videoconferencing technology (telemedicine) compared to face-to-face consultations. *Eur. J. Cancer* 2005; 41:2257–2261. [PubMed](#)

- Datta SK, Buchanan AH, Hollowell GP, Beresford HF, Marcom PK, Adams MB. Telemedicine vs in-person cancer genetic counseling: measuring satisfaction and conducting economic analysis. *Comp. Effect. Res.* 2011; 2011:43-50. [Abstract](#)
- Fournier DM, Bazzell AF, Dains JE. Comparing outcomes of genetic counseling options in breast and ovarian cancer: an integrative review^[P]_[SEP]. *Oncol. Nurs. Forum.* 2018; 45(1):96-105. [PubMed](#)
- Gattas MR, MacMillan JC, Meinecke I, Loane M, Wootton R. Telemedicine and clinical genetics: establishing a successful service. *J. Telemed. Telecare* 2001; 7(suppl 2):68–70.
- Gray J, Brain K, Iredale R, Alderman J, France E, Hughes H. A pilot study of telegenetics. *J. Telemed. Telecare* 2000; 6:245–247.
- Hardy MW, Kener HJ, Grinzaid KA. Implementation of a carrier screening program in a high-risk undergraduate student population using digital marketing, online education, and telehealth. *Public Health Genomics.* 2018 [epub ahead of print]. [PubMed](#)
- Hilgart JS, Hayward JA, Coles B, Iredale R. Telegenetics: a systematic review of telemedicine in genetics services. *Genet. Med.* 2012; 14:765-776. [htm](#)
- Hughes KS, Ambinder EP, Hess GP, et al. Identifying health information technology needs of oncologists to facilitate the adoption of genomic medicine: recommendations from the 2016 American Society of Clinical Oncology Omics and Precision Oncology Workshop. *J. Clin. Oncol.* 2017; 35(27):3153-3159. [htm](#)
- Kubendran S, Sivamurthy S, Schaefer GB, et al. A novel approach in pediatric telegenetic services: geneticist, pediatrician and genetic counselor team. *Genet. Med.* 2017[epub ahead of print]. [pdf](#)
- Lea DH, Johnson JL, Ellingwood S, et al. Telegenetics in Maine: Successful clinical and educational service delivery model developed from a 3-year pilot project. *Genet. Med.* 2005; 7(1):21-27. [htm](#)
- MacDonald DJ, Blazer KR, Weitzel JN. Extending comprehensive cancer center expertise in clinical cancer genetics and genomics to diverse communities: the power of partnership. *J Nat. Comprons. Cancer Networks.* 2010; 8(5):615-624. [htm](#)
- Mackay J, Taylor A. Moving genetics into clinical cancer care: examples from BRCA gene testing and telemedicine. *The Breast* 2006; 15(S2): S65–S70. [PubMed](#)
- Meropol NJ, Daly MB, Vig HS et al: Delivery of internet-based cancer genetic counseling services to patients' homes: a feasibility study. *J. Telemed. Telecare* 2011; 17: 36–40. [htm](#)
- Mette LA, Saldívar AM, Poullard NE, Torres IC, Seth SG, Pollock BH, Tomlinson GE. Reaching high-risk underserved individuals for cancer genetic counseling by video-teleconferencing. *J. Community Support Oncol.* 2016; 14(4):162-168. [htm](#)
- Otten E, Birnie E, Ranchor AV, van Langen IM. Telegenetics use in presymptomatic genetic counselling: patient evaluations on satisfaction and quality of care. *Eur. J. Hum. Genet.* 2016; 24(4):513-520. [htm](#)
- Otten E, Birnie E, Lucassen AM, Ranchor AV, Van Langen IM. Telemedicine uptake among genetics professionals in Europe: room for expansion. *Eur. J. Hum. Genet.* 2016; 24:157–163. [htm](#)
- Scherr CL, Feuston JL, Nixon DM, Cohen SA. A two-phase approach to developing SNAP: an iPhone application to support appointment scheduling and management for women with a BRCA mutation. *J. Genet. Couns.* 2018; 27(2):439-445. [PubMed](#)

- Shah NN, Fleisher LD, Andersson HH. Impediments and solutions to telegenetics practice: Telegenetics Workgroup meeting report. American College of Medical Genetics & Genomics, 2009 [pdf](#)
- Solomons NM, Lamb AE, Lucas FL, McDonald EF, Miesfeldt S. Examination of the patient-focused impact of cancer telegenetics among a rural population: comparison with traditional in-person services. *Telemed. eHealth*. 2017 [epub ahead of print]. [PubMed](#)
- Voils CI, Venne VL, Weidenbacher H, Sperber N, Datta S. Comparison of telephone and televideo modes for delivery of genetic counseling: a randomized trial. *J. Genet. Couns.* 2018; 27(2):339-348. [PubMed](#)
- Zierhut HA, MacFarlane IM, Ahmed Z, Davies J. Genetic counselors' experiences and interest in telegenetics and remote counseling. *J. Genet. Couns.* 2018; 27:329–338. [PubMed](#)
- Zierhut H, Buchanan A. The impact of new CMS rules for telehealth on cancer genetic counseling. *Evidence-Based Oncology*, June 2018 [htm](#)
- Zilliaccus E, Meiser B, Lobb E, et al. The virtual consultation: practitioners' experiences of genetic counseling by videoconferencing in Australia. *Telemed. eHealth* 2010b; 16(3):350-357. [PubMed](#)
- Zilliaccus EM, Meiser B, Lobb EA, Kelly PJ, Barlow-Stewart K, Kirk JA, Spigelman AD, Warwick LJ, Tucker KM. Are videoconferenced consultations as effective as face-to-face consultations for hereditary breast and ovarian cancer genetic counseling? *Genet. Med.* 2011; 13(11):933-941. [PubMed](#)
- Zilliaccus EM, Meiser B, Lobb EA, Kirk J, Warwick L, Tucker K. Women's experience of telehealth cancer genetic counseling. *J. Genet. Couns.* 2010; 19(5):463-472. [PubMed](#)

[RETURN TO TOPIC TABLE](#)

Teleoncology

- Alanee S, Dynda D, LeVault K, et al. Delivering kidney cancer care in rural Central and Southern Illinois: a telemedicine approach. *Eur. J. Cancer Care* 23(6):739-744, 2014 [PubMed](#)
- Beswick DM, Vashi A, Song Y, et al. Consultation via telemedicine and access to operative care for patients with head and neck cancer in a Veterans Health Administration population. *Head Neck* 2016; 38(6): 925–929. [PubMed](#)
- Bogen EM, Aarsæther E, Augestad KM, Lindsetmo RO. Telemedical technologies in urological cancer care: past, present and future applications. *Expert Rev. Anticancer Ther.* 2013; 13(7):795-809. [pdf](#)
- Cox A, Lucas G, Marcu A, et al. Cancer survivors' experience with telehealth: a systematic review and thematic synthesis. *J. Med. Internet Res.* 2017; 19(1):e11. [htm](#)
- Dekalo S, Matzkin H, Mabweesh NJ, et al. Can urologists accurately stage and grade urothelial bladder cancer by assessing endoscopic photographs? *J. Telemed. Telecare* 24(9):603-607, 2018 [PubMed](#)
- Doolittle GC, Allen A. Practising oncology via telemedicine. *J. Telemed. Telecare* 1997;3:63–70. [PubMed](#)
- Doolittle GC, Harmon A, Williams A et al. A cost analysis of a tele-oncology practice. *J. Telemed. Telecare* 1997; 3 (Suppl 1): 20–22. [PubMed](#)
- Doolittle GC, Spaulding AO. Providing access to oncology care for rural patients via telemedicine. *J. Oncol. Pract.* 2006; 2(5):228-230. [htm](#)

- Doolittle GC, Williams AR, Spaulding A, Spaulding RJ, Cook DJ. A cost analysis of a tele-oncology practice in the United States. *J. Telemed. Telecare* 2004; 10 (Suppl 1):27-29. [PubMed](#)
- Fishbein JN, Nisotel LE, MacDonald JJ, et al. Mobile application to promote adherence to oral chemotherapy and symptom management: a protocol for design and development. *JMIR Res. Protoc.* 2017; 6(4):e62. [htm](#)
- Fitzpatrick D, Grabarz D, Wang L, Bezjak A, Fehlings MG, Fosker C, Rampersaud R, Wong RK. How effective is a virtual consultation process in facilitating multidisciplinary decision-making for malignant epidural spinal cord compression? *Int. J. Radiat. Oncol. Biol. Phys.* 2012 Oct 1;84(2):e167-72. [PubMed](#)
- Galligioni E, Piras EM, Galvagni M, et al. Integrating mHealth in oncology: experience in the province of Trento. *J. Med. Internet Res.* 2015; 17(5):e114. [htm](#)
- Girault A, Sicotte C, Minvielle E. Economic evaluations of patient-navigation programs in cancer care. *J. Clin. Oncol.* 2016; 34(7 suppl):14. [PubMed](#)
- Gurupur V, Shettian K, Xu P, Hines S, Desselles M, Dhawan M, Wan TT, Raffenaud A, Anderson L. Identifying the readiness of patients in implementing telemedicine in northern Louisiana for an oncology practice. *Health Informatics J.* 2016; [epub ahead of print], April 21. [PubMed](#)
- Hartman M. Using telemedicine in oncology: case study. Ontario Telemedicine Network, 2014 [pdf](#)
- Hazin R, Qaddoumi I. Teleoncology: current and future applications for improving cancer care globally. *Lancet Oncol.* 2010; 11(2):204-210. [htm](#)
- Heynsbergh N, Heckel L, Botti M, Livingston PM. Feasibility, useability and acceptability of technology-based interventions for informal cancer carers: a systematic review. *BMC Cancer.* 2018; 18: 244. [htm](#)
- Humer MF, Campling BG. The role of telemedicine in providing thoracic oncology care to remote areas of British Columbia. *Curr. Oncol. Rep.* 2017; 19(8):52. [PubMed](#)
- Jhaveri D, Larkins S, Kelly J, Sabesan S. Remote chemotherapy supervision model for rural cancer care: perspectives of health professionals. *Eur. J. Cancer Care* 2015; 25(1):93-98. [htm](#)
- Jhaveri D, Larkins S, Sabesan S. Telestroke, tele-oncology and teledialysis: a systematic review to analyse the outcomes of active therapies delivered with telemedicine support. *J. Telemed. Telecare* 2015; 21(4):181-188. [htm](#)
- Kitamura C, Zurawel-Balaura L, Wong RKS. How effective is video consultation in clinical oncology? A systematic review. *Curr Oncol.* 2010; 17(3): 17–27, 2010. [htm](#)
- Larson JL, Rosen AB, Wilson FA. The effect of telehealth interventions on quality of life of cancer patients: a systematic review and meta-analysis. *Telemed. eHealth* 2018; 24(6):397-405. [PubMed](#)
- Mair F, Whitten P, May C, Doolittle GC. Patients' perceptions of a telemedicine specialty clinic. *J. Telemed. Telecare* 2000; 6: 36–40. [PubMed](#)
- Ministry of Health British Columbia. Evaluating the benefits, telehealth-teleoncology, initial benefits and assessment. British Columbia, Canada, 2011 [htm](#)
- Mooi JK, Whop LJ, Valery PC, Sabesan SS. Teleoncology for indigenous patients: the responses of patients and health workers. *Australian J. Rural Health* 2012; 20:265–9. [PubMed](#)
- Mueller BA, Obcemea C, Lee J, Sim S. Pilot study of a radiation oncology telemedicine platform. *J. Radiation Oncol. Inform.* 2010; 2(1):20-30. [pdf](#)

- Palkhivala A. Canada develops models of teleoncology. *J. Nat. Cancer Inst.* 2011; 103(21):1566-1568. [htm](#)
- Pathmanathan S, Burgher B, Sabesan S. Is intensive chemotherapy safe for rural cancer patients? *Intern. Med. J.* 2013; 43(6), 643–649. [PubMed](#)
- Pearce, AG, Wei Y, Eastick L, Lam K, Bowen J, Hartman M. Evaluation of Canada's first radiation oncology treatment facility operated by telemedicine. *Int. J. Radiation Oncol. Biol. Physics* 2013; 87 (Suppl): S485-485. [Abstract](#)
- Pennell NA, Dicker AP, Tran C, Jim HSL, Schwartz DL, Stepanski EJ. mHealth: mobile technologies to virtually bring the patient into an oncology practice. *Amer. Soc. Clin. Oncol. Educ. Book.* 2017; 37:144-154. [htm](#)
- Pratt DA, Bernstam EV, Mandel JC, Kreda DA, Warner JL. More medicine, fewer clicks: how informatics can actually help your practice. *Amer. Soc. Clin. Oncol. Educ. Book.* 2017;37:450-459. [pdf](#)
- Queensland Health. Queensland Remote Chemotherapy Supervision Guide. State of Queensland, July 2014 [htm](#)
- Raffenaud A, Gurupur V, Fernandes SL, Yeung T. Utilizing telemedicine in oncology settings: Patient favourability rates and perceptions of use analysis using Chi-Square and neural networks. *Technol. Health Care.* 2019 [epub ahead of print]. [PubMed](#)
- Reith A, Olsen DR. Teleradiology with satellite units - six years experience at the Norwegian Radium Hospital. *Stud. Health Technol. Inform.* 2008; 134:209-216. [PubMed](#)
- Rising KL, Ward MM, Goldwater JC, Bhagianadh D, Hollander JE. Framework to advance oncology-related telehealth. *JCO Clin. Cancer Inform.* 2018; 2:1-11. [PubMed](#)
- Sabesan S, Allen D, Loh PK et al. Practical aspects of telehealth: are my patients suited to telehealth? *Intern. Med. J.* 2013; 43: 581–584. [PubMed](#)
- Sabesan S, Brennan S. Tele oncology for cancer care in rural Australia. Chapt. 13 in: G Grasczew and S. Rakowsky (eds.), *Telemedicine Techniques and Applications.* InTech, 2011 [htm](#)
- Sabesan S, Kelly J, Budden L, Knott V, Garvey G. Telehealth: a new opportunity to discuss smoking cessation with indigenous cancer patients and their families. *Psycho-Oncology* 2015; 24: 324-326. [pdf](#)
- Sabesan S. Medical models of teleoncology: Current status and future directions. *Asia-Pacific J. Clin. Oncol.* 2014; 10: 200–204. [pdf](#)
- Sabesan S, Kelly J, Evans R, Larkins S. A tele-oncology model replacing face-to-face specialist cancer care: perspectives of patients in North Queensland. *J. Telemed. Telecare* 2014; 20(4):207-211. [PubMed](#)
- Sabesan S, Larkins S, Evans R, Varma S, Andrews A, Beuttner P, Brennan S, Young M. Telemedicine for rural cancer care in North Queensland: bringing cancer care home. *Australian J. Rural Health.* 2012a; 20(5):259-264 [PubMed](#)
- Sabesan S, Senko C, Schmidt A, et al. Enhancing chemotherapy capabilities in rural hospitals: implementation of a telechemotherapy model (QReCS) in North Queensland, Australia. *J. Oncol. Pract.* 2018; 14(7):e429-e437. [PubMed](#)
- Sabesan S, Simcox K, Marr I. Medical oncology clinics through videoconferencing: an acceptable telehealth model for rural patients and health workers. *Intern. Med. J.* 2012b; 42(7):780-785. [PubMed](#)
- Shalowitz DI, Smith AG, Bell MC, Gibb RK. Teleoncology for gynecologic cancers. *Gynecol Oncol.* 2015; July 5 [e-pub before print]. [PubMed](#)

- Sirintrapun SJ, Lopez AM. Telemedicine and cancer care. Chapter in: ASCO Educational Book, pp. 540-545. American Society of Clinical Oncology, 2018 [pdf](#)
- Tarver WL, Haggstrm DA. The use of cancer-specific patient-centered technologies among underserved populations in the United States: systematic review. *J. Med. Internet Res.* 2019; 21(4):e10256. [htm](#)
- Thaker D, Monypenny R, Olver I, Sabesan S. Cost savings from a telemedicine model of care in northern Queensland, Australia. *Med. J. Australia* 2013; 199: 414–417. [htm](#)
- Tran C, Dicker AP, Jim HSL. The emerging role of mobile health in oncology. *Targeted Oncology*, July 3, 2017 [htm](#)
- Weinerman B, den Duyf J, Hughes A, Robertson S. Can subspecialty cancer consultations be delivered to communities using modern technology? – A pilot study. *Telemed. eHealth* 2005; 11: 608–15. [PubMed](#)
- Weinerman BH, Barnett J, Loyola M, den Duyf J, Robertson S, Ashworth V, Apland L, Kazanjian A. Telehealth--a change in a practice model in oncology. *Telemed. eHealth* 2012; 18(5):391-393. [htm](#)

[RETURN TO TOPIC TABLE](#)

Tumor Board/ MDT

- Atlas I, Granai CO, Gajewski W, Steinhoff MM, Steller M, Falkenberry S, Legare R, Szvalb S, Prober A, Zafrir H, Farbstein J. Videoconferencing for gynaecological cancer care: an international tumour board. *J. Telemed. Telecare* 2000; 6(4):242-244. [PubMed](#)
- Bauman G, Winquist E, Chin J. A pilot study of regional participation in a videoconferenced multidisciplinary genitourinary tumor board. *Canadian J. Urol.* 2005; 12(1):2532-2536. [PubMed](#)
- Billingsley KG, Schwartz DL, Lentz S, et al. The development of a telemedical cancer center within the Veterans Affairs Health Care System: a report of preliminary clinical results. *Telemed. eHealth* 2002; 8:123–130. [PubMed](#)
- Dickson-Witmer D, Petrelli NJ, Witmer DR, England M, Witkin G, Manzone T, et al. A statewide community cancer center videoconferencing program. *Ann.Surg. Oncol.* 2008; 15(11):3058–3064. [PubMed](#)
- El Saghir NS, Keating NL, Carlson RW, Khoury KE, Fallowfield L. Tumor boards: optimizing the structure and improving efficiency of multidisciplinary management of patients with cancer worldwide. *Amer. Soc. Clin. Oncol. Educ. Book* 2014; 2014:e461-466. [htm](#)
- Fielding RG, Macnab M, Swann S, et al. Attitudes of breast cancer professionals to conventional and telemedicine-delivered multidisciplinary breast meetings. *J. Telemed. Telecare* 2005; 11(suppl 2):S29–S34. [PubMed](#)
- Furman M, Harild L, Anderson M, et al. The development of practice guidelines for a palliative care multidisciplinary case conference. *J. Pain Symptom Manage* 2018;55(2):395-401. [PubMed](#)
- Hunter DC, Brustrom JE, Goldsmith BJ, Davis LJ, Carlos M, Ashley E, Gardner G, Gaal I. Teleoncology in the Department of Defense: a tale of two systems. *Telemed. J.* 1999; 5(3):273-282. [PubMed](#)
- Kunkler IH, Prescott RJ, Lee RJ, et al. TELEMAM: a cluster randomised trial to assess the use of telemedicine in multi-disciplinary breast cancer decision making. *Eur. J. Cancer* 2007; 43(17):2506-2514. [PubMed](#)

- Lamb BW, Brown KF, Nagpal K, Vincent C, Green JS, Sevdalis N. Quality of care management decisions by multidisciplinary cancer teams: a systematic review. *Annals Surg. Oncol.* 2011; 18(8):2116-25. [PubMed](#)
- Marshall CL, Petersen NJ, Naik AD, et al. Implementation of a regional virtual tumor board: a prospective study evaluating feasibility and provider acceptance. *Telemed. eHealth* 2014; 20(8):705-711. [htm](#)
- Salami AC, Barden GM, Castillo DL, et al. Establishment of a regional virtual tumor board program to improve the process of care for patients with hepatocellular carcinoma. *J. Oncol. Pract.* 2015;11(1):e66-74. [htm](#)
- Shea CM, Teal R, Haynes-Maslow L, McIntyre M, Weiner BJ, Wheeler SB, Jacobs SR, Mayer DK, Young M, Shea TC. Assessing the feasibility of a virtual tumor board program: a case study. *J. Healthcare Manag.* 2014; 59(3):177-193. [htm](#)
- Stalfors J, Edstrom S, Bjork-Eriksson T, Mercke C, Nyman J, Westin T. Accuracy of tele-oncology compared with face-to-face consultation in head and neck cancer case conferences. *J. Telemed. Telecare* 2001; 7:338-343. [PubMed](#)
- Stalfors J, Björholt I, Westin T. A cost analysis of participation via personal attendance versus telemedicine at a head and neck oncology multidisciplinary team meeting. *J. Telemed. Telecare* 2005;11:205–210. [PubMed](#)
- Stalfors J, Lundberg C, Westin T. Quality assessment of a multidisciplinary tumour meeting for patients with head and neck cancer. *Acta Otolaryngol.* 2007; 127(1):82-87. [PubMed](#)
- Stevenson MM, Irwin T, Lowry T, Ahmed MZ, Walden TL, Watson M, Sutton L. Development of a virtual multidisciplinary lung cancer tumor board in a community setting. *J. Oncol. Pract.* 2013; 9(3):e77-80. [htm](#)

[RETURN TO TOPIC TABLE](#)

Patient monitoring during treatment

- Borycki EM, Hughes GA, Griffith J, McNeal J. Advancing telehealth nursing practice in oncology: factors affecting nurse use of electronic symptom management guidelines. *Stud. Health Technol. Inform.* 2019; 257:42-46. [PubMed](#)
- Cannon C. Telehealth, mobile applications, and wearable devices are expanding cancer care beyond walls. *Semin. Oncol. Nurs.* 2018; 4(2):118-125. [PubMed](#)
- Chen YJ, Narsavage GL, Frick KD, Petite TM. Home-telemonitoring lung cancer intervention in Appalachia: A pilot study. *Int. J. Chronic Dis. Ther.* 2016; 2(2):21-30. [htm](#)
- Chumbler NR, Kobb R, Harris L, Richardson LC, Darkins A, Sberna M, Dixit N, Ryan P, Donaldson M, Kreps GL. Healthcare utilization among veterans undergoing chemotherapy: the impact of a cancer care coordination/home-telehealth program. *J. Ambul. Care Manage.* 2007; 30(4):308-317. [pdf](#)
- Cooley ME, Nayak MM, Abrahm JL, et al. Patient and caregiver perspectives on decision support for symptom and quality of life management during cancer treatment: Implications for eHealth. *Psychooncology* 2017; 26(8):1105-1112 [PubMed](#)
- Copeland AC, Foster MC, Muluneh B, et al. The utility of a telemedicine platform to monitor adherence and adverse effects of tyrosine kinase inhibitors. *Leuk. Lymphoma.* 2019 [epub ahead of print]. [PubMed](#)

- Furlong E, Darley A, Fox P, et al. Adaptation and implementation of a mobile phone-based remote symptom monitoring system for people with cancer in Europe. *JMIR Cancer*. 2019; 5(1):e10813. [htm](#)
- Galligioni E, Piras EM, Galvagni M, et al. Integrating mHealth in oncology: experience in the province of Trento. *J. Med. Internet Res*. 2015; 17(5):e114. [htm](#)
- Garg S, Williams NL, Ip A, Dicker AP. Clinical integration of digital solutions in health care: an overview of the current landscape of digital technologies in cancer care. *JCO Clin. Cancer Inform*. 2018; 2:1-9. [htm](#)
- Gorin SS, Haggstrom D, Han PKJ, Fairfield KM, Krebs P, Clauser SB. Cancer care coordination: a systematic review and meta-analysis of over 30 years of empirical studies. *Ann. Behav. Med*. 2017; 51(4):532-546. [PubMed](#)
- Head BA, Keeney C, Studts JL, Khayat M, Bumpous J, Pfeifer M. Feasibility and acceptance of a telehealth intervention to promote symptom management during treatment for head and neck cancer. *J. Support. Oncol*. 2011; 9(1):e1–e11. [htm](#)
- Head BA, Studts JL, Bumpous JM, Gregg JL, Wilson L, Keeney C, Scharfenberger JA, Pfeifer MP. Development of a telehealth intervention for head and neck cancer patients. *Telemed. e-Health* 2009; 15(1):44-52. [htm](#)
- Johansen MA, Berntsen GK, Schuster T, Henriksen E, Horsch A. Electronic symptom reporting between patient and provider for improved health care service quality: a systematic review of randomized controlled trials. Part 2: Methodological quality and effects. *J. Med. Internet Res*. 2012; 14(5):e126. [htm](#)
- Johansen MA, Henriksen E, Horsch A, Schuster T, Berntsen GK. Electronic symptom reporting between patient and provider for improved health care service quality: a systematic review of randomized controlled trials. Part 1: State of the art. *J. Med. Internet Res*. 2012; 14(5):e118. [htm](#)
- Kearney N, McCann L, Norrie J, Taylor L, Gray P, McGee-Lennon M, et al. Evaluation of a mobile phone-based, advanced symptom management system (ASyMS) in the management of chemotherapy-related toxicity. *Support. Care Cancer* 2009; 17(4):437-444. [PubMed](#)
- Kirkovits T, Schinkoethe T, Drewes C, et al. eHealth in modern patient-caregiver communication: high rate of acceptance among physicians for additional support of breast cancer patients during long-term therapy. *JMIR Cancer* 2016; 2(2):e14. [htm](#)
- Laila M, Rialle V, Nicolas L, Duguay C, Franco A. Videophones for the delivery of home healthcare in oncology. *Stud. Health Technol. Inform*. 2008;136:39-44. [PubMed](#)
- Maguire R, Miller M, Sage M, Norrie J, McCann L, Taylor L, et al. Results of a UK based pilot study of a mobile phone based advanced symptom management system (ASyMS) in the remote monitoring of chemotherapy related toxicity. *Clinical Effectiveness Nursing* 2005; 9(3-4):202-210. [Abstract](#)
- Maguire R, Ream E, Richardson A, Connaghan J, Johnston B, Kotronoulas G, et al. Development of a novel remote patient monitoring system: the advanced symptom management system for radiotherapy to improve the symptom experience of patients with lung cancer receiving radiotherapy. *Cancer Nurs*. 2015; 38(2):E37-E47. [PubMed](#)
- Mkanta WN, Chumbler NR, Richardson LC, Kobb RF. Age-related differences in quality of life in cancer patients: a pilot study of a cancer care coordination/home-telehealth program. *Cancer Nurs*. 2007; 30(6):434-440. [PubMed](#)

Mooney KH, Beck SL, Wong B, Dunson W, Wujcik D, Whisenant M, Donaldson G. Automated home monitoring and management of patient-reported symptoms during chemotherapy: results of the symptom care at home RCT. *Cancer Med.* 2017; 6(3): 537–546. [htm](#)

Pfeifer MP, Keeney C, Bumpous J, Schapmire TJ, Studts JL, Myers J, Head B. Impact of a telehealth intervention on quality of life and symptom distress in patients with head and neck cancer. *J. Comm. Support Oncol.* 2015; 13(1):14-21. [htm](#)

Ruland CM, Holte HH, Røislien J, Heaven C, Hamilton GA, Kristiansen J, et al. Effects of a computer-supported interactive tailored patient assessment tool on patient care, symptom distress, and patients' need for symptom management support: a randomized clinical trial. *J. Amer. Med. Inform. Assoc.* 2010; 17(4):403-410. [htm](#)

Tran C, Dicker AP, Jim HSL. The emerging role of mobile health in oncology. *Targeted Oncology*, July 3, 2017 [htm](#)

van den Brink JL, et al. Impact on quality of life of a telemedicine system supporting head and neck cancer patients: a controlled trial during the postoperative period at home. *Journal of the American Medical Informatics Association.* 2007;14(2):198–205. [htm](#)

Velikova G, Booth L, Smith AB, Brown PM, Lynch P, Brown JM, et al. Measuring quality of life in routine oncology practice improves communication and patient well-being: a randomized controlled trial. *J. Clin. Oncol.* 2004; 22(4):714-724. [htm](#)

Weaver A, Young AM, Rowntree J, Townsend N, Pearson S, Smith J, et al. Application of mobile phone technology for managing chemotherapy-associated side-effects. *Annals Oncol.* 2007; 18(11):1887-1892. [htm](#)

Wesley KM, Fizur PJ. A review of mobile applications to help adolescent and young adult cancer patients. *Adolesc. Health Med. Ther.* 2015; 6:141-148. [htm](#)

Yap KY, Low HX, Koh KS, Un M, Shih V, Chan A. Feasibility and acceptance of a pharmacist-run tele-oncology service for chemotherapy-induced nausea and vomiting in ambulatory cancer patients. *Telemed. e-Health* 2013; 19(5):387-395. [PubMed](#)

Yount SE, Rothrock N, Bass M, et al. A randomized trial of weekly symptom telemonitoring in advanced lung cancer. *J. Pain Sympt. Man.* 2013; 47 (6): 973–989. [htm](#)

[RETURN TO TOPIC TABLE](#)

Follow-up medical care

Armstrong KA, Semple JL, Coyte PC. Replacing ambulatory surgical follow-up visits with mobile app home monitoring: Modeling cost-effective scenarios. *J. Med. Internet Res.* 2014; 16(9):e213. [htm](#)

Augestad KM, Lindsetmo RO. Overcoming distance: video-conferencing as a clinical and educational tool among surgeons. *World J. Surg.* 2009; 33(7):1356-1365. [htm](#)

Bohnenkamp SK, McDonald P, Lopez AM, Krupinski E, Blackett A. Traditional versus telenursing outpatient management of patients with cancer with new ostomies. *Oncol. Nurs. Forum* 2004; 31(5):1005-1010. [Abstract](#)

Bragg DD, Edis H, Clark S, et al. Development of a telehealth monitoring service after colorectal surgery: A feasibility study. *World J Gastrointest Surg.* 2017 Sep 27;9(9):193-199. [htm](#)

Cleeland CS, Wang XS, Shi Q, et al. Automated symptom alerts reduce postoperative symptom severity after cancer surgery: a randomized controlled clinical trial. *J. Clin. Oncol.* 2011; 29(8):994-1000. [htm](#)

- Collins A, Burns CL, Ward EC, et al. Home-based telehealth service for swallowing and nutrition management following head and neck cancer treatment. *J. Telemed. Telecare* 2017; 23 (10): 866-872. [Abstract](#)
- Demchenko D, Stewart S, Fenton M, et al. Evaluation of telehealth for the assessment and follow up of lung cancer patients from rural Saskatchewan. *Chest*. 2015;148(4): 591A. [PubMed](#)
- Dickinson R, Hall S, Sinclair JE, Bond C, Murchie P. Using technology to deliver cancer follow-up: a systematic review. *BMC Cancer* 2014; 14: 311. [htm](#)
- Ellison LM, Nguyen M, Fabrizio MD, Soh A, Permpongkosol S, Kavoussi LR. Postoperative robotic telerounding: a multicenter randomized assessment of patient outcomes and satisfaction. *Arch. Surg.* 2007;142(12):1177-1181. [htm](#)
- Garg S, Williams NL, Ip A, Dicker AP. Clinical integration of digital solutions in health care: an overview of the current landscape of digital technologies in cancer care. *JCO Clin. Cancer Inform.* 2018; 2:1-9. [htm](#)
- Johnston B, Wheeler L, Deuser J, Sousa KH. Outcomes of the Kaiser Permanente tele-home health research project. *Arch. Fam. Med.* 2000; 9(1):40-45. [htm](#)
- Jue JS, Spector SA, Spector SA. Telemedicine broadening access to care for complex cases. *J Surg Res.* 2017; 220:164-170. [PubMed](#)
- Kaczmarek BF, Trinh QD, Menon M, Rogers CG. Tablet telerounding. *Urology* 2012; 80(6):1383-1388. [PubMed](#)
- Katz MH, Slack R, Bruno M, et al. Outpatient virtual clinical encounters after complex surgery for cancer: a prospective pilot study of "TeleDischarge". *J. Surg. Res.* 2016; 202(1):196-203. [PubMed](#)
- Mayadevi M, Thankappan K, Limbachiya SV, et al. Interdisciplinary telemedicine in the management of dysphagia in head and neck. *Dysphagia* 2018; 33(4):474-480. [PubMed](#)
- McCool RR, Davies L. Where does telemedicine fit into otolaryngology? An assessment of telemedicine eligibility among otolaryngology diagnoses. *Otolaryngol. Head Neck Surg.* 2018; 158(4):641-644. [PubMed](#)
- Mobasher MH, Johnston M, Syed UM, King D, Darzi A. The uses of smartphones and tablet devices in surgery: A systematic review of the literature. *Surgery.* 2015; 158(5):1352-71. [PubMed](#)
- Noble N, Mackenzie L, Carey M, et al. Cross-sectional survey to inform the development of a telehealth support model: a feasibility study for women undergoing breast cancer surgery. *Pilot Feasibility Studies.* 2019; 5:46. [htm](#)
- O'Gorman LD, Hogenbirk JC, Warry W. Clinical telemedicine utilization in Ontario over the Ontario Telemedicine Network. *Telemed. eHealth* 2015; 22(6), 473-479. [htm](#)
- Petitte TM, Narsavage GL, Chen YJ, Coole C, Forth T, Frick KD. Feasibility study: home telemonitoring for patients with lung cancer in a mountainous rural area. *Oncol. Nurs. Forum* 2014; 41(2):153-161. [htm](#)
- Piette JD, Rosland AM, Marinec NS, et al. Engagement with automated patient monitoring and self-management support calls: experience with a thousand chronically ill patients. *Med Care* 2013; 51(3):216-223. [htm](#)
- Rimmer RA, Christopher V, Falck A, et al. Telemedicine in otolaryngology outpatient setting-single center head and neck surgery experience. *Laryngoscope.* 2018; 128(9): 2072-2075. [htm](#)

Ritchie CS, Houston TK, Richman JS, et al. The E-Coach technology-assisted care transition system: a pragmatic randomized trial. *Transl. Behav. Med.* 2016; 6(3):428-437. [htm](#)

Timmerman JG, Dekker-van Weering MGH, Stuiver MM, et al. Ambulant monitoring and web-accessible home-based exercise program during outpatient follow-up for resected lung cancer survivors: actual use and feasibility in clinical practice. *J. Cancer Surviv.* 2017; 11(6):720-731. [htm](#)

Viers BR, Lightner DJ, Rivera ME, Tollefson MK, Boorjian SA, Karnes RJ, Thompson RH, O'Neil DA, Hamilton RL, Gardner MR, Bundrick M, Jenkins SM, Pruthi S, Frank I, Gettman MT. Efficiency, satisfaction, and costs for remote video visits following radical prostatectomy: a randomized controlled trial. *Eur. Urol.* 2015 Oct;68(4):729-735. [pdf](#)

Villaron C, Cury F, Eisinger F, Cappiello MA, Marqueste T. Telehealth applied to physical activity during cancer treatment: a feasibility, acceptability, and randomized pilot study. *Support. Care Cancer* 2018; 26(10):3413-3421. [PubMed](#)

Yount SE, Rothrock N, Bass M, Beaumont JL, Pach D, Lad T, Patel J, Corona M, Weiland R, Del Ciello K, Cella D. A randomized trial of weekly symptom telemonitoring in advanced lung cancer. *J. Pain Symptom Manage.* 2014; 47(6):973-989. [htm](#)

[RETURN TO TOPIC TABLE](#)

Palliative care/Support/Pain management

Agboola S, Kamdar M, Flanagan C, et al. Pain management in cancer patients using a mobile app: study design of a randomized controlled trial. *JMIR Res. Protocols* 2014; 3(4):e76. [htm](#)

Agboola SO, Ju W, Elfiky A, Kvedar JC, Jethwani K. The effect of technology-based interventions on pain, depression, and quality of life in patients with cancer: a systematic review of randomized controlled trials. *J. Med. Internet Res.* 2015; 17(3):e65. [htm](#)

Agochukwu NQ, Skolarus TA, Wittmann D. Telemedicine and prostate cancer survivorship: a narrative review. *mHealth.* 2018; 4:45. [htm](#)

Bakitas M, Dionne-Odom JN, Pamboukian SV, et al. Engaging patients and families to create a feasible clinical trial integrating palliative and heart failure care: results of the ENABLE CHF-PC pilot clinical trial. *BMC Palliat. Care* 2017; 16(1):45. [htm](#)

Bakitas MA, Elk R, Astin M, et al. Systematic review of palliative care in the rural setting. *Cancer Control* 2015; 22(4):450-464. [htm](#)

Bensink M, Armfield N, Irving H, et al. A pilot study of videotelephone-based support for newly diagnosed paediatric oncology patients and their families. *J. Telemed. Telecare* 2008; 14(6):315-321. [PubMed](#)

Bensink ME, Armfield NR, Pinkerton R, et al. Using videotelephony to support paediatric oncology-related palliative care in the home: from abandoned RCT to acceptability study. *Palliat. Med.* 2009; 23(3):228-237. [PubMed](#)

Bradford N, Armfield NR, Young J, Smith AC. The case for home based telehealth in pediatric palliative care: a systematic review. *BMC Palliat Care* 2013; 12: 4. [htm](#)

Bradford NK, Armfield NR, Young J, et al. Principles of a paediatric palliative care consultation can be achieved with home telemedicine. *J. Telemed. Telecare* 2014; 20(7):360-364. [PubMed](#)

Bradford NK, Armfield NR, Young J, Smith AC. Paediatric palliative care by video consultation at home: a cost minimisation analysis. *BMC Health Serv. Res.* 2014; 14: 328. [htm](#)

- Bradford NK, Young J, Armfield NR, Herbert A, Smith AC. Home telehealth and paediatric palliative care: clinician perceptions of what is stopping us? *BMC Palliat. Care* 2014; 13: 29. [htm](#)
- Braun A, Portner J, Grainger EM, Hill EB, Young GS, Clinton SK, Spees CK. Tele-motivational interviewing for cancer survivors: feasibility, preliminary efficacy, and lessons learned. *J. Nutr. Educ. Behav.* 2018; 50(1):19-32. [PubMed](#)
- Buimer HP, Tabak M, van Velsen L, et al. Exploring determinants of patient adherence to a portal-supported oncology rehabilitation program: interview and data log analyses. *JMIR Rehabil. Assist. Technol.* 2017; 4(2):e12. [htm](#)
- Cady R, Kelly A, Finkelstein S. Home telehealth for children with special health-care needs. *J. Telemed. Telecare* 2008; 14(4):173-177. [PubMed](#)
- Carey EP, Frank JW, Kerns RD, Ho PM, Kirsh SR. Implementation of tementoring for pain management in Veterans Health Administration: Spatial analysis. *J. Rehabil. Res. Dev.* 2016; 53(1):147–156. [htm](#)
- Choi Yoo SJ, Nyman JA, Cheville AL, Kroenke K. Cost effectiveness of telecare management for pain and depression in patients with cancer: results from a randomized trial. *Gen. Hosp. Psychiatry* 2014; 36(6):599-606. [htm](#)
- Chumbler NR, Mkanta WN, Richardson LC, Harris L, Darkins A, Kobb R, Ryan P. Remote patient-provider communication and quality of life: empirical test of a dialogic model of cancer care. *J. Telemed. Telecare* 2007; 13(1):20-25. [PubMed](#)
- Collier A, Morgan DD, Swetenham K, et al. Implementation of a pilot telehealth programme in community palliative care: A qualitative study of clinicians' perspectives. *Palliat. Med.* 2016; 30(4):409-417. [PubMed](#)
- Costello AG, Nugent BD, Conover N, Moore A, Dempsey K, Tersak JM. Shared care of childhood cancer survivors: a telemedicine feasibility study. *J. Adolesc. Young Adult Oncol.* 2017; 6(4):535-541. [PubMed](#)
- Cox A, Lucas G, Marcu A, et al. Cancer survivors' experience with telehealth: a systematic review and thematic synthesis. *J. Med. Internet Res.* 2017; 19(1):e11. [htm](#)
- Dionne-Odom JN, Azuero A, Lyons KD, et al. Benefits of early versus delayed palliative care to informal family caregivers of patients with advanced cancer: outcomes from the ENABLE III randomized controlled trial. *J. Clin. Oncol.* 2015; 33(13): 1446–1452. [htm](#)
- Dionne-Odom JN, Azuero A, Lyons KD, et al. Family caregiver depressive symptom and grief outcomes from the ENABLE III randomized controlled trial. *J. Pain Symptom Manage* 2016; 52(3): 378–385. [htm](#)
- Dionne-Odom JN, Lyons KD, Akyar I, Bakitas MA. Coaching family caregivers to become better problem solvers when caring for persons with advanced cancer. *J. Soc. Work End Life Palliat. Care* 2016; 12(1-2):63-81. [PubMed](#)
- Dionne-Odom JN, Lyons KD, Akyar I, Bakitas MA. Coaching family caregivers to become better problem solvers when caring for persons with advanced cancer. *J. Soc. Work End Life Palliat. Care* 2016; 12(1-2):63-81. [htm](#)
- Funderskov KF, Raunkiær M, Danbjørg DB, et al. Experiences with video consultations in specialized palliative home-care: qualitative study of patient and relative perspectives. *J. Med. Internet Res.* 2019; 21(3):e10208. [htm](#)
- Griffiths PC, Davis N, Lin J, et al. Using telehealth technology to support family caregivers: Description of a pilot intervention and preliminary results. *Phys. Occup. Ther. Geriatrics* 2010; 28(4): 307-320 [htm](#)

- Guay C, Auger C, Demers L, et al. Components and outcomes of internet-based interventions for caregivers of older adults: systematic review. *J. Med. Internet Res.* 2017; 19(9):e313. [htm](#)
- Guo Q, Cann B, McClement S, et al. Keep in Touch (KIT): feasibility of using internet-based communication and information technology in palliative care. *BMC Palliat. Care* 2017; 16: 29. [htm](#)
- Gustafson DH, DuBenske LL, Atwood AK, et al. Reducing symptom distress in patients with advanced cancer using an e-alert system for caregivers: pooled analysis of two randomized clinical trials. *J. Med. Internet Res.* 2017; 19(11):e354. [pdf](#)
- Haozous E, Doorenbos AZ, Demiris G, Eaton LH, Towle C, Kundu A, Buchwald D. Role of telehealth/videoconferencing in managing cancer pain in rural American Indian communities. *Psychooncology* 2012; 21(2):219-223. [htm](#)
- Healthcare Innovation Technology Lab. *Caregivers & technology: What they want and need.* AARP Project Catalyst, 2016 [pdf](#)
- Hennemann-Krause L, Lopes AJ, Araújo JA, Petersen EM, Nunes RA. The assessment of telemedicine to support outpatient palliative care in advanced cancer. *Palliat. Support Care* 2014; 27:1-6. [htm](#)
- Heynsbergh N, Heckel L, Botti M, Livingston PM. Feasibility, useability and acceptability of technology-based interventions for informal cancer carers: a systematic review. *BMC Cancer* 2018; 18: 244. [htm](#)
- Hoek PD, Schers HJ, Bronkhorst EM, Vissers KCP, Hasselaar JGJ. The effect of weekly specialist palliative care teleconsultations in patients with advanced cancer -a randomized clinical trial. *BMC Med.* 2017; 15(1):119. [htm](#)
- Holland DE, Vanderboom CE, Ingram CJ, Dose AM, Borkenhagen LS, Skadahl P, Pacyna JE, Austin CM, Bowles KH. The feasibility of using technology to enhance the transition of palliative care for rural patients. *Comput. Inform. Nurs.* 2014; 32(6):257-266. [PubMed](#)
- Jamwal NR, Kumar SP. Smarter palliative care for cancer: Use of smartphone applications. *Indian J. Palliat. Care* 2016; 22(1):108-110. [htm](#)
- Jiang Y, West BT, Barton DL, Harris MR. Acceptance and use of eHealth/mHealth Applications for self-management among cancer survivors. *Stud. Health Technol. Inform.* 2017; 245:131-135. [PubMed](#)
- Jibb LA, Stevens BJ, Nathan PC, Seto E, Cafazzo JA, Stinson JN. A smartphone-based pain management app for adolescents with cancer: establishing system requirements and a pain care algorithm based on literature review, interviews, and consensus. *J. Med. Internet Res Protoc.* 2014; 3(1):e15. [htm](#)
- Kaambwa B, Ratcliffe J, Shulver W, et al. Investigating the preferences of older people for telehealth as a new model of health care service delivery: A discrete choice experiment. *J. Telemed. Telecare* 2017; 23(2):301-313. [PubMed](#)
- Katzman JG, Comerci G, Boyle JF, Duhigg D, Shelley B, Olivas C, Daitz B, Carroll C, Som D, Monette R, Kalishman S, Arora S. Innovative telermentoring for pain management: project ECHO pain. *J. Contin. Educ. Health Prof.* 2014; 34(1):68-75. [PubMed](#)
- Levine M, Richardson JE, Granieri E, Reid MC. Novel telemedicine technologies in geriatric chronic non-cancer pain: primary care providers' perspectives. *Pain Med.* 2014; 15(2):206-213. [htm](#)
- Maloney C, Lyons KD, Li Z, Hegel M, Ahles TA, Bakitas M. Patient perspectives on participation in the ENABLE II randomized controlled trial of a concurrent oncology palliative care intervention: benefits and burdens. *Palliat. Med.* 2013; 27(4):375-383. [htm](#)

- Marzorati C, Renzi C, Russell-Edu SW, Pravettoni G. Telemedicine use among caregivers of cancer patients: systematic review. *J. Med. Internet Res.* 2018; 18;20(6):e223. [htm](#)
- McGeary DD, McGeary CA, Gatchel RJ, Allison S, Hersh A. Assessment of research quality of telehealth trials in pain management: a meta-analysis. *Pain Pract.* 2013; 13(5):422-431. [PubMed](#)
- McGeary DD, McGeary CA, Gatchel RJ. A comprehensive review of telehealth for pain management: where we are and the way ahead. *Pain Pract.* 2012; 12(7):570-577. [PubMed](#)
- Menon PR, Stapleton RD, McVeigh U, Rabinowitz T. Telemedicine as a tool to provide family conferences and palliative care consultations in critically ill patients at rural health care institutions: a pilot study. *Amer. J. Hosp. Palliat. Care.* 2015; 32(4):448-453. [PubMed](#)
- Morgan DD, Swetenham K, To THM, Currow DC, Tieman JJ. Telemonitoring via self-report and video review in community palliative care: a case report. *Healthcare* 2017; 5(3): pii: E51. [htm](#)
- Myers C. Telehealth applications in head and neck oncology. *J. Speech-Lang. Path. Audiol* 2005; 29(3):125–127. [pdf](#)
- Nasi G, Cucciniello M, Guerrazzi C. The role of mobile technologies in health care processes: the case of cancer supportive care. *J. Med. Internet Res.* 2015; 17(2):e26. [htm](#)
- Naylor MR, Naud S, Keefe FJ, Helzer JE. Therapeutic Interactive Voice Response (TIVR) to reduce analgesic medication use for chronic pain management. *J. Pain* 2010; 11(12):1410-1419. [htm](#)
- Noble N, Mackenzie L, Carey M, et al. Cross-sectional survey to inform the development of a telehealth support model: a feasibility study for women undergoing breast cancer surgery. *Pilot Feasibility Studies* 2019; 5:46. [htm](#)
- Northouse, L., Schafenacker, A., Barr, K.L., et al. A tailored web-based psycho-educational intervention for cancer patients and their family caregivers. *Cancer Nursing* 2014; 37:321–330. [htm](#)
- Nugteren IC, Duineveld LA, Wieldraaijer T, et al. Need for general practitioner involvement and eHealth in colon cancer survivorship care: patients' perspectives. *Fam. Pract.* 2017; 34(4):473-478. [PubMed](#)
- Pinto S, Caldeira S, Martins JC. e-Health in palliative care: review of literature, Google Play and App Store. *Int. J. Palliat. Nurs.* 2017; 23(8):394-401. [PubMed](#)
- Ploeg J, Markle-Reid M, Valaitis R, et al. Web-based interventions to improve mental health, general caregiving outcomes, and general health for informal caregivers of adults with chronic conditions living in the community: rapid evidence review. *J. Med. Internet Res.* 2017; 19(7):e263. [htm](#)
- Portman D, Thirlwell S, Donovan KA. Completing the bucket list: leveraging telemedicine in oncologic palliative care to support legacy-making and dignity. *J. Pain Symptom Manage.* 2018; 55(6):e1-e2. [PubMed](#)
- Richardson JE, Lee JI, Nirenberg A, Reid MC. The potential role for smartphones among older adults with chronic noncancer pain: a qualitative study. *Pain Med.* 2018; 19(6):1132-1139. [PubMed](#)
- Richardson JE, Reid MC. The promises and pitfalls of leveraging mobile health technology for pain care. *Pain Med.* 2013; 14(11):1621-1626. [htm](#)
- Rocque GB, Halilova KI, Varley AL, et al. Feasibility of a telehealth educational program on self-management of pain and fatigue in adult cancer patients. *J. Pain Symptom Manage.* 2017; 53(6):1071-1078. [PubMed](#)

- Rogante M, Giacomozzi C, Grigioni M, Kairy D. Telemedicine in palliative care: a review of systematic reviews. *Ann. Ist. Super. Sanita* 2016; 52(3):434-442. [pdf](#)
- Shin JY, Kang TI, Noll RB, Choi SW. Supporting caregivers of patients with cancer: a summary of technology-mediated interventions and future directions. *Amer. Soc. Clin. Oncol. Educ. Book* 2018; 38:838-849. [pdf](#).
- Short CE, Finlay A, Sanders I, Maher C. Development and pilot evaluation of a clinic-based mHealth app referral service to support adult cancer survivors increase their participation in physical activity using publicly available mobile apps. *BMC Health Serv Res.* 2018; 18(1):27. [htm](#)
- Sin J, Henderson C, Spain D, et al. eHealth interventions for family carers of people with long term illness: A promising approach? *Clin. Psychol Rev.* 2018; 60:109-125. [htm](#)
- Slev VN, Mistiaen P, Pasman HR, et al. Effects of eHealth for patients and informal caregivers confronted with cancer: A meta-review. *Int. J. Med. Inform.* 2016; 87:54-67. [PubMed](#)
- Stern A, Valaitis R, Weir R, Jadad AR. Use of home telehealth in palliative cancer care: a case study. *J. Telemed. Telecare* 2012; 18(5):297-300. [htm](#)
- Syrjala KL, Yi JC, Artherholt SB, et al. An online randomized controlled trial, with or without problem-solving treatment, for long-term cancer survivors after hematopoietic cell transplantation. *J. Cancer Surviv.* 2018; 12(4):560-570. [PubMed](#)
- Theodore BR, Whittington J, Towle C, et al. Transaction cost analysis of in-clinic versus telehealth consultations for chronic pain: preliminary evidence for rapid and affordable access to interdisciplinary collaborative consultation. *Pain Med.* 2015; 16(6):1045-1056. [htm](#)
- Tieman JJ, Morgan DD, Swetenham K, To TH, Currow DC. Designing clinically valuable telehealth resources: processes to develop a community-based palliative care prototype. *JMIR Res. Protoc.* 2014; 3(3):e41. [htm](#)
- Tieman JJ, Swetenham K, Morgan DD, et al. Using telehealth to support end of life care in the community: a feasibility study. *BMC Palliat. Care.* 2016; 15(1):94. [htm](#)
- To THM, Currow DC, Swetenham K, Morgan DD, Tieman J. How can activity monitors be used in palliative care patients? *J. Palliat. Med.* 2019 [epub ahead of print]. [PubMed](#)
- van Gorp J, van Selm M, van Leeuwen E, et al. Teleconsultation for integrated palliative care at home: A qualitative study. *Palliat. Med.* 2016; 30(3):257-269. [PubMed](#)
- van Gorp J, van Selm M, van Leeuwen E, Hasselaar J. Transmural palliative care by means of teleconsultation: a window of opportunities and new restrictions. *BMC Med. Ethics* 2013; 14:12. [htm](#)
- van Gorp J, van Selm M, Vissers K, van Leeuwen E, Hasselaar J. How outpatient palliative care teleconsultation facilitates empathic patient-professional relationships: a qualitative study. *PLoS One.* 2015; 10(4):e0124387. [htm](#)
- Wade VA, Taylor AD, Kidd MR, Carati C. Transitioning a home telehealth project into a sustainable, large-scale service: a qualitative study. *BMC Health Serv. Res.* 2016; 16(1):183. [htm](#)
- Wallace LS, Dhingra LK. A systematic review of smartphone applications for chronic pain available for download in the United States. *J. Opioid Manag.* 2014; 10(1):63-68. [PubMed](#)
- Watanabe SM, Fairchild A, Pituskin E, Borgersen P, Hanson J, Fassbender K. Improving access to specialist multidisciplinary palliative care consultation for rural cancer patients by videoconferencing: report of a pilot project. *Support. Care Cancer.* 2013; 21(4):1201-1207. [PubMed](#)

- Wesley KM, Fizur PJ. A review of mobile applications to help adolescent and young adult cancer patients. *Adolesc. Health Med. Ther.* 2015; 6:141-148. [htm](#)
- White C, McIlfatrick S, Dunwoody L, Watson M. Supporting and improving community health services-a prospective evaluation of ECHO technology in community palliative care nursing teams. *BMJ Support. Palliat. Care* 2015; [epub before print] Dec. [htm](#)
- Winegard B, Miller EG, Slamon NB. Use of telehealth in pediatric palliative care. *Telemed. e-Health* 2017; 23(11):938-940. [PubMed](#)
- Worster B, Swartz K. Telemedicine and palliative care: an increasing role in supportive oncology. *Curr. Oncol. Rep.* 2017; 19(6):37. [PubMed](#)
- Zheng Y, Head BA, Schapmire TJ. A systematic review of telehealth in palliative care: caregiver outcomes. *Telemed. eHealth* 2015; 22(4): 1-7. [htm](#)
- Zhou ES, Partridge AH, Blackmon JE, Morgan E, Recklitis CJ. A pilot videoconference group stress management program in cancer survivors: lessons learned. *Rural Remote Health* 2016; 16(2):3863. [htm](#)
- Zulman DM, Schafenacker A, Barr KL, et al. Adapting an in-person patient-caregiver communication intervention to a tailored web-based format. *Psychooncology* 2012; 21(3):336-341. [htm](#)

[RETURN TO TOPIC TABLE](#)

Telehealth in hospice care:

- Chung J, Demiris G, Thompson HJ. Ethical considerations regarding the use of smart home technologies for older adults: an integrative review. *Ann. Rev. Nursing Res.* 2016; 34:155-181. [PubMed](#)
- Demiris G, Oliver DP, Wittenberg-Lyles E, Washington K. Use of videophones to deliver a cognitive-behavioural therapy to hospice caregivers *J. Telemed. Telecare* 2011; 17: 142-145 [htm](#)
- Demiris G, Oliver DP, Wittenberg-Lyles E, Washington K. Video-mediated communication in hospice interdisciplinary team meetings: examining technical quality and content. *AMIA Annu Symp Proc.* 2009; 2009:135-139. [htm](#)
- Demiris G, Parker Oliver D, Kruse RL, Wittenberg-Lyles E. Telehealth group interactions in the hospice setting: assessing technical quality across platforms. *Telemed. eHealth* 2013; 19(4): 235-240. [htm](#)
- Demiris G, Parker Oliver D, Wittenberg-Lyles E, et al. A noninferiority trial of a problem-solving intervention for hospice caregivers: in person versus videophone. *J. Palliat. Med.* 2012; 15(6):653-660. [htm](#)
- Doolittle GC, Nelson EL, Spaulding AO, et al. TeleHospice: A community-engaged model for utilizing mobile tablets to enhance rural hospice care. *Amer. J. Hosp. Palliat. Care* [epub ahead of print], February 2019 [PubMed](#)
- Phongtankuel V, Adelman RD, Reid MC. Mobile health technology and home hospice care: promise and pitfalls. *Prog. Palliat. Care* 2018; 26(3):137-141. [PubMed](#)
- Oliver DP, Demiris G, Wittenberg-Lyles E, Washington K, Day T, Novak H. A systematic review of the evidence base for telehospice. *Telemed. eHealth* 2012; 18(1):38-47. [htm](#)
- Phongtankuel V, Shalev A, Adelman RD, et al. Mobile health technology is here-but are hospice informal caregivers receptive? *Amer. J. Hosp. Palliat Care* 2018 [epub ahead of print]. [PubMed](#)

- Schmidt KL, Gentry A, Monin JK, Courtney KL. Demonstration of facial communication of emotion through telehospice videophone contact. *Telemed. e-Health* 2011; 17(5):399-401. [htm](#)
- Takahashi PY, Hanson GJ, Thorsteinsdottir B, et al. The impact of telemonitoring upon hospice referral in the community: a randomized controlled trial. *Clin. Interv. Aging* 2012; 7: 445–451. [htm](#)
- Tieman JJ, Swetenham K, Morgan DD, To TH, Currow DC. Using telehealth to support end of life care in the community: a feasibility study. *BMC Palliat Care* 2016; 15(1):94. [htm](#)
- Whitten P, Holtz B, Meyer E, Nazione S. Telehospice: reasons for slow adoption in home hospice care. *J. Telemed. Telecare* 2009; 15(4):187-190. [PubMed](#)
- Whitten P, Cook DJ, Doolittle G. An analysis of provider perceptions for telehospice. *Amer. J. Hosp. Palliat. Care.* 1998; 15(5):267-274.

[RETURN TO TOPIC TABLE](#)

Behavioral health and psychiatric interventions:

- Applebaum AJ, DuHamel KN, Winkel G, Rini C, Greene PB, Mosher CE, Redd WH. Therapeutic alliance in telephone-administered cognitive-behavioral therapy for hematopoietic stem cell transplant survivors. *J. Consult. Clin. Psychol.* 2012; 80(5):811-816. [htm](#)
- Bantum EO, Albright CL, White KK, Berenberg JL, Layi G, Ritter PL, Laurent D, Plant K, Lorig K. Surviving and thriving with cancer using a Web-based health behavior change intervention: randomized controlled trial. *J. Med. Internet Res.* 2014; 16(2):e54. [htm](#)
- Berry E, Mazour T, Lawrence SL. Cancer survivorship care in the rural community: A mobile model. *J. Clin. Oncol.* 2016; 34(3 Suppl.):38, 2016 [PubMed](#)
- Børøsdund E, Cvancarova M, Moore SM, Ekstedt M, Ruland CM. Comparing effects in regular practice of e-communication and Web-based self-management support among breast cancer patients: preliminary results from a randomized controlled trial. *J. Med. Internet Res.* 2014 Dec 18;16(12):e295. [htm](#)
- Campo RA, Bluth K, Santacroce SJ, et al. A mindful self-compassion videoconference intervention for nationally recruited posttreatment young adult cancer survivors: feasibility, acceptability, and psychosocial outcomes. *Support. Care Cancer* 2017; 25(6):1759-1768. [PubMed](#)
- Cartmill B, Wall LR, Ward EC, Hill AJ, Porceddu SV. Computer literacy and health locus of control as determinants for readiness and acceptability of telepractice in a head and neck cancer population. *Int. J. Telerehabil.* 2016; 8(2):49-60. [htm](#)
- Chalmers JA, Sansom-Daly UM, Patterson P, McCowage G, Anazodo A. Psychosocial assessment using telehealth in adolescents and young adults with cancer: a partially randomized patient preference pilot study. *JMIR Res Protoc.* 2018; 7(8):e168. [htm](#)
- Chambers SK, Girgis A, Occhipinti S, Hutchison S, Turner J, McDowell M, Mihalopoulos C, Carter R, Dunn JC. A randomized trial comparing two low-intensity psychological interventions for distressed patients with cancer and their caregivers. *Oncol. Nurs. Forum.* 2014; 41(4):E256-66. [PubMed](#)

- Chen YY, Guan BS, Li ZK, Li XY. Effect of telehealth intervention on breast cancer patients' quality of life and psychological outcomes: a meta-analysis. *J. Telemed Telecare* 2017; 24(3):157-167. [PubMed](#)
- Chi NC, Demiris G. A systematic review of telehealth tools and interventions to support family caregivers. *J. Telemed. Telecare.* 2015; 21(1):37-44. [htm](#)
- Choi Yoo SJ, Nyman JA, Cheville AL, Kroenke K. Cost effectiveness of telecare management for pain and depression in patients with cancer: results from a randomized trial. *Gen. Hosp. Psychiatry* 2014; 36(6):599-606. [htm](#)
- Cluver JS, Schuyler D, Frueh BC, Brescia F, Arana GW. Remote psychotherapy for terminally ill cancer patients. *J. Telemed. Telecare* 2005; 11(3):157-159. [PubMed](#)
- Crews JR. Use of telemedicine to expand access to survivorship care. *J. Clin. Oncol.* 2016; 34(3 Suppl):26. [PubMed](#)
- Dionne-Odom JN, Azuero A, Lyons KD, et al. Family caregiver depressive symptom and grief outcomes from the ENABLE III randomized controlled trial. *J. Pain Symptom Manage.* 2016 52(3):378-385. [PubMed](#)
- Downe-Wamboldt BL1, Butler LJ, Melanson PM, Coulter LA, Singleton JF, Keefe JM, Bell DG. The effects and expense of augmenting usual cancer clinic care with telephone problem-solving counseling. *Cancer Nurs.* 2007; 30(6):441-53. [PubMed](#)
- DuBenske LL, Gustafson DH, Namkoong K, Hawkins RP, Atwood AK, Brown RL, Chih MY, McTavish F, Carmack CL, Buss MK, Govindan R, Cleary JF. CHESS improves cancer caregivers' burden and mood: results of an eHealth RCT. *Health Psychol.* 2014 ; 33(10):1261-1272. [htm](#)
- Duffey J, Sanford S, Wagner L, Begale M, Nawacki E, Mohr DC. Project onward: an innovative e-health intervention for cancer survivors. *Psychooncology* 2013; 22(4):947-51. [htm](#)
- Ferguson RJ, Sigmon ST, Pritchard AJ, LaBrie SL, Goetze RE, Fink CM, Garrett AM. A randomized trial of videoconference-delivered cognitive behavioral therapy for survivors of breast cancer with self-reported cognitive dysfunction. *Cancer* 2016; 122(11):1782-1791. [PubMed](#)
- Freeman LW, White R, Ratcliff CG, Sutton S, Stewart M, Palmer JL, Link J, Cohen L. A randomized trial comparing live and telemedicine deliveries of an imagery-based behavioral intervention for breast cancer survivors: reducing symptoms and barriers to care. *Psychooncology* 2015; 24(8):910-918. [htm](#)
- Galiano-Castillo N, Arroyo-Morales M, et al. Effect of an internet-based telehealth system on functional capacity and cognition in breast cancer survivors: a secondary analysis of a randomized controlled trial. *Support Care Cancer* 2017; 25(11):3551-3559. [PubMed](#)
- Galiano-Castillo N, Cantarero-Villanueva I, Fernández-Lao C. Telehealth system: A randomized controlled trial evaluating the impact of an internet-based exercise intervention on quality of life, pain, muscle strength, and fatigue in breast cancer survivors. *Cancer* 2016; 122(20):3166-3174. [PubMed](#)
- Hanlon H, Daines L, Campbell C, et al. Telehealth interventions to support self-management of long-term conditions: a systematic metareview of diabetes, heart failure, asthma, chronic obstructive pulmonary disease, and cancer. *J. Med. Internet Res.* 2017; 19(5):e172. [htm](#)
- Hawkes AL, Chambers SK, Pakenham KI, Patrao TA, Baade PD, Lynch BM, Aitken JF, Meng X, Courneya KS . Effects of a telephone-delivered multiple health behavior change

- intervention (CanChange) on health and behavioral outcomes in survivors of colorectal cancer: a randomized controlled trial. *J. Clin. Oncol.* 2013; 31(18):2313-2321. :[PubMed](#)
- Hawkes AL, Pakenham KI, Chambers SK, Patrao TA, Courneya KS. Effects of a multiple health behavior change intervention for colorectal cancer survivors on psychosocial outcomes and quality of life: a randomized controlled trial. *Annals Behav. Med.* 2014; 48(3):359-70. [PubMed](#)
- Hawkes AL, Patrao TA, Green A, Aitken JF. CanPrevent: a telephone-delivered intervention to reduce multiple behavioural risk factors for colorectal cancer. *BMC Cancer* 2012; 12:560. [htm](#)
- Johns SA, Kroenke K, Theobald DE, Wu J, Tu W. Telecare management of pain and depression in patients with cancer: patient satisfaction and predictors of use. *J. Ambul. Care Manage.* 2011; 34(2):126-139. [PubMed](#)
- Krigel S, Nelson EL, Spaulding A, Krebill H, Doolittle GC. Psycho-oncology via telemedicine: A model to provide services to a rural population. *J. Clin. Oncol.* 2014; 32(31 Suppl.):236-236. [Abstract](#)
- Kroenke K, Theobald D, Wu J, Norton K, Morrison G, Carpenter J, Tu W. Effect of telecare management on pain and depression in patients with cancer: a randomized trial. *JAMA* 2010; 304(2):163-171. [htm](#)
- Kuijpers W, Groen WG, Aaronson NK, van Harten WH. A systematic review of web-based interventions for patient empowerment and physical activity in chronic diseases: relevance for cancer survivors. *J. Med. Internet. Res.* 2013; 15(2):e37. [htm](#)
- Macea DD, Gajos K, Daglia Calil YA, Fregni F. The efficacy of Web-based cognitive behavioral interventions for chronic pain: a systematic review and meta-analysis. *J. Pain* 2010; 11(10):917-929. [PubMed](#)
- Madore S, Kilbourn K, Valverde P, Borrayo E, Raich P. Feasibility of a psychosocial and patient navigation intervention to improve access to treatment among underserved breast cancer patients. *Support. Care Cancer.* 2014; 22(8):2085-2093. [PubMed](#)
- Marzorati C, Renzi C, Russell-Edu SW, Pravettoni G. Telemedicine use among caregivers of cancer patients: systematic review. *J. Med. Internet Res.* 2018; 18;20(6):e223. [htm](#)
- McCarthy MS, Matthews EE, Battaglia C, Meek PM. Feasibility of a telemedicine-delivered cognitive behavioral therapy for insomnia in rural breast cancer survivors. *Oncol Nurs. Forum* 2018; 45(5):607-618. [PubMed](#)
- Melton L, Brewer B, Kolva E, Joshi T, Bunch M. Increasing access to care for young adults with cancer: Results of a quality-improvement project using a novel telemedicine approach to supportive group psychotherapy. *Palliat. Support. Care* 2016; 15(2):176-180. [PubMed](#)
- Pruthi S, Stange KJ, Malagrino GD Jr., et al. Successful implementation of a telemedicine-based counseling program for high-risk patients with breast cancer. *Mayo Clinic Proc.* 2013; 88(1): 68–73. [PubMed](#)
- Quintiliani LM, Mann DM, Puputti M, Quinn E, Bowen DJ. Pilot and feasibility test of a mobile health-supported behavioral counseling intervention for weight management among breast cancer survivors. *JMIR Cancer* 2016; 2(1):e4. [htm](#)
- Rawl SM, Given BA, Given CW, Champion VL, Kozachik SL, Kozachik SL, Barton D, Emsley CL, Williams SD. Intervention to improve psychological functioning for newly diagnosed patients with cancer. *Oncol. Nurs. Forum* 2002; 29(6):967-75. [PubMed](#)

- Richardson AE, Broadbent E, Morton RP. A systematic review of psychological interventions for patients with head and neck cancer. *Support. Care Cancer* 2019 [epub ahead of print]. [PubMed](#)
- Sandgren AK, McCaul KD, King B, O'Donnell S, Foreman G. Telephone therapy for patients with breast cancer. *Oncol. Nurs. Forum* 2000; 27(4):683-688. [PubMed](#)
- Schnur JB, Montgomery GH. E-counseling in psychosocial cancer care: a survey of practice, attitudes, and training among providers. *Telemed. eHealth* 2012; 18(4):305-308. [htm](#)
- Shepherd L, Goldstein D, Whitford H, Thewes B, Brummell V, Hicks M. The utility of videoconferencing to provide innovative delivery of psychological treatment for rural cancer patients: results of a pilot study. *J. Pain Symptom Manage.* 2006; 32(5):453-461. [htm](#)
- Sucala M, Schnur JB, Constantino MJ, Miller SJ, Brackman EH, Montgomery GH. The therapeutic relationship in e-therapy for mental health: a systematic review. *J. Med. Internet Res.* 2012; 14(4):e110. [htm](#)
- van den Brink JL, Moorman PW, de Boer MF, Hop WC, Pruyn JF, Verwoerd CD, van Bommel JH. Impact on quality of life of a telemedicine system supporting head and neck cancer patients: a controlled trial during the postoperative period at home. *J. Amer. Med. Inform. Assoc.* 2007; 14(2):198-205. [htm](#)
- Ward EC, Wall LR, Burns CL, Cartmill B, Hill AJ. Application of telepractice for head and neck cancer management: a review of speech language pathology service models. *Curr. Opin. Otolaryngol. Head Neck Surg.* 2017 25(3):169-174. [PubMed](#)
- Watson M, White C, Davolls S, Mohammed A, Lynch A, Mohammed K. Problem-focussed interactive telephone therapy for cancer patients: a phase II feasibility trial. *Psychooncology.* 2013; 22(7):1485-1491. [PubMed](#)
- Wesley KM, Fizur PJ. A review of mobile applications to help adolescent and young adult cancer patients. *Adolesc. Health Med. Ther.* 2015; 6:141-148. [htm](#)
- Winterling J, Wiklander M, Obol CM, Lampic C, Eriksson LE, Pelters B, Wettergren L. Development of a self-help web-based intervention targeting young cancer patients with sexual problems and fertility distress in collaboration with patient research partners. *JMIR Res. Protoc.* 2016; 5(2):e60. [htm](#)
- Wittenberg-Lyles E, Goldsmith J, Oliver DP, Demiris G, Rankin A. Targeting communication interventions to decrease caregiver burden. *Semin. Oncol. Nurs.* 2012; 28(4):262-270. [htm](#)
- Worster B, Swartz K. Telemedicine and palliative care: an increasing role in supportive oncology. *Curr. Oncol. Rep.* 2017; 19(6):37. [PubMed](#)

[RETURN TO TOPIC TABLE](#)

Online clinician-managed support groups:

- Devine KA, Viola AS, Coups EJ, Wu YP. Digital health interventions for adolescent and young adult cancer survivors. *JCO Clin. Cancer Inform.* 2:1-15, 2018 [PubMed](#)
- Buis LR, Whitten P. Comparison of social support content within online communities for high- and low-survival-rate cancers. *Comput. Inform. Nurs.* 2011; 29(8):461-467. [PubMed](#)
- Collie K, Kreshka MA, Ferrier S, Parsons R, Graddy K, Avram S, Mannell P, Chen XH, Perkins J, Koopman C. Videoconferencing for delivery of breast cancer support groups to women living in rural communities: a pilot study. *Psychooncology.* 2007;16(8):778-82. [PubMed](#)
- Cox A, Lucas G, Marcu A, et al. Cancer survivors' experience with telehealth: a systematic review and thematic synthesis. *J. Med. Internet Res.* 2017; 19(1):e11. [htm](#)

Doorenbos AZ, Eaton LH, Haozous E, Towle C, Revels L, Buchwald D. Satisfaction with telehealth for cancer support groups in rural American Indian and Alaska Native communities. *Clin. J. Oncol. Nurs.* 2010; 14(6):765-770. [htm](#)

Lubberding S, van Uden-Kraan CF, Te Velde EA, et al. Improving access to supportive cancer care through an eHealth application: a qualitative needs assessment among cancer survivors. *J. Clin. Nurs.* 2015; 24(9-10):1367-1379. [PubMed](#)

Stephen JE, Christie G, Flood K, et al. Facilitating online support groups for cancer patients: the learning experience of psycho-oncology clinicians. *Psychooncology.* 2011;20:832–40. [htm](#)

Vilhauer RP. Perceived benefits of online support groups for women with metastatic breast cancer. *Women Health.* 2009; 49:381–404. [PubMed](#)

[RETURN TO TOPIC TABLE](#)

Northeast Telehealth Resource Center is a partnership between Medical Care Development Public Health Division and the University of Vermont Medical Center. This resource was made possible by grant number G22RH30352 from the Office for the Advancement of Telehealth, Health Resources and Services Administration, DHHS.